


TECHNICAL DATA SHEET

Part#: 7171E

Cutters - Long Nose Fine .02" x .015" Tip - Relieved Head
Ideal for work on SMD boards - offers the smallest tips available

The 7171E Lazer Line[®] small fine tip laser flush cutter has a cutting capacity of .001" - .010" soft wire. It is made of carbon tool steel steel with induction hardened cutting blades to RHC 63-65. This overall length is 5.75". The CNC machining allows the joint surfaces to be perfect to allow for long life. The Anti-Static grips are soft cushioned foam and have a surface resistivity of 10^{10} ohms/sq. The dual leaf springs provide smooth action.

• Precision Level	★★★★★
• Material	Carbon
• Surface Resistivity	10^{10} ohms/sq
• Shape	Relieved Head
• Type of Cut	Lazer Flush
• Cutting Capacity	.001 - .010"
• Blade Angle	16°
• Blade Length	.125"
• Body Width	0.42" (10.5mm)
• Body Height	
• OAL	5.75" (143.75mm)
• Weight (OZ)	3
• UPC	662847011191
• Schedule B	8203.20.60.60
• ECCN	EAR99
• UNSPSC Code	27111511
• Country of Origin	USA
• Group	Long Nose Fine Tip




TECHNICAL DATA SHEET

Part#: 7271E

Cutters - Long Nose Fine .02" x .015" Tip - Relieved Head - Short Handle
Ideal for work on SMD boards - offers the smallest tips available

The 7271E Lazer Line[®] small fine tip laser flush cutter has a cutting capacity of .001" - .010" soft wire. It is made of carbon tool steel steel with induction hardened cutting blades to RHC 63-65. This overall length is 5.25". The CNC machining allows the joint surfaces to be perfect to allow for long life. It features a ergonomically molded antimicrobial Anti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

• Precision Level	★★★★★
• Material	Carbon
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Relieved Head
• Type of Cut	Lazer Flush
• Cutting Capacity	.001" - .010"
• Blade Angle	16°
• Blade Length	.125"
• Body Width	0.42" (10.5mm)
• Body Height	
• OAL	5.25" (131.25mm)
• Weight (OZ)	3
• UPC	662847009631
• Schedule B	8203.20.60.60
• ECCN	EAR99
• UNSPSC Code	27111511
• Country of Origin	USA
• Group	Long Nose Fine Tip



TECHNICAL DATA SHEET

Part#: 7371E

Cutters - Long Nose Fine .125" Tip - Relieved Head
Ideal for work on SMD boards - offers the smallest tips available

The 7371E Lazer Line[®] miniature fine tip laser flush cutter has a cutting capacity of .001" - .010" soft wire. It is made of carbon tool steel steel with induction hardened cutting blades to RHC 63-65. This overall length is 4.25". The CNC machining allows the joint surfaces to be perfect to allow for long life. It features a ergonomically molded antimicrobialAnti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

• Precision Level	★★★★★
• Material	Carbon
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Relieved Head
• Type of Cut	Lazer Flush
• Cutting Capacity	.001 - .010"
• Blade Angle	16°
• Blade Length	.125"
• Body Width	0.32" (8mm)
• Body Height	
• OAL	4.25" (106.25mm)
• Weight (OZ)	3
• UPC	662847013386
• Schedule B	8203.20.60.60
• ECCN	EAR99
• UNSPSC Code	27111511
• Country of Origin	USA
• Group	Long Nose Fine Tip

