

TECHNICAL DATA SHEET

Part#: 15A-GW-PE

Tweezers - 2 Star Cutting - 15A-GW Series - Carbon Steel
Designed for general purpose cutting of small wires or flashing. The parallel blades allow cutting along the entire length of the blade.

The 15A-GW-PE 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips.

• Precision Level	★★
• Material	Carbon Steel Conductive
• Surface Resistivity	
• Shape	Angulated
• Tip Size	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847003363
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Italy
• Group	Standard Head (15A-GW-PE)



TECHNICAL DATA SHEET

Part#: 15A-GW-S

Tweezers - 3 Star Cutting - 15A-GW Series - SS

The 15A-GW-S 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the points. This tool is stainless steel, with no coating and therefor MEDICAL GRADE.

• Precision Level	★★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003370
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-GW-OF

Tweezers - 3 Star Cutting - 15A-GW Series - Carbon Steel - Laser Flush

The 15A-GW-OF 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips. This tool offers OPTIMUM FLUSH cuts.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ⁵ -10 ⁶ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847010385
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-GW-ET

Tweezers - 3 Star Cutting - 15A-GW Series - Carbon Steel - Ergo

The 15A-GW-ET 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips. It features our Ergo-Tweeze® soft cushioned Anti-Static grips (10¹⁰ ohms/sq surface resistivity), which also protect the user from heat.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	2
• Tip Size (CTM)	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.75" (18.75mm)
• Body Height One Leg	1" (25mm)
• OAL	5" (125mm)
• Country of Origin	Switzerland
• UPC	662847003349
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-GW-PI

Tweezers - 2 Star Cutting - 15A-GW Series - Carbon Steel
Designed for general purpose cutting small wires or flashing

The 15A-GW-PI 70°angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The overall length is 4.5". It is made of carbon steel with flame hardened edges.

• Precision Level	★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	.355" (8.88mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847011450
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Italy
• Group	Standard Head (15A-GW)



TECHNICAL DATA SHEET

Part#: 15A-GW-M

Tweezers - 3 Star Cutting - 15A-GW Series - Carbon Steel - Medical Grade

The 15A-GW-M 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips. The 'M' signifies that the tool is MEDICAL GRADE.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003356
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105




TECHNICAL DATA SHEET

Part#: 15A-GW

Tweezers - 3 Star Cutting - 15A-GW Series - Carbon Steel

The 15A-GW 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips.

- Precision Level ★★★
- Material Carbon Steel
- Surface Resistivity 10^5 - 10^6 ohms/sq
- Shape Angulated
- Group Cutting Tweezers
- Weight (OZ) 1.5
- Tip Size (CTM) .215" (5.38mm)
- Tip Angle 70°
- Tip Length
- Body Width 0.393" (9.83mm)
- Body Height One Leg .10" (2.50mm)
- OAL 4.5" (112.5mm)
- Country of Origin Switzerland
- UPC 662847003332
- Schedule B 8203.20.20.00
- Harmonization Code 8203.20.20
- ECCN EAR99
- UNSPSC Code 27112105



TECHNICAL DATA SHEET

Part#: 15A-GW-PB

Tweezers - 3 Star Cutting - 15A-GW Series - Carbon Steel - Parallel Blade

The 15A-GW-PB 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The overall length is 4.5". It is made of carbon steel with flame hardened edges. It features parallel cutting blades, which allow cutting at any point on the cutting blades.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ⁵ -10 ⁶ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.215" (5.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847010392
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-GW-PI-ET

Tweezers - 2 Star Cutting - 15A-GW Series - Carbon Steel - Ergo

The 15A-GW-PI-ET 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The overall length is 5". It is made of carbon steel with flame hardened edges. It features our Ergo-Tweezer® soft cushioned Anti-Static grips (10¹⁰ ohms/sq surface resistivity), which also protect the user from heat.

• Precision Level	★★
• Material	Carbon Steel
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.355" (8.88mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.75" (18.75mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	5" (125mm)
• Country of Origin	Italy
• UPC	662847015496
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

