


TECHNICAL DATA SHEET

Part#: 15A-RW

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel

The 15A-RW 70° angulated round tip 4.5" long cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility.

- Precision Level ★★★
- Material Carbon Steel
- Surface Resistivity 10⁵-10⁶ ohms/sq
- Shape Angulated
- Group Cutting Tweezers
- Weight (OZ) 1.5
- Tip Size (CTM) .095" (2.38mm)
- Tip Angle 70°
- Tip Length
- Body Width 0.393" (9.83mm)
- Body Height One Leg .10" (2.50mm)
- OAL 4.5" (112.5mm)
- Country of Origin Switzerland
- UPC 662847003394
- Schedule B 8203.20.20.00
- Harmonization Code 8203.20.20
- ECCN EAR99
- UNSPSC Code 27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-OF

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel - Laser Flush

The 15A-RW-OF 70° angulated round tip 4.5" long cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility. This tool offers an OPTIMUM FLUSH cut.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ⁵ -10 ⁶ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847010408
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-M

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel - Medical Grade

The 15A-RW-M 70° angulated round tip 4.5" long cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility. The 'M' signifies MEDICAL GRADE.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003400
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-R

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel - Ergo - Cleanroom

The 15A-RW-R 70° angulated round tip 5" long cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility. The 15A-RW-R Ergo-Tweezers are ideal for working in cleanrooms, while providing operators comfort when using for prolonged periods

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ⁸ -10 ⁹ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	5" (125mm)
• Country of Origin	Switzerland
• UPC	662847015830
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-PE

Tweezers - 2 Star Cutting - 15A-GW Series - Carbon Steel

General purpose cutting of small wires or flashing.

The 15A-GW-PE 70° angulated tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The overall length is 4.5". It is made of carbon steel with flame hardened edges.

• Precision Level	★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847017070
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	Relieved Round Head (15A-RW)



TECHNICAL DATA SHEET

Part#: 15A-RW-S

Tweezers - 3 Star Cutting - 15A-RW Series - SS

The 15A-RW-S 70° angulated round tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility. This tool is made of Stainless Steel i.e. MEDICAL GRADE.

• Precision Level	★★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.28" (7mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003424
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-ET

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel - Ergo

The 15A-RW-ET 70° angulated tip 5" long cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". This tool is considered a tip cutter in that the blades meet most predominately at the tip. All of the force applied to the tweezer gets transferred to the tips. It features our Ergo-Tweezer® soft cushioned Anti-Static grips (10¹⁰ ohms/sq surface resistivity), which also protect the user from heat.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	5" (125mm)
• Country of Origin	Switzerland
• UPC	662847014628
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 15A-RW-PB

Tweezers - 3 Star Cutting - 15A-RW Series - Carbon Steel - Parallel Blade

The 15A-RW-PB 70° angulated round tip cutting tweezer is ideal for general purpose cutting of soft wire up to 0.010". The cutting blade is much shorter than the 15A-GW and the top of the head has been rounded for better visibility. The parallel blades afford cutting along any point on the blades.

• Precision Level	★★★
• Material	Carbon Steel
• Surface Resistivity	10 ⁵ -10 ⁶ ohms/sq
• Shape	Angulated
• Group	Cutting Tweezers
• Weight (OZ)	1.5
• Tip Size (CTM)	.095" (2.38mm)
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847010415
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

