

TECHNICAL DATA SHEET

Part#: 15A-ST-PE-40

Tweezers - Stripping 40 AWG - Angulated - Carbon Steel
Ideal for stripping 40 AWG wires

The 15A-ST-PE-40 70°angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 40 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10⁵ - 10⁶ Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847010019
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-38

Tweezers - Stripping 38 AWG - Angulated - Carbon Steel
 Ideal for stripping 38 AWG wires

The 15A-ST-PE-38 70° angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 38 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847010002
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-30

Tweezers - Stripping 30 AWG - Angulated - Carbon Steel
Ideal for stripping 30 AWG wires

The 15A-ST-PE-30 70° angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 30 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847009969
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-32

Tweezers - Stripping 32 AWG - Angulated - Carbon Steel
Ideal for stripping 32 AWG wires

The 15A-ST-PE-32 70°angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 32 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847009976
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-42

Tweezers - Stripping 42 AWG - Angulated - Carbon Steel
Ideal for stripping 42 AWG wires

The 15A-ST-PE-42 70° angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 42 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847010026
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-36

Tweezers - Stripping 36 AWG - Angulated - Carbon Steel - Magnet Wire
Ideal for stripping 36 AWG Magnet wires

The 15A-ST-PE-36M 70° angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 36 AWG Magnet wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847015779
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-34

Tweezers - Stripping 34 AWG - Angulated - Carbon Steel
Ideal for stripping 34 AWG wires

The 15A-ST-PE-34 70° angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 34 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10^5 - 10^6 Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847009983
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 15A-ST-PE-44

Tweezers - Stripping 44 AWG - Angulated - Carbon Steel
Ideal for stripping 44 AWG wires

The 15A-ST-PE-44 70°angulated stripping tweezer will strip PTFE and other coated wire exactly to AWG gauge without nicking. It will strip 44 AWG wire. It is made of carbon steel with flame hardened edges. This tool is coated with an ESD safe (10⁵ - 10⁶ Ohms/sq) epoxy coating to prevent oxidation

• Precision Level	★★★★★
• Material	Carbon Steel
• Surface Resistivity	Conductive
• Shape	Angulated
• Tip Size	
• Tip Angle	70°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.10" (2.50mm)
• OAL	4.5" (112.5mm)
• Weight (OZ)	1.5
• UPC	662847010033
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	

