



TECHNICAL DATA SHEET

Part#: 2922-18

Cutters - 1/8" Cable & Tubing SS/Carbon Fiber Tip Gives a nice clean cut to a variety of soft tubing materials.

The 2922-18 medical tubing cutter gives a nice clean cut to a variety of soft tubing materials. Cutting capacity is .13" tubing. The blades are replaceable and are stainless steel. The Anti-Static grips are soft cushioned foam and have a surface resistivity of 10¹⁰ ohms/sq.

Precision Level

• Material SS/Carbon Fiber Tip

Surface Resistivity
Shape
Straight

• Type of Cut Sheer

• Cutting Capacity .13"

Blade AngleBlade Length

• Body Width .254" (6.35mm)

Body Height

• OAL 5.25" (131.25mm)

• Weight (OZ) 4.5

• UPC 662847008931 • Schedule B 8203.20.60.60

ECCN EAR99UNSPSC Code 27111511Country of Origin Pakistan

• **Group** Cable & Tubing Cutters









TECHNICAL DATA SHEET

Part#: 2922-14

Cutters - 1/4" Cable & Tubing - SS/Carbon Fiber Tip Gives a nice clean cut to a variety of soft tubing materials.

The 2922-14 medical tubing cutter gives a nice clean cut to a variety of soft tubing materials. Cutting capacity is .25" tubing. The blades are replaceable and are stainless steel. The Anti-Static grips are soft cushioned foam and have a surface resistivity of 10¹⁰ ohms/sq.

Precision Level

*7

Material

SS/Carbon Fiber Tip

• Surface Resistivity

10¹⁰ ohms/sq Straight

Shape

Sheer

Type of CutCutting Capacity

Sneer

Blade Angle

.25"

Blade Length

.46" (11.5mm)

Body Width

5.25" (131.25mm)

Body HeightOAL

4.5

• Weight (OZ)

662847008917

UPCSchedule B

8203.20.60.60

• ECCN

EAR99

UNSPSC Code

27111511

Country of Origin

Pakistan

• Group

Cable & Tubing Cutters











TECHNICAL DATA SHEET

Part#: 2922-38

Cutters - 3/8" Cable & Tubing SS/Carbon Fiber Tip Gives a nice clean cut to a variety of soft tubing materials.

The 2922-38 medical tubing cutter gives a nice clean cut to a variety of soft tubing materials. Cutting capacity is .38" tubing. The blades are replaceable and are stainless steel. The Anti-Static grips are soft cushioned foam and have a surface resistivity of 10¹⁰ ohms/sq.

• Precision Level ★★

• Material SS/Carbon Fiber Tip

Surface Resistivity
Shape
10¹⁰ ohms/sq
Straight

Type of CutCutting Capacity.38"

Cutting Capacity .38Blade Angle

Blade Length

• Body Width .254" (6.35mm)

Body Height

• OAL 5.25" (131.25mm)

• Weight (OZ) 4.5

• UPC 662847008948 • Schedule B 8203.20.60.60

ECCN EAR99UNSPSC Code 27111511Country of Origin Pakistan

• **Group** Cable & Tubing Cutters





