



TECHNICAL DATA SHEET

Part#: 502E-US-22

Pliers - Wire Stripper -- 22 AWG
Ideal for stripping PTFE coated wires

The 502-US-22 5.5" high precision stripping plier is ideal for stripping 22 AWG PTFE coated wires. It features an ergonomically molded antimicrobial Anti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10¹⁰ ohms/sq
- Shape Straight
- Tip Size .120"(3mm)
- Tip Angle
- Tip Length
- Body Width
- Body Height 0.25" (6.25mm)
- OAL 5.5" (137.5mm)
- Weight (OZ) 6
- UPC 662847013201
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code
- Country of Origin USA
- Group





TECHNICAL DATA SHEET

Part#: 502E-US-30

Pliers - Wire Stripper -- 30 AWG
Ideal for stripping PTFE coated wires

The 502-US-30 5.5" high precision stripping plier is ideal for stripping 30 AWG PTFE coated wires. It features an ergonomically molded antimicrobial Anti-Static grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Straight
- Tip Size .120"(3mm)
- Tip Angle
- Tip Length
- Body Width
- Body Height 0.25" (6.25mm)
- OAL 5.5" (137.5mm)
- Weight (OZ) 6
- UPC 662847013379
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code
- Country of Origin USA
- Group





TECHNICAL DATA SHEET

Part#: 502E-US-26

Pliers - Wire Stripper -- 26 AWG
Ideal for stripping PTFE coated wires

The 502-US-26 5.5" high precision stripping plier is ideal for stripping 26 AWG PTFE coated wires. It features an ergonomically molded antimicrobial Anti-Static grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Straight
- Tip Size .120"(3mm)
- Tip Angle
- Tip Length
- Body Width
- Body Height 0.25" (6.25mm)
- OAL 5.5" (137.5mm)
- Weight (OZ) 6
- UPC 662847013225
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code
- Country of Origin USA
- Group





TECHNICAL DATA SHEET

Part#: 502E-US-24

Pliers - Wire Stripper -- 24 AWG
Ideal for stripping PTFE coated wires

The 502-US-24 5.5" high precision stripping plier is ideal for stripping 24 AWG PTFE coated wires. It features an ergonomically molded antimicrobial Anti-Static grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Straight
- Tip Size .120"(3mm)
- Tip Angle
- Tip Length
- Body Width
- Body Height 0.25" (6.25mm)
- OAL 5.5" (137.5mm)
- Weight (OZ) 6
- UPC 662847013218
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code
- Country of Origin USA
- Group





TECHNICAL DATA SHEET

Part#: 502E-US-28

Pliers - Wire Stripper -- 28 AWG
Ideal for stripping PTFE coated wires

The 502-US-28 5.5" high precision stripping plier is ideal for stripping 28 AWG PTFE coated wires. It features an ergonomically molded antimicrobial grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Straight
- Tip Size .120"(3mm)
- Tip Angle
- Tip Length
- Body Width
- Body Height 0.25" (6.25mm)
- OAL 5.5" (137.5mm)
- Weight (OZ) 6
- UPC 662847013232
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code
- Country of Origin USA
- Group

