

TECHNICAL DATA SHEET


Part#: 7B-S

Tweezers - 3 Star Curved Very Fine Point - SS - Serrated

The 7B-S 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of stainless steel. The overall length is 4.5". It features serrated tips for better control.

• Precision Level	★★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.007" x .004" (.17mm x .1mm)
• Tip Angle	55°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003196
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



TECHNICAL DATA SHEET


Part#: 7B-SA

Tweezers - 3 Star Curved Very Fine Point - Anti-Mag. SS - Serrated

The 7B-SA 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of anti-magnetic Neverust® stainless steel. The overall length is 4.5". It features serrated tips for better control.

• Precision Level	★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.007" x .004" (.17mm x .1mm)
• Tip Angle	55°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847003202
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



TECHNICAL DATA SHEET


Part#: 7B-SA-PI

Tweezers - 2 Star Curved Very Fine Point - Anti-Mag. SS - Serrated

The 7B-SA-PI 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of anti-magnetic stainless steel. The overall length is 4.5". It features serrated tips for better control.

• Precision Level	★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	N/A
• Tip Angle	55°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Italy
• UPC	662847003219
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

- A) N/A
 B) N/A
 C) 0.393"
 D) 4.50"
 E) 0.060"
 F) 55 degrees



TECHNICAL DATA SHEET

Part#: 7B-SA-SE

Tweezers - 1 Star Curved Very Fine Point - Anti-Mag. SS - Serrated

The 7B-SA-SE 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of anti-magnetic stainless steel. The overall length is 4.5". It features serrated tips for better control.

• Precision Level	★
• Material	AISI 201 Anti-Mag. SS
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	N/A
• Tip Angle	55°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Pakistan
• UPC	662847003226
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)

