

TECHNICAL DATA SHEET

Part#: 159-RTN

Tweezers - Replaceable Carbon Fiber .012" x .011" Tip - Cross Action

The 159-RTN reverse action soft replaceable tip tweezer is 5" long with .012" wide tips. The Carbofib™ tips are a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). Carbofib™ has very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Reverse Action Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.012" x .011" (.3mm x .2mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	5" (125mm)
• Country of Origin	Italy
• UPC	662847004452
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 159D-RTN

Tweezers - Replaceable Carbon Fiber .06" x .015" Tip - Cross Action

The 159D-RTN reverse action soft replaceable tip tweezer is 5" long with .060" wide tips. The Carbofib™ tips are a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). Carbofib™ has very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.06" x .015" (1.5mm x .38mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	5" (125mm)
• Country of Origin	Italy
• UPC	662847004605
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 169A-RTN

Tweezers - Replaceable Tip - Straight - - Carbon Fiber Tips - Cross Action
Will not scratch or marr delicate items

The 169A-RTN is a reverse action soft replaceable tip 5" tweezer with .020" wide tips. The tips are made of a Carbofib™ material which is a polymer based material with 30% carbon fibers added. The working temperature is 249°F. Carbofib™ has

- Precision Level
- Material
- Surface Resistivity
- Shape
- Tip Size
- Tip Angle
- Tip Length
- Body Width
- Body Height
- OAL
- Weight (OZ)
- UPC
- Schedule B
- ECCN
- UNSPSC Code
- Country of Origin
- Group

Carbon Fiber Tips
10² ohms/sq
Straight
.02" x .012" (.5mm x .3mm)
Straight

5" (125mm)
1
662847011139
8203.20.20.00
EAR99

Switzerland



TECHNICAL DATA SHEET

Part#: 759-RTN

Tweezers - Replaceable Carbon Fiber .012" x .025" Tip - Curved Cross Action
 Curved tips improve visibility/accessibility - Will not scratch or mar delicate items

The 759-RTN curved reverse action soft replaceable tip tweezer is 5" long with .012" wide tips. Carbofib® is a PTFE based material with 30% carbon fibers added. The working temp is 249 degrees F. The body is anti-magnetic stainless steel.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Curved
• Tip Size	.012" x .025" (.3mm x .63mm)
• Tip Angle	51°
• Tip Length	
• Body Width	0.425" (10.63mm)
• Body Height	0.275" (6.88mm)
• OAL	5" (125mm)
• Weight (OZ)	1
• UPC	662847007798
• Schedule B	8203.20.20.29
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	Reverse Action Carbon Fiber Tips

