

TECHNICAL DATA SHEET

Part#: 00-S-CC

Tweezers - 4 Star Straight Strong Medium Point - SS - Ceramic Coated Tips

The 00-S-CC straight medium pointed tweezer is the most popular general purpose tweezer used without magnification. It is made of stainless steel. The overall length is 4.5". The tips measure .018" wide by .010" high. The Cerakote™ C0105 Tips will withstand temperatures of up to 1600°F (871°C). They offer superior protection against corrosive environments. They are magnetic and very hard.

• Precision Level	★★★★
• Material	SS (AISI 440)
• Surface Resistivity	Insulative
• Shape	Straight
• Group	Exotic Metals/Coatings
• Weight (OZ)	1
• Tip Size (CTM)	.018" x .010" (.45mm x .25mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.355" (9mm)
• Body Height One Leg	.09" (2.25mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847013645
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 2A-S-CC

Tweezers - 4 Star Straight Tapered Flat Point - Ceramic Coated Tips

The 2A-S-CC straight tapered flat pointed tweezer is designed for handling labels or SMD components. The overall length is 4.75" and it is made of stainless steel. The tips measure .059" wide by .008" high. The Cerakote™ C0105 Tips will withstand temperatures of up to 1600°F (871°C). They offer superior protection against corrosive environments. They are magnetic and very hard.

• Precision Level	★★★★
• Material	SS (AISI 440)
• Surface Resistivity	Insulative
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	1
• Tip Size (CTM)	.059" x .008" (1.5mm x .2mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847013652
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 3C-S-CC

Tweezers - 4 Star Straight Very Fine Point - SS - Ceramic Coated Tips

The 3C-S-CC straight very fine precision pointed tweezer is designed for work under magnification. The overall length is 4.25" and its made of stainless steel. The tips measure .007" wide by .004" high. The Cerakote™ C0105 Tips will withstand temperatures of up to 1600°F (871°C). They offer superior protection against corrosive environments. They are magnetic and very hard.

• Precision Level	★★★★
• Material	SS (AISI 440)
• Surface Resistivity	Insulative
• Shape	Straight
• Group	Exotic Metals/Coatings
• Weight (OZ)	1
• Tip Size (CTM)	.007" x .004" (.17mm x .1mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.25" (106.25mm)
• Country of Origin	Switzerland
• UPC	662847013669
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 5-S-CC

Tweezers - 4 Star Straight Tapered Ultra Fine Point - SS - Ceramic Coated Tips

The 5-S-CC straight tapered ultra-fine pointed tweezers is primarily used for microscopy. The style 5 has the finest points available. The overall length is 4.25". It is made of stainless steel. The Cerakote™ C0105 Tips will withstand temperatures of up to 1600°F (871°C). They offer superior protection against corrosive environments. They are magnetic and very hard.

• Precision Level	★★★★
• Material	SS (AISI 440)
• Surface Resistivity	Insulative
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	1
• Tip Size (CTM)	.004" x .002" (.1mm x .05mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.25" (106.25mm)
• Country of Origin	Switzerland
• UPC	662847013676
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 7-S-CC

Tweezers - 4 Star Curved Very Fine Point - SS - Ceramic Coated Tips

The 7-S-CC 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of stainless steel. The overall length is 4.5". The Cerakote™ C0105 Tips will withstand temperatures of up to 1600°F (871°C). They offer superior protection against corrosive environments. They are magnetic and very hard.

• Precision Level	★★★★
• Material	SS (AISI 440)
• Surface Resistivity	Insulative
• Shape	Curved
• Group	Exotic Metals/Coatings
• Weight (OZ)	1
• Tip Size (CTM)	.007" x .004" (.17mm x .1mm)
• Tip Angle	55°
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.5" (112.5mm)
• Country of Origin	Switzerland
• UPC	662847013683
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

