

TECHNICAL DATA SHEET

Part#: 2A-SA-DC

Tweezers - 4 Star Straight Tapered Flat Point - Anti-Mag. SS - Diamond Coated

The 2A-SA-DC straight tapered flat pointed tweezer is designed for handling labels or SMD components. The overall length is 4.75" and it is made of anti-magnetic Neverust[®] stainless steel. The diamond coated tips are biocompatible, chemically inert to 350°C, prevent particle shedding, cleanroom safe, and protect the tips from wear while providing elasticity.

• Precision Level	★★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.54
• Tip Size (CTM)	.07" x .005" (1.75mm x .12mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847013126
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 7-SA-DC

Tweezers - 4 Star Curved Very Fine Point - Anti-Mag. SS - Diamond Coated

The 7-SA-DC 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of anti-magnetic Neverust[®] stainless steel. The overall length is 4.675". The diamond coated tips are biocompatible, chemically inert to 350°C, prevent particle shedding, cleanroom safe, and protect the tips from wear while providing elasticity.

• Precision Level	★★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.52
• Tip Size (CTM)	.005" x .004" (.13mm x .1mm)
• Tip Angle	55°
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.675"(117mm)
• Country of Origin	Switzerland
• UPC	662847013140
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 00-SA-DC

Tweezers - 4 Star Straight Strong Medium Point - Anti-Mag. SS - Diamond Coated

The 00-SA-DC straight medium pointed tweezer is the most popular general purpose tweezer used without magnification. The diamond coated tips are biocompatible, chemically inert to 350°C, prevent particle shedding, cleanroom safe, and protect the tips from wear while providing elasticity. The tweezer material is AISI 316L stainless steel and is anti-magnetic.

• Precision Level	★★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.76
• Tip Size (CTM)	.030" x .005" (.75mm x .12mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.355" (9mm)
• Body Height One Leg	.09" (2.25mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847013102
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: SS-SA-DC

Tweezers - Straight Slim Very Fine Point -- Anti-Mag. SS - Diamond Coated

The SS-SA-DC straight long slender fine precision pointed tweezer is ideal for working in confined areas. The overall length is 5.5". The tool is made of anti-magnetic Neverust® stainless steel. The diamond coated tips are biocompatible, chemically inert. The coating has a maximum working temperature of 662°F (350°C). They are cleanroom safe and the diamond coating protects the tips from wear while providing elasticity.

- Precision Level ★★★★★
- Material Anti-Mag. SS (316L)
- Surface Resistivity Conductive
- Shape Straight
- Group Exotic Metals/Coatings
- Weight (OZ) 0.44
- Tip Size (CTM) .006" x .003" (.15mm x .08mm)
- Tip Angle Straight
- Tip Length
- Body Width .315" (8mm)
- Body Height One Leg .06" (1.5mm)
- OAL 5.5" (137.5mm)
- Country of Origin Switzerland
- UPC 662847013096
- Schedule B 8203.20.20.00
- Harmonization Code 8203.20.20
- ECCN EAR99
- UNSPSC Code 27112105



TECHNICAL DATA SHEET

Part#: 3C-SA-DC

Tweezers - 4 Star Straight Very Fine Point - Anti-Mag. SS - Diamond Coated

The 3C-SA-DC straight very fine precision pointed tweezer is designed for work under magnification. The overall length is 4.375" and its made of anti-magnetic Neverust[®] stainless steel. The tips measure .008" wide by .003" high. The diamond coated tips are biocompatible, chemically inert to 350°C, prevent particle shedding, cleanroom safe, and protect the tips from wear while providing elasticity.

- Precision Level ★★★★★
- Material Anti-Mag. SS (316L)
- Surface Resistivity Conductive
- Shape Straight
- Group Exotic Metals/Coatings
- Weight (OZ) 0.41
- Tip Size (CTM) .005" x .003" (.13mm x .08mm)
- Tip Angle Straight
- Tip Length
- Body Width .375" (9.38mm)
- Body Height One Leg .06" (1.5mm)
- OAL 4.375"(109mm)
- Country of Origin Switzerland
- UPC 662847013119
- Schedule B 8203.20.20.00
- Harmonization Code 8203.20.20
- ECCN EAR99
- UNSPSC Code 27112105



TECHNICAL DATA SHEET

Part#: 5-SA-DC

Tweezers - 4 Star Straight Tapered Ultra Fine Point - Anti-Mag. SS - Diamond Coated

The 5-SA-DC straight tapered ultra-fine pointed tweezers is primarily used for microscopy. The style 5 has the finest points available. The overall length is 4.375". It is made of anti-magnetic Neverust[®] stainless steel. The diamond coated tips are biocompatible, chemically inert to 350°C, prevent particle shedding, cleanroom safe, and protect the tips from wear while providing elasticity.

• Precision Level	★★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	41
• Tip Size (CTM)	.004" x .002" (.1mm x .05mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.375"(109mm)
• Country of Origin	Switzerland
• UPC	662847013133
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

