

TECHNICAL DATA SHEET

Part#: 35-SE

Hemostats - 5" Straight - SS - Serrated

The 35-SE stainless steel locking hemostat with straight serrated jaws is clean room safe. The overall length is 5".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	Straight
• Tip Length	
• Body Width	0.269" (6.73mm)
• Body Height One Leg	0.157" (3.93mm)
• OAL	5" (125mm)
• Country of Origin	Pakistan
• UPC	662847003769
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 36-SE

Hemostats - 5" 25°Curved - SS

The 36-SE stainless steel locking hemostat with 25° curved serrated jaws is clean room safe. The overall length is 5".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	25°
• Tip Length	
• Body Width	0.262" (6.55mm)
• Body Height One Leg	0.155" (3.88mm)
• OAL	5" (125mm)
• Country of Origin	Pakistan
• UPC	662847003820
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 37-SE

Hemostats - 6" Straight - SS

The 37-SE stainless steel locking hemostat with straight serrated jaws is clean room safe. The overall length is 6".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	Straight
• Tip Length	
• Body Width	0.269" (6.73mm)
• Body Height One Leg	0.172" (4.3mm)
• OAL	6" (150mm)
• Country of Origin	Pakistan
• UPC	662847003868
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 38-SE

Hemostats - 6" 30°Curved - SS

The 38-SE stainless steel locking hemostat with 30° curved serrated jaws is clean room safe. The overall length is 6".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	30°
• Tip Length	
• Body Width	0.283" (7.08mm)
• Body Height One Leg	0.182" (4.55mm)
• OAL	6" (150mm)
• Country of Origin	Pakistan
• UPC	662847003905
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 39-SE

Hemostats - 8" Straight - SS

The 39-SE stainless steel locking hemostat with straight serrated jaws is clean room safe. The overall length is 8".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	Straight
• Tip Length	
• Body Width	0.283" (7.08mm)
• Body Height One Leg	0.225" (5.63mm)
• OAL	8" (200mm)
• Country of Origin	Pakistan
• UPC	662847010712
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 40-SE

Hemostats - 8" 30°Curved - SS

The 40-SE stainless steel locking hemostat with 30° curved serrated jaws is clean room safe. The overall length is 8".

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	30°
• Tip Length	
• Body Width	.283" (7.08mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	8" (200 mm)
• Country of Origin	Pakistan
• UPC	662847010736
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685

