

TECHNICAL DATA SHEET

Part#: 31-SE

Clamp - Mosquito - Curved -- SS

The 31-SE 30° curved mosquito clamp is used to clamp small blood vessels. The locking mechanism allows the clamp to hold the vessel securely. The serrated jaws allow for positive gripping.

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Hemostats/Clamps
• Weight (OZ)	2
• Tip Size (CTM)	
• Tip Angle	30°
• Tip Length	
• Body Width	3.77"(94.25mm)
• Body Height One Leg	.189"(4.73mm)
• OAL	5.125"(128mm)
• Country of Origin	Pakistan
• UPC	662847011849
• Schedule B	9018.90.80.00
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685



TECHNICAL DATA SHEET

Part#: 33-SE

Clamp - Mosquito - Straight - SS

The 33-SE mosquito clamp is used to clamp small blood vessels. The locking mechanism allows the clamp to hold the vessel securely.

- Precision Level ★★
- Material SS (AISI 440)
- Surface Resistivity Conductive
- Shape Straight
- Group Hemostats/Clamps
- Weight (OZ) 2
- Tip Size (CTM)
- Tip Angle Straight
- Tip Length
- Body Width 2.45"(61.25mm)
- Body Height One Leg .155"(3.88mm)
- OAL 5" (125mm)
- Country of Origin Pakistan
- UPC 662847011832
- Schedule B 9018.90.80.00
- Harmonization Code 9018.90.80
- ECCN EAR99
- UNSPSC Code 42151685



TECHNICAL DATA SHEET

Part#: 33A-SE

Clamp - Mosquito - Straight - SS - Serrated

The 33A-SE mosquito clamp is used to clamp small blood vessels. The locking mechanism allows the clamp to hold the vessel securely. The serrated jaws allow for positive gripping.

- Precision Level ★★
- Material SS (AISI 440)
- Surface Resistivity Conductive
- Shape Straight
- Group Hemostats/Clamps
- Weight (OZ) 2
- Tip Size (CTM)
- Tip Angle Straight
- Tip Length
- Body Width 2.51"(62.75mm)
- Body Height One Leg .158"(3.95mm)
- OAL 5" (125mm)
- Country of Origin Pakistan
- UPC 662847011825
- Schedule B 9018.90.80.00
- Harmonization Code 9018.90.80
- ECCN EAR99
- UNSPSC Code 42151685



TECHNICAL DATA SHEET

Part#: 36A-SE

Hemostats - 5.5" 25°Curved - SS

The 36A-SE stainless steel clamp is used to clamp small blood vessels. The locking mechanism allows the clam to hold the vessel securely. It has serrated jaws for positive gripping.

• Precision Level	★★
• Material	SS (AISI 440)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Hemostats/Clamps
• Weight (OZ)	1.12
• Tip Size (CTM)	
• Tip Angle	25°
• Tip Length	
• Body Width	0.26" (6.5mm)
• Body Height One Leg	0.172"(4.3mm)
• OAL	5.5" (137.5mm)
• Country of Origin	Pakistan
• UPC	662847012679
• Schedule B	9018.90.80.01
• Harmonization Code	9018.90.80
• ECCN	EAR99
• UNSPSC Code	42151685

