


TECHNICAL DATA SHEET

Part#: 159B-RTWX

Tweezers - Replaceable Acetal Tips for 159B-RTW

The 159B-RTWX replacement tips for 159B-RTW contain two tips and 4 screws. Acetal has outstanding resistance to chemicals and solvents. These Acetal tips are electrically insulative and resistant to temperatures up to 185°F. The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). Excellent for cleanroom applications and for avoiding the marring or scratching of items being handled.

• Precision Level	★★★
• Material	Acetal
• Surface Resistivity	Insulative
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	0.5
• Tip Size (CTM)	.04" x .038" (1mm x .95mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	
• Body Height One Leg	n/a
• OAL	n/a
• Country of Origin	Italy
• UPC	662847004537
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 159C-RTWX

Tweezers - Replaceable Acetal Tips for 159C-RTW

The 159C-RTWX replacement tips for 159C-RTW contain 2 tips and 4 screws. Acetal has outstanding resistance to chemicals and solvents. These Acetal tips are electrically insulative and resistant to temperatures up to 185°F. The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). Excellent for cleanroom applications and for avoiding the marring or scratching of items being handled.

• Precision Level	★★★
• Material	Acetal
• Surface Resistivity	Insulative
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	0.5
• Tip Size (CTM)	.08" x .035" (2mm x .88mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	
• Body Height One Leg	n/a
• OAL	n/a
• Country of Origin	Italy
• UPC	662847004575
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 159D-RTWX

Tweezers - Replaceable Acetal Tips for 159D-RTW

The 159D-RTWX replacement tips for 159D-RTW contain 2 tips and 4 screws. PTFE has outstanding resistance to chemicals and solvents. These Acetal tips are electrically insulative and resistant to temperatures up to 185°F. The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). Excellent for cleanroom applications and for avoiding the marring or scratching of items being handled.

• Precision Level	★★★
• Material	Acetal
• Surface Resistivity	Insulative
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	0.5
• Tip Size (CTM)	.06" x .015" (1.5mm x .38mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	n/a
• Body Height One Leg	n/a
• OAL	n/a
• Country of Origin	Italy
• UPC	662847004629
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105




TECHNICAL DATA SHEET

Part#: 169B-RTWX

Tweezers - Replaceable Tips for 169B-RTW -
Replacement tips for 169B-RTW

The 169B-RTWX replacement tips for 169B-RTW contains two tips and 3 screws. Acetal has outstanding resistance to chemicals and solvents. It is excellent for cleanroom use.

• Precision Level	
• Material	Acetal
• Surface Resistivity	Insulative
• Shape	Straight
• Tip Size	.04" x .012" (1mm x .3mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	n/a
• Body Height	n/a
• OAL	n/a
• Weight (OZ)	0.5
• UPC	662847010217
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	Switzerland
• Group	



TECHNICAL DATA SHEET

Part#: 169C-RTWX

Tweezers - Replaceable Tips for 169C-RTW -
Replacement tips for 169C-RTW

The 169C-RTWX replacement tips for 169C-RTW contains 2 tips and 3 screws. Acetal has outstanding resistance to chemicals and solvents. It is excellent for cleanroom use.

• Precision Level	
• Material	Acetal
• Surface Resistivity	Insulative
• Shape	Straight
• Tip Size	.08" x .08" (2mm x 2mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	n/a
• Body Height	n/a
• OAL	n/a
• Weight (OZ)	0.5
• UPC	662847010255
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	Switzerland
• Group	

