

TECHNICAL DATA SHEET



Part#: 2-CO

Tweezers - Straight Tapered Extreme Precision Fine Point - Cobalt - Radius Tips

The 2-CO Cobaltima® tapered strong fine pointed tweezer with tips .010" wide x .004" high is made of a cobalt alloy, which is extremely hard, temperature resistant to 932°F and corrosion resistant. The body is .04" in thickness for light pressure use. The tips are radius which eliminates marring and scratching of delicate parts and wires. The handles are serrated for more control. Overall length is 4.75".

• Precision Level	★★★★★
• Material	Cobalt
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Ultra Precision Cobaltima® Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.009" .0039" (.24mm x .1mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.0394" (1mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847002076
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

- A) 0.0098"
B) 0.0039"
C) 0.393"
D) 4.50"
E) 0.040"



TECHNICAL DATA SHEET


Part#: 3C-CO

Tweezers - 5 Star Straight Very Fine Point - Cobalt

The 3C-CO Cobaltima® straight very fine pointed 4.25" long tweezer with tips .0031" wide x .0016" high made of a cobalt alloy, which is extremely hard, temperature resistant to 932° F and corrosion resistant. The body is .04" in thickness for light pressure use. The tips are radius which eliminates marring and scratching of delicate parts and wires. The handles are serrated for more control. It also features Ergo-Tweeze® soft cushioned ESD safe (10^{10} ohms/sq) grips.

- Precision Level ★★★★★
- Material Cobalt
- Surface Resistivity Conductive
- Shape Straight
- Group Ultra Precision Cobaltima® Tweezers
- Weight (OZ) 1
- Tip Size (CTM) .0031" x .0016" (.08mm x .04mm)
- Tip Angle Straight
- Tip Length
- Body Width 0.393" (9.83mm)
- Body Height One Leg .0394" (1mm)
- OAL 4.25" (106.25mm)
- Country of Origin Switzerland
- UPC 662847002434
- Schedule B 8203.20.20.00
- Harmonization Code 8203.20.20
- ECCN EAR99
- UNSPSC Code 27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

- A) 0.0031"
- B) 0.0016"
- C) 0.393"
- D) 4.25"
- E) 0.040"



TECHNICAL DATA SHEET


Part#: 3-CO

Tweezers - 5 Star Straight Extreme Precision Very Fine Point -- Cobalt

The 3-CO Cobaltima® straight very fine pointed 4.75" long tweezer with tips .0031" wide x .0016" high is made of a cobalt alloy, which is extremely hard, temperature resistant to 932° and corrosion resistant. The body is .04" in thickness for light pressure use. The tips are radius which eliminates marring and scratching of delicate parts and wires. The handles are serrated for more control.

• Precision Level	★★★★★
• Material	Cobalt
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Ultra Precision Cobaltima® Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.0031" x .0016" (.08mm x .04mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.0394" (1mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847002311
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

- A) 0.0031"
- B) 0.0016"
- C) 0.393"
- D) 4.75"
- E) 0.040"



TECHNICAL DATA SHEET


Part#: 4-CO

Tweezers - 5 Star Straight Tapered Ultra Fine Point - Cobalt

The 4-CO Cobaltima® tapered extra fine pointed 4.25" long tweezer with tips .0024" wide x .0008" high is ideal for microscopy. The tweezer is made of a cobalt alloy, which is extremely hard, temperature resistant to 932° F and corrosion resistant.


• Precision Level	★★★★★
• Material	Cobalt
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Ultra Precision Cobaltima® Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.0024" x .0008" (.06mm x .02mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.0394" (1mm)
• OAL	4.25" (106.25mm)
• Country of Origin	Switzerland
• UPC	662847002595
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

4-CO ★★★★★



- A) 0.0024"
- B) 0.0008"
- C) 0.375"
- D) 4.25"
- E) 0.040"



TECHNICAL DATA SHEET



Part#: 5-CO

Tweezers - Straight Tapered Ultra Fine Point - Cobalt

The 5-CO Cobaltima® tapered extra fine pointed 4.25" long tweezer with tips .002" wide x .0004" high is ideal for microscopy. The tweezer is made of a cobalt alloy, which is extremely hard, temperature resistant to 932° F and corrosion resistant. The body is .04" in thickness for light pressure use. The tips are radius which eliminates marring and scratching of delicate parts and wires. The handles are serrated for more control.

• Precision Level	★★★★★
• Material	Cobalt
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Ultra Precision Cobaltima® Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.002" x .0004" (.05mm x .01mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.0394" (1mm)
• OAL	4.25" (106.25mm)
• Country of Origin	Switzerland
• UPC	662847002656
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA®
CORPORATION

- A) 0.002"
B) 0.0004"
C) 0.393"
D) 4.25"
E) 0.040"

