

TECHNICAL DATA SHEET

Part#: 24-SA-SE

Tweezers - 1 Star 6" Angulated Strong Point - Anti-Mag. SS - Serrated

The 24-SA-SE 45° bent strong serrated tipped tweezer is ideal for general applications. It is made of anti-magnetic stainless steel and has serrated grips for better control. The overall length is 6".

• Precision Level	★
• Material	Anti-Mag. SS
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	N/A
• Tip Angle	45°
• Tip Length	
• Body Width	0.41" (10.5mm)
• Body Height One Leg	.072" (1.8mm)
• OAL	6" (150mm)
• Country of Origin	Pakistan
• UPC	662847003608
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 24-SA-PI

Tweezers - 2 Star 6" Angulated Strong Point - Anti-Mag. SS - Serrated

The 24-SA-PI 45° bent strong serrated tipped tweezer is ideal for general applications. It is made of anti-magnetic stainless steel and has serrated grips for better control. The overall length is 6".

• Precision Level	★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	N/A
• Tip Angle	45°
• Tip Length	
• Body Width	0.41" (10.5mm)
• Body Height One Leg	.0615" (1.54mm)
• OAL	6" (150mm)
• Country of Origin	Italy
• UPC	662847003592
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 24-6-SA

Tweezers - 3 Star 6" Angulated Strong Point - Anti-Mag. SS - Serrated

The 24-6-SA 45° bent strong serrated tipped tweezer is ideal for general applications. It is made of anti-magnetic Neverust® stainless steel and has serrated grips for better control. The overall length is 6".

• Precision Level	★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.019" x .012" (.5mm x .3mm)
• Tip Angle	45°
• Tip Length	
• Body Width	0.41" (10.5mm)
• Body Height One Leg	.076" (1.9mm)
• OAL	6" (150mm)
• Country of Origin	Switzerland
• UPC	662847003622
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 24-8-SA-SE

Tweezers - 1 Star 8" Angulated Strong Point - Anti-Mag. SS - Serrated

The 24-8-SA-SE 45° bent strong serrated tipped tweezer is ideal for general applications. It is made of anti-magnetic stainless steel and has serrated grips for better control. The overall length is 8".

• Precision Level	★
• Material	Anti-Mag. SS
• Surface Resistivity	Conductive
• Shape	Angulated
• Group	Conventional Style Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	N/A
• Tip Angle	45°
• Tip Length	
• Body Width	0.455" (11.5mm)
• Body Height One Leg	.0935" (2.34mm)
• OAL	8" (200mm)
• Country of Origin	Pakistan
• UPC	662847003639
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

