

TECHNICAL DATA SHEET

Part#: 3C-SN

Tweezers - 4 Star Straight Very Fine Point - Anti-Mag. Neverust®

The 3C-SN straight very fine precision pointed tweezer is designed for work under magnification. The overall length is 4.375" and its made of anti-magnetic Neverust® stainless steel. The tips measure .007" wide by .005" high. Super Neverust® has excellent mechanical strength, good surface stability and high resistance to corrosion or oxidation.

• Precision Level	★★★★
• Material	Anti-Mag. SS (904L)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.53
• Tip Size (CTM)	.007" x .005" (.17mm x .12mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.375"(109mm)
• Country of Origin	Switzerland
• UPC	662847013058
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 2A-SN

Tweezers - 4 Star Straight Tapered Flat Point -- Anti-Mag. Neverust®

The 2A-SN straight tapered flat pointed 4.75" long tweezer is ideal for handling labels or SMD components. Super Neverust® has excellent mechanical strength, good surface stability and high resistance to corrosion or oxidation.

• Precision Level	★★★★
• Material	Anti-Mag. SS (904L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.51
• Tip Size (CTM)	.06" x .010" (1.5mm x .25mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847013072
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 3-SN

Tweezers - 4 Star Straight Very Fine Point - Anti-Mag. Neverust®

The 3-SN straight very fine precision pointed tweezer is designed for work under magnification. The overall length is 4.75" and its made of anti-magnetic Neverust® stainless steel. The tips measure .007" wide by .005" high. Super Neverust® has excellent mechanical strength, good surface stability and high resistance to corrosion or oxidation.

• Precision Level	★★★★
• Material	Anti-Mag. SS (904L)
• Surface Resistivity	Conductive
• Shape	Straight
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.53
• Tip Size (CTM)	.003" x .005" (.08mm x .12mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Country of Origin	Switzerland
• UPC	662847013065
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 7-SN

Tweezers - 4 Star Curved Very Fine Point -- Neverust®

The 7-SN 45° curved tapered very fine precision point tweezer allows maximum visibility under magnified applications. It is made of super Neverust® stainless steel. The overall length is 4.625". Super Neverust® has excellent mechanical strength, good surface stability and high resistance to corrosion or oxidation.

• Precision Level	★★★★
• Material	Anti-Mag. SS (904L)
• Surface Resistivity	Conductive
• Shape	Curved
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.53
• Tip Size (CTM)	.008" x .005" (.2mm x .12mm)
• Tip Angle	55°
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.375"(109mm)
• Country of Origin	Switzerland
• UPC	662847013041
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: 5-SN

Tweezers - 4 Star Straight Tapered Ultra Fine Point - Anti-Mag. Neverust®

The 5-SN straight tapered ultra fine precision pointed tweezer is designed for work under magnification. The overall length is 4.375" and its made of anti-magnetic Neverust® stainless steel. The tips measure .008" wide by .005" high. Super Neverust® has excellent mechanical strength, good surface stability and high resistance to corrosion or oxidation.

• Precision Level	★★★★
• Material	Anti-Mag. SS (904L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Group	Exotic Metals/Coatings
• Weight (OZ)	0.53
• Tip Size (CTM)	.003" x .003" (.075mm x .075mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height One Leg	.06" (1.5mm)
• OAL	4.375" (109mm)
• Country of Origin	Switzerland
• UPC	662847013034
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

