

## P/N: MR09

### Copyright

© 2021, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

### Document identity

Publ. No.: MR09  
 Commit: 64574  
 Language: en-US  
 Modified: 2020-03-18  
 Formatted: 2021-06-30

### Website

<http://www.flir.com>

### Customer support

<http://support.flir.com>

### Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to [exportquestions@flir.com](mailto:exportquestions@flir.com) with any questions.



General description	
Part number	MR09
Part name	Baseboard probe
When connected to a FLIR Moisture Meter (using the supplied cable), the MR09 allows the user to take relative moisture measurements behind trim pieces, baseboards, crown molding, and masonry; under tile, inside walls/ceilings, and other such places where the sensor blades can be inserted. The blades are designed to 'flex' into the measurement cavity eliminating the need to remove the obstacle that would otherwise prevent a standard pin or pinless measurement. This probe is designed to operate with FLIR Moisture Meters.	
General information	
Warranty	<a href="https://www.flir.com/testwarranty">https://www.flir.com/testwarranty</a>
Measurement type	Resistive moisture measurements for reference only
Penetration depth	15 cm (6 in) maximum
Meter physical data	
Blade Material	400-series stainless steel; thickness: 1 mm (0.04 in)
Mounting hole for conversion plate	9.5 mm (3/8 in) threaded
Cable length	2.45 m (8 ft)
Weight	494 g (1.2 lb)
Dimensions (H x W x L)	34 x 10 x 6 cm (13.4 x 4.0 x 2.4 in.)
Color	Black handle. Metallic color blades
Shipping information	
Packaging, type	Retail box
Packaging, Contents	MR09 Baseboard Probe, RJ45-to-BNC connecting cable, and Instruction sheet
Each Weight	0.9 kg
Each Dimensions (H x W x L)	11.5 x 37.6 x 11.5 cm
Master Carton Weight	8.5 kg
Master Carton Dimensions (H x W x L)	51 x 25 x 40 cm
Master Carton Quantity	8
EAN-13	0793950370094
UPC-12	793950370094
Country of Origin	China
Tariff Code	9025.90.0000



## Baseboard probe

P/N: MR09

© 2021, FLIR Systems, Inc.

#MR09; r. 64574; en-US

Technical support	
Website	<a href="http://support.flir.com">http://support.flir.com</a>
Accessories	
MR07	Carry Case (optional)
MR08	Carry Case (optional)
RJ45-to-BNC Connecting Cable	Included. Connects MR09 to a Moisture meter

### Compatible with the following products:

- MR160; FLIR MR160: Imaging Moisture Meter with IGM
- MR176; FLIR MR176: Imaging Moisture Meter Plus with IGM
- MR265; FLIR MR265: Moisture Meter and Thermal Imager with MSX
- MR277; FLIR MR277: Building Inspection System with Moisture Hygrometer and MSX IR Camera
- MR60; FLIR MR60: Moisture Meter Pro
- MR77; FLIR MR77: Pinless moisture psychrometer with infrared thermometer and Bluetooth METERLiNK

