



The Perfect Table Boxes for One or Two Users

# T3-PC1, T3-PC1D, T3-PC1-CP



T3-PC1SQ



The T3-PC1 can be installed in tables ¾" to 2½" thick. They are shipped with 3" installation screws and the components listed below.





T3-PC1D-CP



LIS	Patent	US	D553	306 S
	latein	-	$\nu$	

	T3-PC1 3.5" Table I	Box with 1 HD-15 Male / 1 3.5mm St Audio / 2 Data /	1 AC Outlet
16241	T3-PC1-BLK		ROUND - BLACK
16892	T3-PC1-SQBLK		SQUARE - BLACK
16240	T3-PC1-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM
16891	T3-PC1-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM
16242	T3-PC1-BRS		ROUND - BRASS
16893	T3-PC1-SQBRS		SQUARE - BRASS
16976	T3-PC1-CP-BLK		ROUND - BLACK
16979	T3-PC1-CP-SQBLK		SQUARE - BLACK
16975	T3-PC1-CP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM
16878	T3-PC1-CP-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM
16977	T3-PC1-CP-BRS		ROUND - BRASS
16980	T3-PC1-CP-SQBRS		SQUARE - BRASS
17023	T3-PC1HWCP-BLK		ROUND - BLACK
17026	T3-PC1HWCP-SQBLK		SQUARE - BLACK
17022	T3-PC1HWCP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM
17025	T3-PC1HWCP-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM
17024	T3-PC1HWCP-BRS		ROUND - BRASS
17027	T3-PC1HWCP-SQBRS		SQUARE - BRASS

	T3-PC1D 3.5" Table Box	with 1 HDMI / 1 HD-15 Male / 1 3.5mm St Audio / 1	Data / 1 AC Outlet
17276	T3-PC1D-BLK		ROUND - BLACK
17277	T3-PC1D-SQBLK		SQUARE - BLACK
17278	T3-PC1D-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM
17279	T3-PC1D-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM
17280	T3-PC1D-BRS		ROUND - BRASS
17281	T3-PC1D-SQBRS		SQUARE - BRASS
17421	T3-PC1DCP-BLK		ROUND - BLACK
17424	T3-PC1DCP-SQBLK		SQUARE - BLACK
17422	T3-PC1DCP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM
17425	T3-PC1DCP-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM
17423	T3-PC1DCP-BRS		ROUND - BRASS
17426	T3-PC1DCP-SQBRS		SQUARE - BRASS
17427	T3-PC1DHWCP-BLK		ROUND - BLACK
17430	T3-PC1DHWCP-SQBLK		SQUARE - BLACK
17428	T3-PC1DHWCP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM
17431	T3-PC1DHWCP-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM
17429	T3-PC1DHWCP-BRS		ROUND - BRASS
17432	T3-PC1DHWCP-SQBRS		SQUARE - BRASS
T3-PC1	D 3.5" Table Box with 1 HD	MI / 1 HD-15 Male / 1 Button & 1 LED / 1 3.5mm St	Audio / 1 Data / 1 AC Outlet
17641	T3-PC1D-1B-BLK		ROUND - BLACK
17644	T3-PC1D-1B-SQBLK	SURFACE MOUNTED CONNECTORS	SQUARE - BLACK
17640	T3-PC1D-1B-ALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	ROUND - ALUMINUM
17643	T3-PC1D-1B-SQALU		SQUARE - ALUMINUM
17642	T3-PC1D-1B-BRS	9' AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BRASS
17645	T3-PC1D-1B-SQBRS		SQUARE - BRASS
T3-PC1D 3.5" Table Box with 1 HDMI / 1 HD-15 Male / 2 Buttons & 2 LEDs / 1 3.5mm St Audio / 1 Data / 1 AC Outlet			
17647	T3-PC1D-2B-BLK		ROUND - BLACK
17650	T3-PC1D-2B-SQBLK	SURFACE MOUNTED CONNECTORS	SQUARE - BLACK
17646	T3-PC1D-2B-ALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	ROUND - ALUMINUM
17649	T3-PC1D-2B-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM
17648	T3-PC1D-2B-BRS	9 AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BRASS
17651	T3-PC1D-2B-SQBRS		SQUARE - BRASS





#### T3-PC1D-CP-SQ



The T3-PC1 series are perfect table boxes for single users, where convenient access to network drops, ac power sources and video/audio displays is required. The small footprint provides an unobtrusive complement to any décor.

The T3-PC1 allows the user to connect their Laptop or PC to an external video display and house sound system as well as "link up" with network and phone lines. The T3-PC1D has an HDMI pass through in place of the RJ-11 jack.

The T3-PC1-CP allows the user to connect their Laptop or PC to AC power and an external video display and house sound system as well as "link up" with network and phone lines.

The keystone areas can be populated with a variety of connectors including network, telephone, RCA or mini stereo audio, push buttons and much more to suit unlimited applications. Alternate style snap in keystone connectors and blanks are available separately for either model.

These stylish table boxes fit a 3½" round opening and are easily installed using a standard hole saw.

Round and square covers are available in black, brass or aluminum to blend with the decor.

#### The T3-PC1 includes:

- · 1 AC Power outlet (pre-mounted)
- · 1 HD15 Computer Video Female Connector
- · 1 Stereo mini jack with 3-pin screw terminal plug
- · 1 RJ-45 pass through keystone connector (pre-mounted)
- · 1 RJ-11 pass through keystone connector (pre-mounted)
- · 1 RJ-45 pass through keystone connector
- · 1 Keystone Blank
- · 1 Pre-wired Power cord with plug

#### The T3-PC1D includes:

- · 1 AC Power outlet (pre-mounted)
- · 1 HD15 Computer Video Female Connector
- · 1 Stereo mini jack with 3-pin screw terminal plug
- · 1 RJ-45 pass through keystone connector (pre-mounted)
- 1 HDMI pass through keystone connector (pre-mounted)
- · 1 Pre-wired Power cord with plug

#### The T3-PC1-CP includes:

- · 1 AC Power outlet with 9' Cord and plug
- · 1 HD15 male to HD15 male Computer Video cable 5'
- · 1 Stereo mini jack male to Stereo mini jack male cable 5'
- · 2 RJ-45 to RJ-45 CAT-5e (EIA/TIA568B) cables 9'

## T3-DV2S







The T3-DV2S is HD ready with a bulkhead mounted HDMl connector and two keystone openings for network connectivity, FSR's snap-in USB charger and many other FSR Simple Solutions snap-in connectors. Two blanks are included with all models. For convenience, an integral AC outlet with cord is ready to power a laptop or mobile device.

One or two pushbutton LED options can be ordered and used to operate and provide status from control systems as required. The output is easily wired using the captive screw terminals on the underside of the unit.

Round or square cover choice, along with aluminum, black or brass finishes are offered.

T3-DV2S 3.5" Table Box with 1 HDMI / 2 Data / 1 AC Outlet				
17654	T3-DV2S-BLK		ROUND - BLACK	
17657	T3-DV2S-SQBLK		SQUARE - BLACK	
17652	T3-DV2S-ALU	XSURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
17656	T3-DV2S-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM	
17655	T3-DV2S-BRS		ROUND - BRASS	
17658	T3-DV2S-SQBRS		SQUARE - BRASS	
T3-DV2S 3.5" Table Box with 1 HDMI / 1 Button &1 LED / 2 Data / 1 AC Outlet				
17660	T3-DV2S-1B-BLK		ROUND - BLACK	
17663	T3-DV2S-1B-SQBLK	SURFACE MOUNTED CONNECTORS  MOMENTARY SWITCH AND BI-COLOR 5V/12V LED  9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - BLACK	
17659	T3-DV2S-1B-ALU		ROUND - ALUMINUM	
17662	T3-DV2S-1B-SQALU		SQUARE - ALUMINUM	
17661	T3-DV2S-1B-BRS		ROUND - BRASS	
17664	T3-DV2S-1B-SQBRS		SQUARE - BRASS	
T3-DV2S 3.5" Table Box with 1 HDMI / 2 Buttons & 2 LEDs / 2 Data / 1 AC Outlet				
17666	T3- DV2S-2B-BLK	SURFACE MOUNTED CONNECTORS  MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	ROUND - BLACK	
17669	T3- DV2S-2B-SQBLK		SQUARE - BLACK	
17665	T3- DV2S-2B-ALU		ROUND - ALUMINUM	
17668	T3- DV2S-2B-SQALU		SQUARE - ALUMINUM	
17667	T3- DV2S-2B-BRS	9' AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BRASS	
17670	T3- DV2S-2B-SQBRS		SQUARE - BRASS	





# T3-AC2, T3-AC2-CP





T3-AC2-CP Shown with round cover in black.

The T3-AC2 primarily allows quick, convenient access to AC power

and network access for up to two computers or laptops.

The keystone areas can be populated with a variety of connectors including network, telephone, RCA or mini stereo audio, push buttons and much more to suit unlimited applications. Alternate style snap in keystone connectors and blanks are available separately.

These stylish table boxes fit a 3½" round opening and are easily installed using a standard hole saw.

Round and square covers are available in black, brass or aluminum to blend with the decor. The small footprint provides an unobtrusive complement to any décor. The T3-AC2 can be installed in tables ¾" to 2½" thick. They are shipped with 3" installation screws and the components listed below.

The T3-AC2 includes:

- 2 AC Power outlets (pre-mounted) with 9' integral
   14 GA SJT power cord
- The T3-AC2HW hardwired versions do not include a power cord. Short leads and wire nuts are provided for direct AC connection.
- · 2 RJ-45 pass through connector (pre-mounted)

#### The T3-AC2-CP includes:

- · 2 AC Power outlets with 9' Cord and plug
- · 2 RJ-45 to RJ-45 CAT-5e cables (EIA/TIA568B) cables 9'

All cables are pre-installed and tested at the factory. Cable lengths are measured while cables are fully extended.


T3-AC2 Table Box with 2 Data / 2 AC Outlets / Extra RJ-11 Connector Included				
16267	T3-AC2-BLK		ROUND - BLACK	
16895	T3-AC2-SQBLK		SQUARE - BLACK	
16266	T3-AC2-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
16894	T3-AC2-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM	
16268	T3-AC2-BRS		ROUND - BRASS	
16896	T3-AC2-SQBRS		SQUARE - BRASS	
16758	T3-AC2-CAT6-BLK	Same as above with 2 CAT6 connectors	ROUND - BLACK (ONLY)	
17098	T3-AC2HW-BLK		ROUND - BLACK	
17101	T3-AC2HW-SQBLK		SQUARE - BLACK	
17097	T3-AC2HW-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
17100	T3-AC2HW-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM	
17099	T3-AC2HW-BRS		ROUND - BRASS	
17102	T3-AC2HW-SQBRS		SQUARE - BRASS	
16970	T3-AC2-CP-BLK		ROUND - BLACK	
16973	T3-AC2-CP-SQBLK		SQUARE - BLACK	
16969	T3-AC2-CP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM	
16972	T3-AC2-CP-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM	
16971	T3-AC2-CP-BRS		ROUND - BRASS	
16974	T3-AC2-CP-SQBRS		SQUARE - BRASS	
17029	T3-AC2HWCP-BLK		ROUND - BLACK	
17032	T3-AC2HWCP-SQBLK		SQUARE - BLACK	
17028	T3-AC2HWCP-ALU	PULL OUT STYLE CABLES	ROUND - ALUMINUM	
17031	T3-AC2HWCP-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM	
17030	T3-AC2HWCP-BRS		ROUND - BRASS	
17033	T3-AC2HWCP-SQBRS		SQUARE - BRASS	











\*Accessory to T3-IPS plates

Whatever the cabling scenario may be, the T3-IPS table boxes have it covered. The box interior is ready to accept the appropriate combination of FSR's IPS connector plates with two IPS spaces provided. Brackets with cable pull openings are provided for; a single cable (HDMI or Display Port), 1 HD-15 (VGA) cable with 1/8" audio cable or two HDMI or Display Port cables to be stored safely under the cover and easily deployed when needed.

One or two pushbutton LED options can be ordered and used to operate and provide status from control systems as required. 6' Color coded leads are preinstalled, ready to wire.

Customizing also extends to the cover style and finish with round or square cover choice along with aluminum, black or brass finishes. See LIT 1497 for detailed retractor options.

T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets				
17672	T3-IPS-BLK		ROUND - BLACK	
17675	T3-IPS-SQBLK		SQUARE - BLACK	
17671	T3-IPS-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
17674	T3-IPS-SQALU	SUNFACE MICONTED CONNECTORS	SQUARE - ALUMINUM	
17673	T3-IPS-BRS		ROUND - BRASS	
17676	T3-IPS-SQBRS		SQUARE - BRASS	
T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets / 1 Button & 1 LED				
17678	T3-IPS-1B-BLK		ROUND - BLACK	
17681	T3-IPS-1B-SQBLK		SQUARE - BLACK	
17677	T3-IPS-1B-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
17680	T3-IPS-1B-SQALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	SQUARE - ALUMINUM	
17679	T3-IPS-1B-BRS		ROUND - BRASS	
17682	T3-IPS-1B-SQBRS		SQUARE - BRASS	
T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets / 2 Buttons & 2 LEDs				
17684	T3-IPS-2B-BLK		ROUND - BLACK	
17687	T3-IPS-2B-SQBLK		SQUARE - BLACK	
17683	T3-IPS-2B-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM	
17686	T3-IPS-2B-SQALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	SQUARE - ALUMINUM	
17685	T3-IPS-2B-BRS		ROUND - BRASS	
17688	T3-IPS-2B-SQBRS		SQUARE - BRASS	
29998	VGA CABLE KIT	Includes 1 Dual Cable Pull Bracket / 1 HD-15 Male Cable / 1 3.5mm St	ereo Audio Cable / Hardware	

# **TB Series Table Boxes**

The new **TB-BOSE** and **TB-BOSE-IPS** table boxes are tilt top style table boxes designed specifically to contain a Bose™ FreeSpace 3 Surface-Mount Satellite Cube Speaker, the TB-BOSE has space for the speaker only. The TB-BOSE-IPS has space for the speaker and up to four (4) IPS (Intelligent Plate Solutions) insert plates.

Speaker provided by customer.

The **TB-IPS** is a tilt top style box that can be easily custom configured for any job. The unit has openings for up to (8) single IPS insert plates or a variety of multiple plate arrangements.



GREEN

**HuddleVU Collaboration Systems** 


Collaboration, Interactive Learning or Huddle Stations! Whatever name you give it, students, doctors, or business professionals gather to work together on projects, perform research and review completed works. HuddleVU is the perfect solution.

HuddleVU offers several different systems to meet your requirements, and provides workspace and connections for up to 7 students or faculty members. There are AC and USB power connections and color coded HDMI cables for each user. Simply plug in and push the color coded button and the user's notebook or tablet has control of the screen. Systems are also available for 2 or 4 screens using the T6-Flex touch screen control system.


### Check out our new line of Collaborative Tables

You can install it in your table, go to your favorite furniture manufacturer, or order a table from FSR. We stock several tables for a quick delivery, but you can also select any color table from the Wilson Art laminates.













# **Ceiling Boxes** & Wall Enclosures

Now you can remove the unsightly equipment boxes hanging off projector poles and mount them in this architecturallydesigned ceiling enclosure. CB-224

Many styles, various price ranges, and "Smart & Green" modules make these boxes perfect for classrooms, boardrooms, meeting rooms and public spaces. These are your equipment

racks for ceilings and walls.



## Flat Screen Wall Boxes

Our highest capacity model the PWB-250 mounts stud to stud, and has a universal single gang punchout for an electrical box or class 2 low voltage box to be mounted without additional hardware.

The PWB-353 Wall Box has an open face design with a white interior and white extended trim ring, rather than a closed cover. This model facilitates quick access to cables and connectors without cover removal. There are multiple knockouts for power and openings for up to 6 single IPS connector plates. At 3" deep, it is designed for use in 3" or 4" stud walls. The extended trim ring provides a clean appearance while covering rough cuts in the drywall created during installation.



PWB-353

PWB-250

















