


The Perfect Table Boxes for One or Two Users

# T3-PC1, T3-PC1D, T3-PC1-CP

T3-PC1D-CP









T3-PC1D-CP-SQ



· ·						
T3-PC	T3-PC1D 3.5" HDMI Round Table Box with HD-15, Stereo Audio, HDMI and Data w/AC - Plug					
17276	T3-PC1D-BLK	Round - Black				
17277	T3-PC1D-SQBLK	Square - Black				
17278	T3-PC1D-ALU	Round - Aluminum				
17279	T3-PC1D-SQALU	Square - Aluminum				
17280	T3-PC1D-BRS	Round - Brass				
17281	T3-PC1D-SQBRS	Square - Brass				
T3-PC	T3-PC1D 3.5" HDMI Round Table Box with HD-15, Stereo Audio, HDMI and Data w/AC - Plug					
17640	T3-PC1D-1B-ALU	Round - Aluminum, 1 momentary pushbutton / 1 bi-color LED				
17641	T3-PC1D-1B-BLK	Round - Black, 1 momentary pushbutton / 1 bi-color LED				
T3-PC	T3-PC1D 3.5" HDMI Round Table Box Two Pushbutton w/Square or Round Cover					
17646	T3-PC1D-2B-ALU	Round - Aluminum, 2 momentary pushbuttons / 2 bi-color LEDs				
17647	T3-PC1D-2B-BLK	Round - Black, 2 momentary pushbuttons / 2 bi-color LEDs				
Pull Ou	Pull Out Style Cables - 9' AC Cord with 3 Prong Edison Plug					
17421	T3-PC1DCP-BLK	DIG-A/V-DATA 3.5" Cable Pull Round Table Box				
17424	T3-PC1DCP-SQBLK	DIG-A/V-DATA 3.5" Cable Pull Square Table Box				
17422	T3-PC1DCP-ALM	DIG-A/V-DATA 3.5" Cable Pull Round Table Box				
17425	T3-PC1DCP-SQALM	DIG-A/V-DATA 3.5" Cable Pull Square Table Box				
17423	T3-PC1DCP-BRS	DIG-A/V-DATA 3.5" Cable Pull Round Table Box				
Pull Ou	Pull Out Style Cables - Pigtails for Hardwired AC Input					
17427	T3-PC1DHWCP-BLK	DIG-A/V-Data 3.5" Cable Pull Round Table Box				
17430	T3-PC1DHWCP-SQBLK	DIG-A/V-Data 3.5" Cable Pull Square Table Box				
17428	T3-PC1DHWCP-ALM	DIG-A/V-Data 3.5" Cable Pull Round Table Box				
17431	T3-PC1DHWCP-SQALM	DIG-A/V-Data 3.5" Cable Pull Square Table Box				
17429	T3-PC1DHWCP-BRS	DIG-A/V-Data 3.5" Cable Pull Round Table Box				



The T3-PC1 series are perfect table boxes for single users, where convenient access to network drops, ac power sources and video/audio displays is required. The small footprint provides an unobtrusive complement to any décor.

The T3-PC1 allows the user to connect their Laptop or PC to an external video display and house sound system as well as "link up" with network and phone lines. The T3-PC1D has an HDMI pass through in place of the RJ-11 jack.

The T3-PC1-CP allows the user to connect their Laptop or PC to AC power and an external video display and house sound system as well as "link up" with network and phone lines.

The keystone areas can be populated with a variety of connectors including network, telephone, RCA or mini stereo audio, push buttons and much more to suit unlimited applications. Alternate style snap in keystone connectors and blanks are available separately for either model.

These stylish table boxes fit a 3½" round opening and are easily installed using a standard hole saw.

Round and square covers are available in black, brass or aluminum to blend with the decor.

### The T3-PC1 includes:

- · 1 AC Power outlet (pre-mounted)
- · 1 HD15 Computer Video Female Connector
- · 1 Stereo mini jack with 3-pin screw terminal plug
- · 1 RJ-45 pass through keystone connector (pre-mounted)
- · 1 RJ-11 pass through keystone connector (pre-mounted)
- · 1 RJ-45 pass through keystone connector
- · 1 Keystone Blank
- · 1 Pre-wired Power cord with plug

### The T3-PC1D includes:

- · 1 AC Power outlet (pre-mounted)
- · 1 HD15 Computer Video Female Connector
- · 1 Stereo mini jack with 3-pin screw terminal plug
- · 1 RJ-45 pass through keystone connector (pre-mounted)
- · 1 HDMI pass through keystone connector (pre-mounted)
- · 1 Pre-wired Power cord with plug

## The T3-PC1-CP includes:

- · 1 AC Power outlet with 9' Cord and plug
- · 1 HD15 male to HD15 male Computer Video cable 5'
- · 1 Stereo mini jack male to Stereo mini jack male cable 5'
- · 2 RJ-45 to RJ-45 CAT-5e (EIA/TIA568B) cables 9'

## T3-DV2S







The T3-DV2S is HD ready with a bulkhead mounted HDMl connector and two keystone openings for network connectivity, FSR's snap-in USB charger and many other FSR Simple Solutions snap-in connectors. Two blanks are included with all models. For convenience, an integral AC outlet with cord is ready to power a laptop or mobile device.

One or two pushbutton LED options can be ordered and used to operate and provide status from control systems as required. The output is easily wired using the captive screw terminals on the underside of the unit.

Round or square cover choice, along with aluminum, black or brass finishes are offered.

T3-DV2S 3.5" Table Box with 1 HDMI / 2 Data / 1 AC Outlet					
17654	T3-DV2S-BLK	XSURFACE MOUNTED CONNECTORS 9' AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BLACK		
17657	T3-DV2S-SQBLK		SQUARE - BLACK		
17652	T3-DV2S-ALU		ROUND - ALUMINUM		
17656	T3-DV2S-SQALU		SQUARE - ALUMINUM		
17655	T3-DV2S-BRS		ROUND - BRASS		
17658	T3-DV2S-SQBRS		SQUARE - BRASS		
T3-DV2S 3.5" Table Box with 1 HDMI / 1 Button &1 LED / 2 Data / 1 AC Outlet					
17660	T3-DV2S-1B-BLK	SURFACE MOUNTED CONNECTORS  MOMENTARY SWITCH AND BI-COLOR 5V/12V LED 9' AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BLACK		
17659	T3-DV2S-1B-ALU		ROUND - ALUMINUM		
T3-DV2S 3.5" Table Box with 1 HDMI / 2 Buttons & 2 LEDs / 2 Data / 1 AC Outlet					
17666	T3- DV2S-2B-BLK	SURFACE MOUNTED CONNECTORS  MOMENTARY SWITCH AND BI-COLOR 5V/12V LED  9' AC CORD WITH THREE-PRONG EDISON PLUG	ROUND - BLACK		
17665	T3- DV2S-2B-ALU		ROUND - ALUMINUM		





## T3-AC2, T3-AC2-CP





T3-AC2-CP Shown with round cover in black.

The T3-AC2 primarily allows quick, convenient access to AC power and network access for up to two computers or laptops.

The keystone areas can be populated with a variety of connectors including network, telephone, RCA or mini stereo audio, push buttons and much more to suit unlimited applications. Alternate style snap in keystone connectors and blanks are available separately.

These stylish table boxes fit a 3½" round opening and are easily installed using a standard hole saw.

Round and square covers are available in black, brass or aluminum to blend with the decor. The small footprint provides an unobtrusive complement to any décor. The T3-AC2 can be installed in tables ¾" to 2½" thick. They are shipped with 3" installation screws and the components listed below.

The T3-AC2 includes:

- 2 AC Power outlets (pre-mounted) with 9' integral
   14 GA SJT power cord
- The T3-AC2HW hardwired versions do not include a power cord. Short leads and wire nuts are provided for direct AC connection.
- · 2 RJ-45 pass through connector (pre-mounted)

### The T3-AC2-CP includes:

- · 2 AC Power outlets with 9' Cord and plug
- · 2 RJ-45 to RJ-45 CAT-5e cables (EIA/TIA568B) cables 9'

All cables are pre-installed and tested at the factory. Cable lengths are measured while cables are fully extended.

T3-AC2 Table Box with 2 Data / 2 AC Outlets / Extra RJ-11 Connector Included						
16267	T3-AC2-BLK		ROUND - BLACK			
16895	T3-AC2-SQBLK		SQUARE - BLACK			
16266	T3-AC2-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM			
16894	T3-AC2-SQALU	9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - ALUMINUM			
16268	T3-AC2-BRS		ROUND - BRASS			
16896	T3-AC2-SQBRS		SQUARE - BRASS			
16758	T3-AC2-CAT6-BLK	Same as above with 2 CAT6 connectors	ROUND - BLACK (ONLY)			
17098	T3-AC2HW-BLK		ROUND - BLACK			
17101	T3-AC2HW-SQBLK		SQUARE - BLACK			
17097	T3-AC2HW-ALU	SURFACE MOUNTED CONNECTORS	ROUND - ALUMINUM			
17100	T3-AC2HW-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM			
17099	T3-AC2HW-BRS		ROUND - BRASS			
17102	T3-AC2HW-SQBRS		SQUARE - BRASS			
16970	T3-AC2-CP-BLK		ROUND - BLACK			
16973	T3-AC2-CP-SQBLK	PULL OUT STYLE CABLES 9' AC CORD WITH THREE-PRONG EDISON PLUG	SQUARE - BLACK			
16969	T3-AC2-CP-ALU		ROUND - ALUMINUM			
16972	T3-AC2-CP-SQALU		SQUARE - ALUMINUM			
16971	T3-AC2-CP-BRS		ROUND - BRASS			
17029	T3-AC2HWCP-BLK		ROUND - BLACK			
17032	T3-AC2HWCP-SQBLK	PULL OUT STYLE CABLES	SQUARE - BLACK			
17028	T3-AC2HWCP-ALU		ROUND - ALUMINUM			
17031	T3-AC2HWCP-SQALU	PIGTAILS FOR HARDWIRED AC INPUT	SQUARE - ALUMINUM			
17030	T3-AC2HWCP-BRS		ROUND - BRASS			







Whatever the cabling scenario may be, the T3-IPS table boxes have it covered. The box interior is ready to accept the appropriate combination of FSR's IPS connector plates with two IPS spaces provided. Brackets with cable pull openings are provided for; a single cable (HDMI or Display Port), 1 HD-15 (VGA) cable with 1/8" audio cable or two HDMI or Display Port cables to be stored safely under the cover and easily deployed when needed.

The T3-4SS Table box has openings for up to four FSR Simple Solutions Snap-in connectors.

One or two pushbutton LED options can be ordered and used to operate and provide status from control systems as required. 6' Color coded leads are preinstalled, ready to wire.

Customizing also extends to the cover style and finish with round or square cover choice along with aluminum, black or brass finishes. Retractor mounting kit for T3-IPS table box is item 17709 T3-IPS-RTMKT. Mounting kit sold separately please refer to cable retractor spec LIT1497.

This symbol indicates the T3-IPS table box can accept (1) retractor. Retractor mounting kit is item 17709 T3-IPS-RTMKT. Mounting kit sold separately please refer to cable retractor spec LIT1497.

			·			
	T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets					
17672	T3-IPS-BLK	SURFACE MOUNTED CONNECTORS	ROUND - BLACK			
17675	T3-IPS-SQBLK		SQUARE - BLACK			
17671	T3-IPS-ALU		ROUND - ALUMINUM			
17674	T3-IPS-SQALU		SQUARE - ALUMINUM			
17673	T3-IPS-BRS		ROUND - BRASS			
T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets / 1 Button & 1 LED						
17678	T3-IPS-1B-BLK	SURFACE MOUNTED CONNECTORS	ROUND - BLACK			
17677	T3-IPS-1B-ALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	ROUND - ALUMINUM			
T3-IPS Table Box with opening for 2 Space IPS Insert / Single Cable and Dual Cable Pull Brackets / 2 Buttons & 2 LEDs						
17684	T3-IPS-2B-BLK	SURFACE MOUNTED CONNECTORS	ROUND - BLACK			
17683	T3-IPS-2B-ALU	MOMENTARY SWITCH AND BI-COLOR 5V/12V LED	ROUND - ALUMINUM			
17688	T3-IPS-2B-SQBRS		SQUARE - BRASS			
29998	VGA CABLE KIT	Includes 1 Dual Cable Pull Bracket / 1 HD-15 Male Cable / 1 3.5mm St	ereo Audio Cable / Hardware			
T3-4SS Table Box with opening for 4 FSR Simple Solutions Snap-in Connectors						
17894	T3-4SS-BLK	KEYSTONE TABLE BOX - 4 KEYSTONE OPENING W BLANKS	ROUND - BLACK			
T3-IPS Retractor Mount						
17709	T3-IPS-RTMKT	Retractor Mount - Left or Right Side Mounting				

## **TB Series Table Boxes**

The new **TB-BOSE** and **TB-BOSE-IPS** table boxes are tilt top style table boxes designed specifically to contain a Bose<sup>TM</sup> FreeSpace 3 Surface-Mount Satellite Cube Speaker, the TB-BOSE has space for the speaker only. The TB-BOSE-IPS has space for the speaker and up to four (4) IPS (Intelligent Plate Solutions) insert plates.

Speaker provided by customer.


The **TB-IPS** is a tilt top style box that can be easily custom configured for any job. The unit has openings for up to (8) single IPS insert plates or a variety of multiple plate arrangements.













The first elegant way to mount a gooseneck microphone. These stylish, mini tableboxes are round and are available in three finishes brass, silver, or black to complement a variety of decors.

The **T<sub>3</sub>-MJ**+ is a simple installation requiring a 2-inch round hole. Less than 1.5-inches of under table clearance is required. The built-in, acoustically isolated microphone connector accommodates microphones with 3-pin XLR plugs of a diameter of 1-inch or less and provides superior shock and vibration damping.

They are designed to accommodate a wide range of tables and lecterns with up to 21/2-inch thick surfaces. An undertable shroud is provided as part of the assembly.

The T3-MJ+1B or 2B lets you add one or two buttons to the basic T3-MJ+. These units are custom assembled with momentary or maintained type switches with a variety of switch caps and bi-color LED's. The switch (SPDT) contacts and LED wires terminate on screw terminals for ease of wiring.

The T3-MJ+1BM or 2BM models feature an internally pre-wired built in mute feature. The right switch, when pressed, will alternate between mute / unmute states. Mute status is provided via the bi-color LED with red indicating mute and green indicating active. Power for this feature is derived from the mixer's phantom power source.

















