



Leading THE CHARGE!™



Self Contained Chargers with the Compatibility and Power
you need for all of your Personal Devices



SELF CONTAINED

FSR chargers support the latest 12 Watt charging standards to maintain a full charge in the fastest possible time.


DC Powered USB Chargers

FSR offers a full line of charging solutions for your iPhone®, iPad® or any smart device in a variety of form factors to meet your installation requirements. The chargers communicate with your device and provide it the correct charging wattage, up to a full 12 watts. All models come complete with a universal power supply.

POE to USB Chargers

Using FSR's PoE to USB chargers, you can power and charge USB devices such as an iPad® from a POE-Ethernet drop without the need for AC line power. The IT-CHRG-P2U "cube style" model can be mounted in a 2-gang wall box behind any wall mounted USB device. Both units emulate the Apple™ charging circuit to avoid annoying pop-ups. The IT-WPCHRG-P2U Decora style models fit directly into a standard gang box and are available with white or black cover plates.

- Powers/charges USB devices without an AC line
- Universal USB charger
- Power "ON" indicator
- IEEE 802.3at (802.3at Type 1) Class 0 compliant




IT-WPCHRG-

- POE to USB Universal, Charger Wall
- Available in White or Black

Distribution for FSR's DC Powered USB Chargers - SS-USB-CHRG-PS6

FSR offers a full line of charging solutions for your iPhone®, iPad® or any smart device.

- 1-RU (1.75") high, low-voltage distribution board
- Two mounting holes are provided to attach to the rear rack rails in a rack
- All connections are via captive-screw terminals
- Power supply is included to handle up to 6 remote FSR DC Powered USB Chargers
- On-Board LED power indicator
- Inexpensive solution for remote USB power distribution



CHARGERS WITH THE COMPATIBILITY & POWER YOU NEED



12 WATT

IT-USB-CHRG

- Wall plate DC to USB charger
- Available in White or Black

Patent Pending



12 WATT

SS-USB-CHRG

- Keystone DC to USB
- Available in Black
- Snaps into a standard Keystone Opening.

Patent Pending



12 WATT

IPS-D717S

- IPS DC to USB Chargers
- Available in White or Black
- Input: 100-240VAC, 50-60Hz, 0.6A
- Output: 15VDC 1.2A
- The USB SNAP-IN Output is 5.2 VDC 2.4A

Patent Pending

-P2U

lplate

ck



IT-SACWP

The IT-SACWP Wallplate provides convenient, remotely switched AC to power Projectors, displays and other AC powered devices via a low voltage hard wired control input. Intended applications are for remote load switching within one of our floor boxes or PWB wall boxes. The unit is easily mounted in FSR's CB-series, PWB series, WB-X series, Floor Boxes, HuddleVU kits, flex control series, top shelf, etc. allowing remote AC power control of amplifiers, switchers and more.



IT-CHRG-P2U

- POE to USB Universal, Charger Cube



TC-WC1

Wireless Charging Designed for Furniture Integration. Charges all Qi Standard Compatible Devices.



Hundreds of Table Box Charger Options

TB-AVAC TABLE BOX




T6 &
RT6
Large
Brackets


TB-IPS TABLE BOX



TB-CHRG
"TILT 'N SELECT"
TABLE BOX



T6-LB-AC1CH (-W)*
1 AC outlet and 4 USB
charging ports



T6-LB-AC2CH (-W)*
2 AC outlet and 2 USB
charging ports

* (-W) indicates models that are available in white. Otherwise, brackets are black.

SYMPHONY COLLECTION

Bringing elegant
power, charging
and data to your
workspace.



SYMPHONY PEDESTAL

This floor standing unit gives
you AC power, USB charging,
snap-ins, cable pass-through
and any other type of
connectivity that you may
require. Perfect for under
desk or waiting area
applications. Available in
black or white.



244 Bergen Boulevard · Woodland Park, NJ 07424
800.332.FSR1 · 973.998.2300 · F: 973.785.3318

W: fsrinc.com · E: sales@fsrinc.com

LIT1644G

© 2021 FSR, Inc. All Rights Reserved

Specifications are subject to change without notice.