\$FLIR



PROFESSIONAL THERMAL MONOCULAR

FLIR Scion[™] PTM

Built to equip law enforcement professionals with superior thermal surveillance, the FLIR Scion™ PTM packs highperformance thermal imaging and FLIR TruWITNESS® compatibility into a rugged, IP67-rated handheld monocular. Capable of geotagged video recording and live video transmission, the Scion PTM can instantly stream encrypted thermal footage of any pursuit, evidence recovery, or search and rescue effort to the command center via wireless network. A smooth 60 Hz refresh rate and picture-in-picture zoom capture minute details from a distance and maintain peripheral awareness for constant thermal supervision of suspects, team members, and standbys.

www.flir.com



LIVE ENCRYPTED VIDEO STREAMING Securely stream real-time thermal video to the

command center via networked devices

Pairing the Scion PTM with FLIR's innovative TruWITNESS platform links powerful thermal imaging with other smart sensors on the ground, in the air, and everywhere in-between, providing enhanced situational awareness and real-time centralized information for public safety agencies.



RICH USER INTERFACE The full-featured Scion PTM packs onboard recording, picture-in-picture zoom, and intuitive controls into a rugged thermal optic

Polished internal menus allow rapid switching between six different thermal palettes and provide easy access to advanced features. GPS geotagging, onboard recording, and expandable microSDTM storage offer superb evidence review options while a rugged, IP67-rated housing protects key components in vital situations.



SUPERIOR THERMAL DETECTION Sharp, 60 Hz thermal imaging powered by FLIR's breakthrough Boson thermal core

FLIR outfits law enforcement professionals with tools to counter unseen threats. Able to perform at any time of day, thermal imaging pierces complete darkness, glaring light, and lingering haze to provide superior awareness in difficult conditions. The advanced image processing of FLIR's Boson thermal core paired with a 60 Hz image refresh rate provide smooth, unwavering vision in challenging environments.

SPECIFICATIONS

General	Scion PTM166	Scion PTM336	Scion PTM366
Core Technology	BOSON 12 µm VOx Microbolometer		
Detector Resolution	640 × 512	320 × 256	640 × 512
Lens System	13.8 mm	13.8 mm 25 mm	
Field of View (H × W)	31° × 24°	9° × 6.5°	18° × 13°
Optical Magnification	.7x	2.6x	1.3x
Digital Zoom	1X 2X 4X 8X	1X 2X 4X	1X 2X 4X 8>
Refresh Rate	60 Hz		
Video Recording	Yes		
Image Capturing	Yes		
Internal Memory	2 GB Internal Storage / Optional microSD™ Card (up to 128 GB)		
Focus	∞	Ma	anual
Eye Relief	16 mm		
Display	Quad-VGA (1280x960) FLCOS		
Display Focus	Manual		
User Interface			
Temperature Imaging Modes (Ther- mal Palettes)	White Hot; Black Hot; Iron Bow; Rainbow; Graded Fire; Lava		
Viewing Modes	Scouting, Picture-in-Picture, Navigation		
Picture While Recording (PWR)	Yes		
Real Time Clock (RTC)	Yes		
Date/Time Stamp	Yes		
Auto Power OFF	Yes		
Magnetic Compass	Yes		
Accelerometer	Yes		
NFC (Near Field Communications)	Yes		
Interfacing			
USB Type	USB-C; Power In; Video Out; Video and Image File Transfer		
Dock Connection	USB-C		
Power			
Battery Type	6x CR123A 3V Lithium Battery		
Battery Life	Up to 4.5 hours at $20^{\circ c}$		

	Scion PTM166	Scion PTM336	Scion PTM366
Communications			
NFC (Near Field Communications)	Yes		
Bluetooth™	BLE 4.1+		
Wi-Fi	Video Streaming		
GPS	No	Yes	
FLIR TruWITNESS® Integration	Yes		
Physical			
Weight	Without Batteries: 452 g; With Batteries 572 g		n Batteries 572 g
Size	239 × 76.8 × 60.5 mm (9 × 3 × 2.4 in)		60.5 mm (9.4 × 3 × 2.4 in)
Color (Housing)	Black		
Mounting	14-20 Tripod Mount / Docking Station		





USB Type	USB-C; Power In; Video Out; Video and Image File Transfer
Dock Connection	USB-C
Power	
Battery Type	6x CR123A 3V Lithium Battery
Battery Life	Up to 4.5 hours at 20°c

Specifications are subject to change without notice. For the most up-to-date specs, go to www.flir.com

FLIR OUTDOOR & TACTICAL SYSTEMS

9 Townsend West, Nashua, NH 03063

Phone: 1-888-959-2259 or (603) 324-7600 Fax: 1-888-959-2260

FLIR PRODUCT REPAIR CENTER

email: US_CBUrepair@flir.com Register on: customer.flir.com

ORDER PLACEMENT, RETURN TO STOCK & INQUIRIES

email: OTS-Orders@flir.com

PRODUCT REGISTRATION

flir.com/support-center/support-hq/

TECHNICAL SUPPORT

email: US_CBUsupport@flir.com

www.flir.com NASDAQ: FLIR

Equipment described herein is subject to US export regulations and may require a license prior to export. Diversion contrary to US law is prohibited. Imagery for illustration purposes only. Specifications are subject to change without notice. ©2019 FLIR Systems, Inc. All rights reserved. 1/19

18-2849-OTS-SCION-PTM

\$FLIR