GasAlert Order Sheet

GasAlertMax XT II is the smart, simple, economical way to compliance.



The durable GasAlertMax XT II, with built-in sampling pump, reliably monitors for up to four gas hazards (H_2S , CO, O_2 and combustible gases). Choose a yellow or black GasAlertMax XT II in any sensor combination for your specific region. A variety of accessories and spares are available to compliment your detector and suit your application, such as confined space kits, carrying accessories, power options, docking station systems and sampling/testing equipment.

The GasAlertMax XT II detector includes:

- GasAlertMax XT II detector
- Sensors (user specified)
- Stainless-steel alligator clip
- Rechargeable battery
- Charging adaptor
- 3 ft. / 1 m calibration hose with quick connect
- 10 ft. / 3 m sampling hose with particulate filter and quick connect
- Reversible screwdriver
- Pump filter spares (kit of 5)
- Instructions and laminated quick reference card

The GasAlertMax XT II Deluxe Confined Space Kit includes:

- Concussion-proof boot
- Carrying holster
- IR Connectivity Kit
- 0.5 LPM regulator
- 3 ft. / 1 m calibration hose with quick connect
- 10 ft. / 3 m sampling hose with quick connect
- Sampling probe
- Hard-sided carrying case with lid insert pockets and foam case insert



Note: product contents may vary from the image shown. Detector and gas must be ordered separately.

Order Number

GasAlertMax XT II 4-Gas Detector	Yellow	Black
%LEL, O ₂ , H ₂ S, CO	XT-XWHM-Y-NA	XT-XWHM-B-NA
GasAlertMax XT II 3-Gas Detector	Yellow	Black
%LEL, O ₂ , H ₂ S	XT-XWH0-Y-NA	XT-XWH0-B-NA
%LEL, O ₂ , CO	XT-XW0M-Y-NA	XT-XW0M-B-NA
O ₂ , H ₂ S, CO	XT-X0HM-Y-NA	XT-X0HM-B-NA
%LEL, H ₂ S, CO	XT-0WHM-Y-NA	XT-0WHM-B-NA
GasAlertMax XT II 2-Gas Detector	Yellow	Black
%LEL, O ₂	XT-XW00-Y-NA	XT-XW00-B-NA
H ₂ S, CO	XT-00HM-Y-NA	XT-00HM-B-NA
O ₂ , H ₂ S	XT-X0H0-Y-NA	XT-X0H0-B-NA
O ₂ , CO	XT-X00M-Y-NA	XT-X00M-B-NA
%LEL, H ₂ S	XT-0WH0-Y-NA	XT-0WH0-B-NA
%LEL, CO	XT-0W0M-Y-NA	XT-0W0M-B-NA
GasAlertMax XT II 1-Gas Detector	Yellow	Black
O ₂	XT-X000-Y-NA	XT-X000-B-NA
%LEL	XT-0W00-Y-NA	XT-0W00-B-NA
H ₂ S	XT-00H0-Y-NA	XT-00H0-B-NA
CO	XT-000M-Y-NA	XT-000M-B-NA

GasAlertMax XT II Region Codes

For orders outside North America, change order number suffix "-NA" to:			
"-EU"	Europe	"-BR"	Brazil
"-UK"	United Kingdom	"-OR"	Other region with 3-pin UK plug
"-AU"	Australia	"-OE"	Other region with 2-pin UK plug
"-CN"	China/New Zealand		

Gas Legend

%LEL	Combustible
O_2	Oxygen
H_2S	Hydrogen sulfide
CO	Carbon monoxide

Confined Space Kit	Order Number
GasAlertMax XT II Deluxe Confined Space Kit – includes concussion-proof boot, carrying holster, IR Connectivity Kit, 0.5 LPM regulator, 3 ft. / 1 m calibration hose with quick connect, 10 ft. / 3 m sampling hose with quick connect, sampling probe and hard-sided carrying case with lid insert pockets and foam case insert. Detector and calibration gas sold separately	XT-CK-DL
Hard-sided carrying case with lid insert pockets and foam case insert	XT-CK-CC

Carrying Accessories	Order Number
Concussion-proof boot with stainless steel alligator-style clip	GA-BXT
Carrying holster for detector and sampling hose	GA-HXT
Neck strap with safety release	GA-NS-1
Extension strap (4 ft. / 1.2 m)	GA-ES-1
Short strap (6 in. / 15.2 cm)	GA-LY-1
Armband	GA-ARM-1
Chest harness	GA-CH-2

Power Options and Spares	Order Number
Multi-unit (5) cradle charger	XT-C01-MC5
Multi-unit power adaptor	GA-PA-1-MC5-NA*
12-24 VDC vehicle power adaptor	GA-VPA-1
12-24 VDC direct-wire power adaptor	GA-PA-3
Replacement power adaptor	GA-PA-1-NA*

^{*}For regions outside North America replace "-NA" with: "-EU" for Europe, "-UK" for United Kingdom and "-AU" for Australia/China.



Datalogging Accessories	Order Number
IR connectivity kit with Fleet Manager II software	GA-USB1-IR
Sampling/Testing Equipment and Spares	Order Number
MicroDock II - base station and GasAlertMax XT II docking module with charging cable - base station and GasAlertMax XT II docking module without charging cable - GasAlertMax XT II docking module with charging cable - GasAlertMax XT II docking module without charging cable For complete MicroDock II system configuration information, see MicroDock II section.	DOCK2-2-1C1M-00-G DOCK2-2-1M-00-G DOCK2-0-1C1M-00-G DOCK2-0-1M-00-G
Quick connect fitting spares for hoses, kit of 2	M0931K
Auxiliary filter for GasAlertMax XT II pump, kit of 5	M5-AF-K2
Auxiliary filter for GasAlertMax XT II pump, kit of 100	M5-AF-K2-100
Hydrophobic pump filter replacement, kit of 5	XT-RF-H5
Hydrophobic pump filter replacement, kit of 50	XT-RF-H50
Hydrophobic pump filter replacement, kit of 100	XT-RF-H100
Particulate pump filter replacement, kit of 5	GA-PFMAX
Particulate pump filter replacement, kit of 50	GA-PFMAX-50
Particulate pump filter replacement, kit of 100	GA-PFMAX-100
Sensor Spares and Replacements	Order Number
GasAlertMax XT II replacement quad sensor screens (kit of 2)	XT-SS-1
GasAlertMax XT II replacement quad sensor screens (kit of 10)	XT-SS-K2
Replacement battery Kit	XT-BAT-K1
Replacement pump kit	XT-RPUMP-K1
Replacement MICROpeL combustible (LEL) sensor	SR-W-MP75C
Replacement oxygen sensor	SR-X10-C1
Replacement MICROceL hydrogen sulfide (H ₂ S) sensor	SR-H-MC
Replacement MICROceL carbon monoxide (CO) sensor	SR-M-MC
Dummy sensor for combustible sensor location	SR-W-MC-DUM
Dummy sensor for oxygen sensor location	SR-DUMM1

Dummy sensor for toxic sensor locations

SR-TOX-MC-DUM