

6-TON CRIMPING DIE COMPATIBILITY

Crimping Dies for 6-Ton Tools

- All dies on this page for use with battery tool models: ECCXLX, EK628LX, EK622LX



SPECIFICATIONS – 22 SERIES CRIMPING DIES

Cable Size	Aluminum		Copper	
	Catalog No.	Color	Catalog No.	Color
8 AWG	KA22-8	Blue	KC22-8	Red
6 AWG	KA22-6	Gray	KC22-6	Blue
4 AWG	KA22-4	Green	KC22-4	Gray
2 AWG	KA22-2	Pink	KC22-2	Brown
1 AWG	KA22-1	Gold	KC22-1	Green
1/0 AWG	KA22-1/0	Tan	KC22-1/0	Pink
2/0 AWG	KA22-2/0	Olive	KC22-2/0	Black
3/0 AWG	KA22-3/0	Ruby	KC22-3/0	Orange
4/0 AWG	KA22-4/0	White	KC22-4/0	Purple
250 KCMIL (MCM)	KA22-250	Red	KC22-250	Yellow
300 KCMIL (MCM)	KA22-300	Blue	KC22-300	White
350 KCMIL (MCM)	KA22-350	Brown	KC22-350	Red
400 KCMIL (MCM)	–	–	KC22-400	Blue
500 KCMIL (MCM)	–	–	KC22-500	Brown
600 KCMIL (MCM)	–	–	KC22-600	Green

NOTE: Dies for Crimping Color-Coded Copper & Aluminum Lugs & Splices* (Require UA22 adapter when used with ECCXL, HCCX, & RCCX tools)

FOR USE WITH:



EK622LX
page 16



EK628LX
page 15

“W”-STYLE DIES

Catalog No.	Burndy No.	Catalog No.	Burndy No.
KD6-10	W-BG	KD6-18	W-166
KD6-11	W-O	KD6-19	W-243
KD6-12	W-C	KD6-20	W-247
KD6-13	W-K840	KD6-21	W-249
KD6-14	W-161	KD6-22	W-164
KD6-15	W-162	KD6-24	W-237
KD6-16	W-163	KD6-25	W-239
KD6-17	W-165	KD6-27	W-28K

NOTE: Dies for use with service entrance connectors, c-taps, h-taps, overhead and underground connectors (Require UAW adapter when used with ECCXL tools, Requires CJD3, CJD3BG, or CJD30 jaws when used with EK628L tools)

FOR USE WITH:



EK425LX
page 14



***NOTE:** Connections are UL and cUL classified for copper and aluminum, when used with Greenlee tools on Anderson®, Blackburn®, Burndy®, ILSCO®, Panduit®, Thomas & Betts® and Penn-Union® Color-Coded Lugs and Splices.

CAT. NO.	UPC NO.	DESCRIPTION
K22S1GL	783310030782	Die Kit for 8 AWG to 600 kcmil Copper Connectors – Includes all copper die sets listed below and carrying case
KD06AL	783310016311	Die Kit for 8 AWG to 350 kcmil Aluminum Connectors – Includes all aluminum die sets listed below and carrying case

12-TON CRIMPING DIE COMPATIBILITY

Crimping Dies for 12-Ton Tools

- All dies on this page for use with models: EK1230L, EK1240L, HK1230, HK1240, RK1240, HKL1232, and E12CCX tools, and RK1550 equipped with 48802 die adapter



SPECIFICATIONS – “U” STYLE DIES

Cable Size	Aluminum		Copper	
	Catalog No.	Color	Catalog No.	Color
8 AWG	KA12-8	Blue	KC12-8	Gray
6 AWG	KA12-6	Gray	KC12-6	Blue
4 AWG	KA12-4	Green	KC12-4	Gray
2 AWG	KA12-2	Pink	KC12-2	Brown
1 AWG	KA12-1	Gold	KC12-1	Green
1/0 AWG	KA12-1/0	Tan	KC12-1/0	Pink
2/0 AWG	KA12-2/0	Olive	KC12-2/0	Black
3/0 AWG	KA12-3/0	Ruby	KC12-3/0	Orange
4/0 AWG	KA12-4/0	White	KC12-4/0	Purple
250 KCMIL (MCM)	KA12-250	Red	KC12-250	Yellow
300 KCMIL (MCM)	KA12-300	Blue	KC12-300	White
350 KCMIL (MCM)	KA12-350	Brown	KC12-350	Red
400 KCMIL (MCM)	KA12-400	Green	KC12-400	Blue
500 KCMIL (MCM)	KA12-500	Pink	KC12-500	Brown
600 KCMIL (MCM)	KA12-600	Black	KC12-600	Green
750 KCMIL (MCM)	KA12-750	Yellow	KC12-750	Black

FOR USE WITH:



EK1240LX
page 18



RK1240
page 32



EK1550FLX
page 18
UA15T adapter needed
with U-Style dies

*Connections are UL and cUL classified for copper and aluminum connectors when used with Greenlee tools on Anderson®, Blackburn®, FCI Burndy®, ILSCO®, Panduit®, Thomas & Betts® and Penn-Union® color-coded lugs and splices.

NOTE: Dies for Crimping Color-Coded Copper & Aluminum Lugs & Splices

ADDITIONAL “U” STYLE DIES

Catalog No.	Burndy No.	Catalog No.	Burndy No.	Catalog No.	Burndy No.
KD12-10	U-BG	KD12-19	U-243	KD12-36	U-654
KD12-11	U-O	KD12-20	U-247	KD12-37	U-655
KD12-12	U-C	KD12-21	U-249	KD12-38	U-658
KD12-14	U-161	KD12-30	U-D3	KD12-39	U-659
KD12-15	U-162	KD12-32	U-F	KD12-40	U-998
KD12-17	U-165	KD12-33	U-997	—	—
KD12-18	U-166	KD12-35	U-238		

CAT. NO.	UPC NO.	DESCRIPTION
KD12CU	783310102601	Die Kit for 6 AWG to 750 kcmil Copper Connectors – Includes all copper die sets below except KC12-8
KD12AL	783310102618	Die Kit for 6 AWG to 750 kcmil Aluminum Connectors – Includes all aluminum die sets below except 35776

6- AND 12-TON CCX MULTI-TOOLS E12CCXLX, E6CCXLX



E12CCXLX



Crimping Dies for 12-Ton Tools

Crimping dies on page 23



E6CCXLX



Crimping Dies for 6-Ton Tools

Crimping dies on page 22

- Retraction Stop Repeat (RSR) allows the operator to partially retract the ram and then the tool repeats the retraction for subsequent crimps
- Use optional CCX blades and adapters (see page 25)

SPECIFICATIONS

Crimping Force	E12CCXLX – 24,000 lb (107kN) 12-Ton; E6CCXLX – 12,000 lb (53 kN) 6-Ton
Length	E12CCXLX – 16-1/2" (419 mm); E6CCXLX – 15-1/2" (394 mm)
Weight	E12CCXLX – 15 lb (6.8 kg); E6CCXLX – 14 lb (6.3 kg)
Battery	E12CCXLX – 18V 4.0Ah Li-ion; E6CCXLX – 18V 4.0Ah Li-ion

EC12CCXLX

CAT NO.	UPC NO.	DESCRIPTION
E12CCXLX11	783310611462	12-Ton, Multi-Tool, 120V Charger, Two 4.0 Ah Batteries
E12CCXLX12	783310611479	12-Ton, Multi-Tool, 12V Charger, Two 4.0 Ah Batteries
E12CCXLX22	783310611486	12-Ton, Multi-Tool, 230V Charger, Two 4.0 Ah Batteries
E12CCXLXB	783310611516	12-Ton, Multi-Tool, Bare Tool Only

E6CCXLX

CAT NO.	UPC NO.	DESCRIPTION
E6CCXLX11	783310611585	6-Ton, Multi-Tool, 120V Charger, Two 4.0 Ah Batteries
E6CCXLX12	783310611592	6-Ton, Multi-Tool, 12V Charger, Two 4.0 Ah Batteries
E6CCXLX22	783310611608	6-Ton, Multi-Tool, 230V Charger, Two 4.0 Ah Batteries
E6CCXLXB	783310611639	6-Ton, Multi-Tool, Bare Tool Only

ACCESSORIES

CAT NO.	UPC NO.	DESCRIPTION
05167	783310051671	18V 4.0Ah Li-ion Battery
52178	783310521785	120V Li-ion Battery Charger
52179	783310521792	230V Li-ion Battery Charger
52180	783310521808	12V Li-ion Battery Charger
12274	783310122746	Carrying Strap



CCX TOOL ACCESSORIES

(OPTIONAL, ALL IN PAIRS EXCEPT PUNCH DRIVER)



UA22



UAK



UC40



UCUNC38



UA12P



UA12ID

DIE ADAPTERS

CAT NO.	UPC NO.	DESCRIPTION	E6CCXLX	E12CCXLX
UA22	783310070627	Adapter for Greenlee® K22 dies	X	-
UAK	783310070337	Adapter for Kearney "O", Thomas & Betts® "6-Ton", and Blackburn® "OD" dies	X	-
UAW	783310070351	Adapter for Burndy® "W" and Panduit® "CD-2001" dies (equivalent to "D3" die)	X	-
UA12T	783310201588	Adapter for "U" dies (included with E12CCXL tool)	-	-

CABLE CUTTING BLADES

CAT NO.	UPC NO.	DESCRIPTION	E6CCXLX	E12CCXLX
UC26	783310067146	Cutter blades AL & CU 1" capacity	X	X
UC40	783310070368	Cutter blades AL & CU 1-1/2" capacity	X	X
UCACSR	783310070375	Cutter blades for ACSR & guy strand	X	X

THREADED ROD CUTTING BLADES

CAT NO.	UPC NO.	DESCRIPTION	E6CCXLX	E12CCXLX
UCUNC14	783310070382	Cutter blades for 1/4" threaded rod	X	X
UCUNC38	783310070399	Cutter blades for 3/8" threaded rod	X	X
UCUNC12	783310072744	Cutter blades for 1/2" threaded rod	X	X

KNOCKOUT PUNCH ADAPTER

CAT NO.	UPC NO.	DESCRIPTION	E6CCXLX	E12CCXLX
UA12P	783310118909	Punch Driver Adapter (accepts 3/4" draw stud)	X	X

DIELESS CRIMP ADAPTER

CAT NO.	UPC NO.	DESCRIPTION	E6CCXLX	E12CCXLX
UA12ID	783310008033	Dieless Crimp Adapter	-	X