

Specification Sheet

Part Number: 596-00251

Pre-printed solar labels are made using high-performance UV stable materials and adhesives for long outdoor life.

Designed to meet NEC® and IFC standards for PV installation labeling, the pre-printed solar labels come printed with the most common legends required by the AHJ (Authority Having Jurisdiction) used on

large utility and scaled projects to ensure code compliance during inspection.

Labels are UV stable and made with special high-bond adhesives to stick to both powder-coated painted surfaces and baked enamel surfaces found on most disconnect switches and breaker boxes.



The printed inks meet the fire safety standards of the IFC (International Fire Code) and also meet the requirements of UL969 for high reflectivity and durability.

Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg

Article Number 596-00251

Type CSCSNAP72R

Color Red (RD)

Product Description	These Solar Circuit Markers are pre-printed, non-adhesive and coiled to be opened and snapped over cables for long-term, reflective, permanent identification. Made of a UV-stable vinyl, the coiled markers come 25 per bag and will fit on all standard PV cables or electrical metallic tubing (EMT) conduit.
Short Description	Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg
Global Part Name	CSCSNAP72R-V-RD
Width W (Imperial)	7.25
Width W (Metric)	184.15
Height H (Imperial)	5.0
Height H (Metric)	127.0
Material	Vinyl (V)
Material Shortcut	V
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-18°F to +200°F (-29°C to +93°C)

ROHS Compliant	Yes
Certification/Specification	NEC2020 NEC2023
Package Quantity (Imperial)	25
Package Quantity (Metric)	25
Customs Number	3919905060

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

HellermannTyton

Specification Sheet

Part Number: 596-00249

Pre-printed solar labels are made using high-performance UV stable materials and adhesives for long outdoor life.

Designed to meet NEC® and IFC standards for PV installation labeling, the pre-printed solar labels come printed with the most common legends required by the AHJ (Authority Having Jurisdiction) used on

large utility and scaled projects to ensure code compliance during inspection.

Labels are UV stable and made with special high-bond adhesives to stick to both powder-coated painted surfaces and baked enamel surfaces found on most disconnect switches and breaker boxes.



The printed inks meet the fire safety standards of the IFC (International Fire Code) and also meet the requirements of UL969 for high reflectivity and durability.

Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 4" x 2", VL, Red, 25/pkg

Article Number 596-00249

Type CSCSNAP4R

Color Red (RD)

Product Description	These Solar Circuit Markers are pre-printed, non-adhesive and coiled to be opened and snapped over cables for long-term, reflective, permanent identification. Made of a UV-stable vinyl, the coiled markers come 25 per bag and will fit on all standard PV cables or electrical metallic tubing (EMT) conduit.
Short Description	Solar Circuit Marker, CAUTION: SOLAR CIRCUIT, 4" x 2", VL, Red, 25/pkg
Global Part Name	CSCSNAP4R-V-RD
Width W (Imperial)	4.0
Width W (Metric)	101.6
Height H (Imperial)	3.0
Height H (Metric)	76.2
Material	Vinyl (V)
Material Shortcut	V
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-18°F to +200°F (-29°C to +93°C)

ROHS Compliant	Yes
Certification/Specification	NEC2020 NEC2023
Package Quantity (Imperial)	25
Package Quantity (Metric)	25
Customs Number	3919905060

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.



Specification Sheet

Part Number: 596-00208

Pre-printed solar labels are made using high-performance UV stable materials and adhesives for long outdoor life.

Designed to meet NEC® and IFC standards for PV installation labeling, the pre-printed solar labels come printed with the most common legends required by the AHJ (Authority Having Jurisdiction) used on

large utility and scaled projects to ensure code compliance during inspection.

Labels are UV stable and made with special high-bond adhesives to stick to both powder-coated painted surfaces and baked enamel surfaces found on most disconnect switches and breaker boxes.



The printed inks meet the fire safety standards of the IFC (International Fire Code) and also meet the requirements of UL969 for high reflectivity and durability.

Solar Circuit Marker, WARNING: PV POWER SOURCE, 7.25" x 5", VL, Red, 25/pkg

Article Number 596-00208

Type PVPSSNAP72

Color Red (RD)

Product Description	These Solar Circuit Markers are pre-printed, non-adhesive and coiled to be opened and snapped over cables for long-term, reflective, permanent identification. Made of a UV-stable vinyl, the coiled markers come 25 per bag and will fit on all standard PV cables or electrical metallic tubing (EMT) conduit.
Short Description	Solar Circuit Marker, WARNING: PV POWER SOURCE, 7.25" x 5", VL, Red, 25/pkg
Global Part Name	PVPSSNAP72-V-RD
Width W (Imperial)	7.25
Width W (Metric)	184.15
Height H (Imperial)	5.0
Height H (Metric)	127.0
Material	Vinyl (V)
Material Shortcut	V
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-18°F to +200°F (-29°C to +93°C)

ROHS Compliant	Yes
Certification/Specification	NEC2020 NEC2023
Package Quantity (Imperial)	25
Package Quantity (Metric)	25
Customs Number	3919905060

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.



Specification Sheet

Part Number: 596-00207

Pre-printed solar labels are made using high-performance UV stable materials and adhesives for long outdoor life.

Designed to meet NEC® and IFC standards for PV installation labeling, the pre-printed solar labels come printed with the most common legends required by the AHJ (Authority Having Jurisdiction) used on

large utility and scaled projects to ensure code compliance during inspection.

Labels are UV stable and made with special high-bond adhesives to stick to both powder-coated painted surfaces and baked enamel surfaces found on most disconnect switches and breaker boxes.



The printed inks meet the fire safety standards of the IFC (International Fire Code) and also meet the requirements of UL969 for high reflectivity and durability.

Solar Circuit Marker, WARNING: PV POWER SOURCE, 4" x 2", VL, Red, 25/pkg

Article Number 596-00207

Type PVPSSNAP4

Color Red (RD)

Product Description	These Solar Circuit Markers are pre-printed, non-adhesive and coiled to be opened and snapped over cables for long-term, reflective, permanent identification. Made of a UV-stable vinyl, the coiled markers come 25 per bag and will fit on all standard PV cables or electrical metallic tubing (EMT) conduit.
Short Description	Solar Circuit Marker, WARNING: PV POWER SOURCE, 4" x 2", VL, Red, 25/pkg
Global Part Name	PVPSSNAP4-V-RD
Width W (Imperial)	4.0
Width W (Metric)	101.6
Height H (Imperial)	3.0
Height H (Metric)	76.2
Material	Vinyl (V)
Material Shortcut	V
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-18°F to +200°F (-29°C to +93°C)

ROHS Compliant	Yes
Certification/Specification	NEC2023 NEC2020
Package Quantity (Imperial)	25
Package Quantity (Metric)	25
Customs Number	3919905060

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.