

Specification Sheet

Part Number: 556-00460

- 600 dpi print head for high resolution printing.
- Ethernet ready for easy network connectivity.
- Print speeds up to 200 mm per second for fast label production.
- LCD user interface for easy printer adjustments.
- Adjustable gap sensor so that the printer can detect a wide variety of label types.
- Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.
- Optional cutter faceplate for automatic cutting and kitting of printed labels.
- Wireless network ready for full production control.
- LCD touch screen for easy reference of network status, date, time, print head temperature and ribbon usage.



Article Number	556-00460
Type	TTM460
Color	Gray (GY)
Quantity Per	EA

Product Description	HellermannTyton's TTM460 Series thermal transfer printers are designed for medium- to high-volume users of thermal transfer labels and ShrinkTrak. Their user-friendly design features a streamlined menu for simple navigation, while the built-in caddy allows even the largest label rolls to fit inside. The optional cutter can cut through the thickest material. The TTM460's 600 dpi print head provides the highest quality printing available. These printers handle all sizes of HellermannTyton's ShrinkTrak markers and can print on even the smallest labels.
Short Description	TTM460 Thermal Transfer Printer, 600 dpi, Gray 1/pkg
Global Part Name	TTM460-PL-GY
Length L (Imperial)	16.0
Length L (Metric)	406.4
Width W (Imperial)	9.44
Width W (Metric)	240
Height H (Imperial)	12.28
Height H (Metric)	312
Depth D (Imperial)	17.12
Depth D (Metric)	435
Material	Plastic (PL)

Material Shortcut	PL
UV Resistant (Yes/No)	No
Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8443321050

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 556-00443



300 dpi print head for high resolution printing.

Ethernet ready for easy network connectivity.

Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.

Optional cutter faceplate for automatic cutting and kitting of printed labels.

TTM430SC Thermal Transfer Printer, 300 dpi, Gray, 1/Pkg

Article Number	556-00443
----------------	-----------

Type	TTM430-SC
------	-----------

Color	Various (MIX)
-------	---------------

Quantity Per	EA
--------------	----

Product Description	HellermannTyton's TTM430/TTM460 thermal transfer printers are designed for medium to high volume users of thermal transfer labels and ShrinkTrak. The user-friendly design features a streamlined menu for simple navigation, while the built in caddy allows even the largest label rolls to fit inside the printer. The optional cutter can cut through the thickest material. The TTM430/TTM460 printers are designed to handle all sizes of HellermannTyton's ShrinkTrak markers, and the TTM430/TTM460 can print on even the smallest labels.
---------------------	--

Short Description	TTM430SC Thermal Transfer Printer, 300 dpi, Gray, 1/Pkg
-------------------	---

Global Part Name	TTM430-SC-DIV-MIX
Length L (Imperial)	16.0
Length L (Metric)	406.4
Width W (Imperial)	9.4
Width W (Metric)	240
Height H (Imperial)	12.28
Height H (Metric)	312
Material	Various (DIV)
Material Shortcut	DIV
UV Resistant (Yes/No)	No
Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
UL Listed (US and Canada)	Yes
UL Listed (US)	Yes

Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8443321050

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 556-00430

- 300 dpi print head for high resolution printing.
- Ethernet ready for easy network connectivity.
- Print speeds up to 7.87 in / second for fast label production.
- Adjustable gap sensor so that the printer can detect a wide variety of label types.
- Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.
- Optional cutter faceplate for automatic cutting and kitting of printed labels.
- Wireless network ready for full production control.
- LCD touch screen for easy reference of network status, date, time, print head temperature and ribbon usage.



Article Number	556-00430
Type	TTM430
Color	Gray (GY)
Quantity Per	EA

Product Description	HellermannTyton's TTM430 and TTM460 Series thermal transfer printers are designed for medium- to high-volume users of thermal transfer labels and ShrinkTrak. Their user-friendly design features a streamlined menu for simple navigation, while the built-in caddy allows even the largest label rolls to fit inside. The optional cutter can cut through the thickest material. The TTM430's 300 dpi print head delivers excellent results and the TTM460's 600 DPI print head provides the highest quality printing available. These printers handle all sizes of HellermannTyton's ShrinkTrak markers and can print on even the smallest labels.
Short Description	TTM430 Thermal Transfer Printer, 300 dpi, Gray, 1/pkg
Global Part Name	TTM430-PL-GY
Length L (Imperial)	16.0
Length L (Metric)	406.4
Width W (Imperial)	9.4
Width W (Metric)	240
Height H (Imperial)	12.28
Height H (Metric)	312
Depth D (Imperial)	17.1
Depth D (Metric)	435
Material	Plastic (PL)

Material Shortcut	PL
UV Resistant (Yes/No)	No
Operating Temperature	+40°F to +104°F (+4°C to +40°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
UL Listed (US and Canada)	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8443321050

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).