

## Specification Sheet

Part Number: 556-00206



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 2.24" x 242', 0.5" Core, 822 Resin, Black, 1/pkg

Article Number

556-00206

Type

TT822OUTSM-2

Color

Black (BK)

Quantity Per

EA

Product Description

HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description

Thermal Transfer Ribbon, 2.24" x 242', 0.5" Core, 822 Resin, Black, 1/pkg

|                              |                                 |
|------------------------------|---------------------------------|
| Global Part Name             | TT822OUTSM-2-PET-BK             |
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 2.24                            |
| Width W (Metric)             | 57.0                            |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |

|                           |            |
|---------------------------|------------|
| Package Quantity (Metric) | 1          |
| Customs Number            | 3702390100 |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## Specification Sheet

Part Number: 556-00205



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 2.24" x 154', 0.50" Core, 822 Resin, White, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00205 |
|----------------|-----------|

|      |                |
|------|----------------|
| Type | TTWHITEOUTSM-2 |
|------|----------------|

|       |            |
|-------|------------|
| Color | White (WH) |
|-------|------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | Thermal Transfer Ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                            |
|-------------------|----------------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 2.24" x 154', 0.50" Core, 822 Resin, White, 1/pkg |
|-------------------|----------------------------------------------------------------------------|

|                  |                       |
|------------------|-----------------------|
| Global Part Name | TTWHITEOUTSM-2-PET-WH |
|------------------|-----------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 154.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 2.24                            |
| Width W (Metric)             | 57.0                            |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: 556-00190



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 229', 0.50" Core, PET, White, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00190 |
|----------------|-----------|

|      |              |
|------|--------------|
| Type | TTWHITEOUTSM |
|------|--------------|

|       |            |
|-------|------------|
| Color | White (WH) |
|-------|------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | Thermal Transfer Ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                      |
|-------------------|----------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 229', 0.50" Core, PET, White, 1/pkg |
|-------------------|----------------------------------------------------------------------|

|                  |                     |
|------------------|---------------------|
| Global Part Name | TTWHITEOUTSM-PET-WH |
|------------------|---------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 229.0                           |
| Length L (Metric)            | 70                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

Customs Number 3702440160

Labels per Column 1

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## Specification Sheet

Part Number: 556-00189



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, White, 1/pkg

Article Number 556-00189

Type TTWHITEOUT

Color White (WH)

Quantity Per EA

Product Description Thermal Transfer Ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, White, 1/pkg

Global Part Name TTWHITEOUT-PET-WH

|                              |                                 |
|------------------------------|---------------------------------|
| Local Order Number 2         | TTWHITEOUT                      |
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |

|                           |            |
|---------------------------|------------|
| Package Quantity (Metric) | 1          |
| Customs Number            | 3702440160 |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)


[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## Specification Sheet

Part Number: 556-00165



Ribbons are resin based for the best print durability

Ribbons are available to fit all HellermannTyton printers for easy resupply

Ribbons are available in colors for maximizing design printing capabilities

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements

Thermal Transfer Ribbon, SwiftMark, 2.0" x 984', 1" Core, 100 Resin, Black, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00165 |
|----------------|-----------|

|      |          |
|------|----------|
| Type | SM100OUT |
|------|----------|

|       |            |
|-------|------------|
| Color | Black (BK) |
|-------|------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                                   |
|-------------------|-----------------------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, SwiftMark, 2.0" x 984', 1" Core, 100 Resin, Black, 1/pkg |
|-------------------|-----------------------------------------------------------------------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Global Part Name             | SM100OUT-PET-BK                 |
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Reel Diameter (Imperial)     | 2.5                             |
| Reel Diameter (Metric))      | 63.5                            |
| Reel Width (Imperial)        | 2.0                             |
| Reel Width (Metric)          | 50.8                            |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 2.0                             |
| Width W (Metric)             | 50.8                            |
| Material                     | Polyester (PET)                 |
| Material Shortcut            | PET                             |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |


|                             |            |
|-----------------------------|------------|
| ROHS Compliant              | Yes        |
| Package Quantity (Imperial) | 1          |
| Package Quantity (Metric)   | 1          |
| Customs Number              | 3702390100 |

### About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT8



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Silver, 1/pkg

Article Number 556-00161

Type TT822OUT8 110MM

Color Silver (SR)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Silver, 1/pkg

Global Part Name TT822OUT8 110MM-PET-SR

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT7



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Purple, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00160 |
|----------------|-----------|

|      |           |
|------|-----------|
| Type | TT822OUT7 |
|------|-----------|

|       |             |
|-------|-------------|
| Color | Purple (PE) |
|-------|-------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                    |
|-------------------|--------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Purple, 1/pkg |
|-------------------|--------------------------------------------------------------------|

|                  |                  |
|------------------|------------------|
| Global Part Name | TT822OUT7-PET-VT |
|------------------|------------------|


|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT6



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Blue, 1/pkg

Article Number 556-00159

Type TT822OUT6

Color Blue (BU)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Blue, 1/pkg

Global Part Name TT822OUT6-PET-BU


|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT5



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Green, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00158 |
|----------------|-----------|

|      |           |
|------|-----------|
| Type | TT822OUT5 |
|------|-----------|

|       |            |
|-------|------------|
| Color | Green (GN) |
|-------|------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                   |
|-------------------|-------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Green, 1/pkg |
|-------------------|-------------------------------------------------------------------|

|                  |                  |
|------------------|------------------|
| Global Part Name | TT822OUT5-PET-GN |
|------------------|------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT4



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Yellow, 1/pkg

Article Number 556-00157

Type TT822OUT4

Color Yellow (YE)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Yellow, 1/pkg

Global Part Name TT822OUT4-PET-YE

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT3



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Orange, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00156 |
|----------------|-----------|

|      |           |
|------|-----------|
| Type | TT822OUT3 |
|------|-----------|

|       |             |
|-------|-------------|
| Color | Orange (OG) |
|-------|-------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                    |
|-------------------|--------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Orange, 1/pkg |
|-------------------|--------------------------------------------------------------------|

|                  |                  |
|------------------|------------------|
| Global Part Name | TT822OUT3-PET-OG |
|------------------|------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT2



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Red, 1/pkg

Article Number 556-00155

Type TT822OUT2

Color Red (RD)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Red, 1/pkg

Global Part Name TT822OUT2-PET-RD


|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM8



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Silver, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00153 |
|----------------|-----------|

|      |             |
|------|-------------|
| Type | TT822OUTSM8 |
|------|-------------|

|       |             |
|-------|-------------|
| Color | Silver (SR) |
|-------|-------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                      |
|-------------------|----------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Silver, 1/pkg |
|-------------------|----------------------------------------------------------------------|

|                  |                    |
|------------------|--------------------|
| Global Part Name | TT822OUTSM8-PET-SR |
|------------------|--------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 70                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM7



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Violet, 1/pkg

Article Number 556-00152

Type TT822OUTSM7

Color Purple (PE)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Violet, 1/pkg

Global Part Name TT822OUTSM7-PET-VT

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM6



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Blue, 1/pkg

Article Number 556-00151

Type TT822OUTSM6

Color Blue (BU)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Blue, 1/pkg

Global Part Name TT822OUTSM6-PET-BU

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM5



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Green, 1/pkg

Article Number 556-00150

Type TT822OUTSM5

Color Green (GN)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Green, 1/pkg

Global Part Name TT822OUTSM5-PET-GN

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

Specification Sheet

Part Number: TT822OUTSM4



Ribbons are resin based for the best print durability.  
Ribbons are available to fit all HellermannTyton printers for easy resupply.  
Ribbons are available in colors for maximizing design printing capabilities.  
Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Yellow, 1/pkg

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 556-00149                                                                                                                                                                                                                                                                                                                                                                  |
| Type                | TT822OUTSM4                                                                                                                                                                                                                                                                                                                                                                |
| Color               | Yellow (YE)                                                                                                                                                                                                                                                                                                                                                                |
| Quantity Per        | EA                                                                                                                                                                                                                                                                                                                                                                         |
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
| Short Description   | Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Yellow, 1/pkg                                                                                                                                                                                                                                                                                                       |
| Global Part Name    | TT822OUTSM4-PET-YE                                                                                                                                                                                                                                                                                                                                                         |

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM3



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Orange, 1/pkg

Article Number 556-00148

Type TT822OUTSM3

Color Orange (OG)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Orange, 1/pkg

Global Part Name TT822OUTSM3-PET-OG

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUTSM2



Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Red, 1/pkg

Article Number 556-00147

Type TT822OUTSM2

Color Red (RD)

Quantity Per EA

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 242', 0.5" Core, PET, Red, 1/pkg

Global Part Name TT822OUTSM2-PET-RD

|                              |                                 |
|------------------------------|---------------------------------|
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TT822OUT10SM

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Thermal Transfer Ribbon, 4.33" x 299', 0.5" Core, 822 Resin, Black, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00146 |
|----------------|-----------|

|      |              |
|------|--------------|
| Type | TT822OUT10SM |
|------|--------------|

|       |            |
|-------|------------|
| Color | Black (BK) |
|-------|------------|

|              |      |
|--------------|------|
| Quantity Per | pcs. |
|--------------|------|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.33" x 299', 0.5" Core, 822 Resin, Black, 1/pkg |
|-------------------|---------------------------------------------------------------------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Global Part Name             | TT822OUT10SM-PET-BK             |
| Length L (Imperial)          | 229.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester Film (PET)            |
| Material Shortcut            | PET                             |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | No                              |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |
| Package Quantity (Metric)    | 1                               |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

## Specification Sheet

Part Number: TTDTHOUT

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Thermal Transfer Ribbon, 4.0" x 984', 1" Core, DTH Resin, Black, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00144 |
|----------------|-----------|

|      |          |
|------|----------|
| Type | TTDTHOUT |
|------|----------|

|       |            |
|-------|------------|
| Color | Black (BK) |
|-------|------------|

|              |    |
|--------------|----|
| Quantity Per | EA |
|--------------|----|

|                     |                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.0" x 984', 1" Core, DTH Resin, Black, 1/pkg |
|-------------------|------------------------------------------------------------------------|

|                  |                 |
|------------------|-----------------|
| Global Part Name | TTDTHOUT-PET-BK |
|------------------|-----------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Local Order Number 2         | shipping dimension 2.5" X 4.0"  |
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.0                             |
| Width W (Metric)             | 101.6                           |
| Material                     | Polyester (PET)                 |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |

|                           |            |
|---------------------------|------------|
| Package Quantity (Metric) | 1          |
| Customs Number            | 3702390100 |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## Specification Sheet

Part Number: TTDTHOUTSM

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Thermal Transfer Ribbon, 4.33" x 295', 0.50" Core, DTH Resin, Black, 1/pkg

Article Number

556-00143

Type

TTDTHOUTSM

Color

Black (BK)

Quantity Per

EA

Product Description

HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description

Thermal Transfer Ribbon, 4.33" x 295', 0.50" Core, DTH Resin, Black, 1/pkg

|                              |                                 |
|------------------------------|---------------------------------|
| Global Part Name             | TTDTHOUTSM-PET-BK               |
| Length L (Imperial)          | 242.0                           |
| Length L (Metric)            | 74                              |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.33                            |
| Width W (Metric)             | 110.0                           |
| Material                     | Polyester (PET)                 |
| Material Shortcut            | PET                             |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |
| ROHS Compliant               | Yes                             |
| Package Quantity (Imperial)  | 1                               |

|                           |            |
|---------------------------|------------|
| Package Quantity (Metric) | 1          |
| Customs Number            | 3702440160 |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

## Specification Sheet

Part Number: TT900OUT

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Thermal Transfer Ribbon, 4.0" x 985', 1" Core, PET, Black, 1/pkg

|                |           |
|----------------|-----------|
| Article Number | 556-00106 |
|----------------|-----------|

|      |          |
|------|----------|
| Type | TT900OUT |
|------|----------|

|       |            |
|-------|------------|
| Color | Black (BK) |
|-------|------------|

|              |      |
|--------------|------|
| Quantity Per | pcs. |
|--------------|------|

|                     |                                                                                                                                                                                                                                                                                                                                                        |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | Thermal Transfer Ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Short Description | Thermal Transfer Ribbon, 4.0" x 985', 1" Core, PET, Black, 1/pkg |
|-------------------|------------------------------------------------------------------|

|                  |                 |
|------------------|-----------------|
| Global Part Name | TT900OUT-PET-BK |
|------------------|-----------------|

|                              |                                 |
|------------------------------|---------------------------------|
| Local Order Number 2         | shipping dimension 2.5" X 4.0"  |
| Length L (Imperial)          | 984.0                           |
| Length L (Metric)            | 300                             |
| Variant                      | Colored ribbon                  |
| Width W (Imperial)           | 4.0                             |
| Width W (Metric)             | 101.6                           |
| Height H (Imperial)          | 2.26                            |
| Height H (Metric)            | 57.40                           |
| Material                     | Polyester (PET)                 |
| Material Shortcut            | PET                             |
| Flammability                 | UL 224 VW-1                     |
| Halogen Free                 | No                              |
| UV Resistant (Yes/No)        | No                              |
| Operating Temperature        | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes                             |

|                             |            |
|-----------------------------|------------|
| ROHS Compliant              | Yes        |
| Package Quantity (Imperial) | 1          |
| Package Quantity (Metric)   | 1          |
| Customs Number              | 9612101000 |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)