

Specification Sheet

Part Number: 151-00016



Tape clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties. The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Standoff Stud Mount Tape Clip Long 2.17" Weld Stud Mnt .2" PA66HIRHS Black 1000/pkg

|                     |                                                                                                                                                                                                                                                                                               |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 151-00016                                                                                                                                                                                                                                                                                     |
| Type                | BC30                                                                                                                                                                                                                                                                                          |
| Color               | Black (BK)                                                                                                                                                                                                                                                                                    |
| Quantity Per        | bag                                                                                                                                                                                                                                                                                           |
| Product Description | HellermannTyton Stud Mount Bundling Clips are easily inserted on a 5mm stud and secure the bundle away from the mounting hole. They are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties. |
| Short Description   | Standoff Stud Mount Tape Clip Long 2.17" Weld Stud Mnt .2" PA66HIRHS Black 1000/pkg                                                                                                                                                                                                           |
| Global Part Name    | BC30-PA66HIRHS-BK                                                                                                                                                                                                                                                                             |

|                            |                                                                  |
|----------------------------|------------------------------------------------------------------|
| Length L (Imperial)        | 2.2                                                              |
| Length L (Metric)          | 55.0                                                             |
| Offset Length (Imperial)   | 1.18                                                             |
| Offset Length (Metric)     | 30.0                                                             |
| Fixation Method            | Weld Stud Fixing                                                 |
| Width W (Imperial)         | 1.2                                                              |
| Width W (Metric)           | 30.0                                                             |
| Height H (Imperial)        | 0.47                                                             |
| Height H (Metric)          | 12                                                               |
| Diameter D (Imperial)      | 0.2                                                              |
| Stud Length Max (Imperial) | 1.9                                                              |
| Stud Length Max (Metric)   | 30.0                                                             |
| Stud Diameter (Metric)     | 5.0 mm                                                           |
| Stud Diamater (Imperial)   | 0.2                                                              |
| Material                   | Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) |

|                              |                                   |
|------------------------------|-----------------------------------|
| Material Shortcut            | PA66HIRHS                         |
| Flammability                 | UL 94 HB                          |
| UV Resistant (Yes/No)        | No                                |
| Operating Temperature        | -40°F to +221°F (-40°C to +105°C) |
| Reach Compliant (Article 33) | Yes                               |
| ROHS Compliant               | Yes                               |
| Package Quantity (Imperial)  | 1000                              |
| Package Quantity (Metric)    | 1000                              |
| Customs Number               | 3926909988                        |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).