

7-Year Limited Warranty on HellermannTyton Preprinted Polyester and Vinyl Solar Labels

*If a HellermannTyton Preprinted Solar Label
fails within the specified warranty period, we will replace it.*

All products displaying the



symbol on our website are covered by this warranty.

**For replacement under warranty, customer must provide original,
dated invoice or purchase order for verification.**

**Contact HellermannTyton Customer Service at [800-537-1512](tel:800-537-1512) or InsideSales@htamericas.com
for claims or questions.**

HellermannTyton products are warranted to be free from defects in material and workmanship at the time sold by us; but our obligation under this warranty and that of the seller is limited to the replacement of the product, and neither we nor the seller are bound by any other warranty, expressed, implied or statutory. Under no circumstances are we or the seller liable for any loss, damage, expenses or consequential damages of any kind arising out of the use of or inability to use these products. All are sold with the understanding that the user will apply the labels on a clean surface and within the application temperature range. The labels must be tested in actual use to determine their adaptability for the intended use. HellermannTyton Solar Labels are guaranteed against peeling or significant fading resulting from exposure to weather or other natural elements inherent to the intended use. If the label fails to meet legibility requirements as defined by ANSI Z535.4-2011 Standard; section 8.2 during the warranty period, it will be replaced one time at no charge. Some normal fading will occur as the product ages, but text will remain legible for the period specified. This warranty does not cover handwritten data using any marking method other than a paint pen, which must be used in combination with the UV stable paint shield laminate. Warranty effective as of 7/1/2017.

[See the List of Products for 7-Year Warranty](#)

Identification

Solar Labeling Solutions

Solar Labels Covered Under the HellermannTyton 7-Year Warranty			
TYPE	ARTICLE NO.	DESCRIPTION	PKG/ROLL QTY
PVPSR	596-00206	WARNING: PHOTOVOLTAIC POWER SOURCE	50
WDPSLBL	596-00231	Warning - Dual Power Source	50
WESHLBLDC	596-00232	Warning - Electric Shock Hazard DC Volt Present	50
WESHLBL	596-00233	Warning - Electric Shock Hazard	50
WGCME	596-00234	Warning - Grounded Conductors Energized	50
WTOPVLBL	596-00235	Warning - Turn Off Photovoltaic....	50
CBACKFED	596-00236	Caution - Photovoltaic System is backfed	50
ACDISCT	596-00237	Photovoltaic AC Disconnect	50
DCDISCT	596-00238	Photovoltaic DC Disconnect	50
PVACDIS	596-00239	PV AC DISCONNECT RATING	50
ACRATNG	596-00240	DC BACKUP RATING LABEL	50
DCRATING	596-00241	DC RATING LABEL	50
LAM1	596-00242	Clear Overlamine for Rating Label*	50
MPVSD	596-00243	MAIN PV SYSTEM DISCONNECT	50
DNDUL	596-00244	DO NOT DISCONNECT UNDER LOAD	50
CSESC	596-00245	CAUTION: SOLAR ELEC SYS CONNECTED	50
SOLARD	596-00246	SOLAR DISCONNECT	50
CSCIRLBL	596-00247	CAUTION: SOLAR CIRCUIT	50
AC2011	596-00252	AC Module Rating Label from NEC 2011	50
DC2011	596-00253	DC Module Rating Label from NEC 2011	50
MPVACDIS	596-00255	MAIN PV SYSTEM AC DISCONNECT	50
PVPSRTM	596-00257	WARNING: PHOTOVOLTAIC POWER SOURCE SHINGLE LABEL	1
WDCCU	596-00258	Warning - DC conductors energized	50
120VOLT	596-00325	Warning - 120-Volt Supply	50
BIPOLARPV	596-00326	Warning - Bipolar PV Array	50
IOCOD	596-00368	Warning - Inverter Output Connection. Do not relocate this overcurrent device	50
PSEWRS	596-00474	PV SYSTEM EQUIPPED WITH RAPID SHUTDOWN	50
WDPSLBL	596-00495	Warning - Dual Power Source	50
WESHLBLDC	596-00496	Warning - Electric Shock Hazard DC Volt Present	50
WESHLBL	596-00497	Warning - Electric Shock Hazard	50
WGCME	596-00498	Warning - Grounded Conductors Energized	50
WTOPVLBL	596-00499	Warning - Turn Off Photovoltaic....	50
CBACKFED	596-00587	Caution - Photovoltaic System is backfed	50
WDCCU	596-00588	Warning - DC conductors energized	50
IOCOD	596-00589	Warning - Inverter Output Connection. Do not relocate this overcurrent device	50
BIPOLARPV	596-00590	Warning - Bipolar PV Array	50
120VOLT	596-00591	Warning - 120-Volt Supply	50
CSESC	596-00613	CAUTION: SOLAR ELEC SYS CONNECTED	50
CSCIRLBL	596-00615	CAUTION: SOLAR CIRCUIT	50
WESHLBL10	596-00660	Solar Label, Warning- Electrical Shock Hazard Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK	10
WESHLBLDC10	596-00661	Solar Label, Warning - Electrical Shock Hazard Label w/DC, 3.75" X 2.5", Vinyl, Orange/White, 10/PK	10
WDCCU10	596-00662	Solar Label, Warning - DC Conductors Energized Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK	10
WGCME10	596-00663	Solar Label, Warning- Grounded Conductors Energized Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK	10
WTOPVLBL10	596-00664	Solar Label, Warning - Turn Off PV Label, 4.12" X 2.0", Vinyl, Orange/White, 10/PK	10

Identification

Solar Labeling Solutions

Solar Labels Covered Under the HellermannTyton 7-Year Warranty (cont.)

TYPE	ARTICLE NO.	DESCRIPTION	PKG/ROLL QTY
WDPSLBL10	596-00665	Solar Label, Warning- Dual Power Source Label, 4.12" X .75", Vinyl, Orange/White, 10/PK	10
CBACKFED10	596-00666	Solar Label, Caution - PV System Backfed Label, 4.12" X .75", Vinyl, Yellow/White, 10/PK	10
BIPOARPV10	596-00667	Solar Label, Warning - Bipolar PV Array Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK	10
IOCOD10	596-00668	Solar Label, Warning - Inverter Output Connection Label, 4.12" X .75", Vinyl, Orange/White, 10/PK	10
120VOLT10	596-00669	Solar Label, Warning - 120-Volt Supply Solar Label, 3.75" X 2.0", Vinyl, Orange/White, 10/PK	10
LAM110	596-00670	Solar Label UV laminate, 4.2" X 2.25", Clear Laminate, Clear, 10/PK	10
DNDCUL10	596-00671	Pre-Printed Reflective Solar Label, 6.5" X 1", DO NOT DISCONNECT UNDER LOAD, Red, 10/PK	10
CSESC10	596-00672	Solar Label, Caution - Solar Electric System Connected Reflective Label, 6.5" X 1.0", Yellow, 10/PK	10
CSCIRLBL10	596-00673	Solar Label, Caution - Solar Circuit Reflective Label, 6.5" X 1.0", Yellow, 10/PK	10
SOLARD10	596-00674	Pre-Printed Reflective Solar Label, 6.5" X 1", SOLAR DISCONNECT, Red, 10/PK	10
MPVSD10	596-00675	Pre-Printed Reflective Solar Label, 5.5' X 1.75", MAIN PV DISCONNECT, Red, 10/PK	10
MPVACDIS10	596-00676	Pre-Printed Reflective Solar Label, 5.5" X 1.75", MAIN PV AC DISCONNECT, Red, 10/PK	10
PSEWRS10	596-00677	Solar Label, Photovoltaic System with Rapid Shutdown Reflective Label, 5.5" X 1.75", Red, 10/PK	10
PVPSR10	596-00678	Pre-Printed Solar Label, 6.5" X 1", WARNING: PHOTOVOLTAIC POWER SOURCE, Red Reflective, 10/PK	10
SMPV	596-00735	Warning - Service Meter Also Serviced by PV System, 4.0" X 2.0", Vinyl, Orange/White, 50/RL	50
PSKWH	596-00737	Pre-Printed Solar Label, PV System kWh Meter, 4.0" X 1.0", Vinyl, Red, 50/RL	50
DCJB	596-00738	Pre-Printed Solar Label, DC Junction Box, 4.0" X 1.0", Vinyl, Red, 50/RL	50
DNALP	596-00739	Caution - Do Not Install Additional Loads In This Panel	50
DCCB	596-00740	Pre-Printed Solar Label, DC Combiner Box, 4.0" X 1.0", Vinyl, Red, 50/RL	50
PSKWH10	596-00743	Pre-Printed Solar Label, PV System kWh Meter, 4.0" X 1.0", Vinyl, Red, 10/PK	10
DCJB10	596-00744	Pre-Printed Solar Label, DC Junction Box, 4.0" X 1.0", Vinyl, Red, 10/PK	10
DNALP10	596-00745	Caution - Do Not Install Additional Loads In This Panel	10
DCCB10	596-00746	Pre-Printed Solar Label, DC Combiner Box, 4.0" X 1.0", Vinyl, Red, 10/PK	10
SMPV10	596-00747	Warning - Service Meter Also Serviced by PV System, 4.0" X 2.0", Vinyl, Orange/White, 10/PK	10
ECCMPV	596-00748	Enclosure Contains Conductors From Multiple PV Sources, 4.0" X 2.0", Vinyl, Red, 50/RL	50
ECCMPV10	596-00749	Enclosure Contains Conductors From Multiple PV Sources, 4.0" X 2.0", Vinyl, Red, 10/PK	10
IOC	596-00750	Pre-Printed Solar Label, Inverter Output Circuit, 4.0" X 1.0", Vinyl, Yellow, 50/RL	50
SSB	596-00751	Pre-Printed Solar Label, Solar System Breaker, 2.0" X 1.0", Vinyl, Red, 50/RL	50
IOC10	596-00753	Pre-Printed Solar Label, Inverter Output Circuit, 4.0" X 1.0", Vinyl, Yellow, 10/PK	10
SSB10	596-00754	Pre-Printed Solar Label, Solar System Breaker, 2.0" X 1.0", Vinyl, Red, 10/PK	10
ACCB	596-00756	Pre-Printed Solar Label, AC Combiner Box, 4.0" X 1.0", Vinyl, Red, 50/RL	50
DCD	596-00757	Pre-Printed Solar Label, DC Disconnect, 4.0" X 1.0", Vinyl, Red, 50/RL	50
ACCB10	596-00758	Pre-Printed Solar Label, AC Combiner Box, 4.0" X 1.0", Vinyl, Red, 10/PK	10
DCD10	596-00759	Pre-Printed Solar Label, DC Disconnect, 4.0" X 1.0", Vinyl, Red, 10/PK	10
IOCODSM	596-00846	Warning- Inverter Output Connection. Do not relocate this overcurrent device	50
IOCODSM	596-00847	Warning - Inverter Output Connection. Do not relocate this overcurrent device	50
DC201110	596-00850	Printable Solar Label, DC Module Label, 4.0" X 2.00", Polyester, Red, 10/PK	10
DCRATING10	596-00851	Printable Solar Label, DC RATING LABEL, 3.75" X 2.00", Polyester, Red, 10/PK	10
PVACDIS10	596-00852	Printable Solar Label, PV AC RATING LABEL, 3.75" X 1.00", Polyester, Red, 10/PK	10
ACDISCT10	596-00853	Printable Solar Label, PV AC DISCONNECT LABEL, 3.75" X 1.00", Polyester, Red, 10/PK	10
DCDISCT10	596-00854	Printable Solar Label, PHOTOVOLTAIC DC DISCONNECT, 3.75" X 1.00", Polyester, Red, 10/PK	10
AC201110	596-00855	Printable Solar Label, AC MODULE LABEL, 4.0" X 2.00", Polyester, Red, 10/PK	10
WESHLBL17	596-00878	Warning - Electric Shock Hazard - 2017, 3.75" X 2.0", Vinyl, Orange/White, 50/RL	50
WESHLBDC17	596-00879	Warning - Electric Shock Hazard DC Volt Present -2017, 3.75" X 2.5", Vinyl, Orange/White, 50/RL	50

Identification

Solar Labeling Solutions

Solar Labels Covered Under the HellermannTyton 7-Year Warranty *(cont.)*

TYPE	ARTICLE NO.	DESCRIPTION	PKG/ROLL QTY
IOCOD17	596-00880	Warning - Power Source Output Connection -2017, 4.12" X .75", Vinyl, Orange,50/RL	50
DC201710	596-00881	Solar Label, Maximum Voltage - 2017, 3.75" X 2.125", Vinyl, Red/White 10/PK	10
PVACDIS1710	596-00882	Printable Solar Label, PV AC Rating Label -2017, 3.75" X 1.00", Polyester, Red, 10/PK	10
IOCOD17ST	596-00883	Warning - Power Source Output Connection - 2017, 2.0" X 1.25", Vinyl, Orange/White, 50/RL	50
IOCOD17ST10	596-00884	Solar Label, Warning - Power Source Output Connection - 2017, 2.0" X 1.25", Vinyl, Orange/White, 10/PK	10
RSDYL17	596-00885	Rapid Shutdown Label, Roof Safe, 6.0" X 4.0", Vinyl, Yellow, 50/RL	50
RSDRD17	596-00886	Rapid Shutdown Label, Roof Hazard, 6.0" X 4.0", Vinyl, Red, 50/RL	50
PSEWRS17	596-00887	Rapid Shutdown Switch - 2017, 6.50" X 1.0", Vinyl, Red, 50/RL	50
RSDYL1710	596-00888	Rapid Shutdown Label, Roof Safe, 6.0" X 4.0", Vinyl, Yellow, 10/PK	10
RSDRD1710	596-00889	Rapid Shutdown Label, Roof Hazard, 6.0" X 4.0", Vinyl, Red, 10/PK	10
PSEWRS1710	596-00890	Rapid Shutdown Switch - 2017, 6.50" X 1.0", Vinyl, Red, 10/PK	10
DC2017	596-00891	Solar Label, Maximum Voltage Label - 2017, 3.75" X 2.125", Vinyl, Red/White 50/RL	50
PVACDIS17	596-00892	PV AC Disconnect Rating Label - 2017, 3.75" X 1.0", Vinyl, Orange/White, 50/RL	50
WESHLBL1710	596-00893	Solar Label, Warning- Electrical Shock Hazard Label -2017, 3.75" X 2.0", Vinyl, Orange/White, 10/PK	10
WESHLBLDC1710	596-00894	Solar Label, Warning - Electrical Shock Hazard Label w/DC - 2017, 3.75" X 2.5", Vinyl, Orange/White, 10/PK	10
IOCOD1710	596-00895	Solar Label, Warning - Power Source Output Connection - 2017, 4.12" X .75", Vinyl, Orange/White, 10/PK	10
PVPSR500	596-00896	WARNING: PHOTOVOLTAIC POWER SOURCE 500/RL	500
AF5X35D	596-00904	Pre-Printed Arc Flash label, Danger, 5.0" X 3.5", Red, 10/PK	10
AF5X35W	596-00905	Pre-Printed Arc Flash Label, Warning, 5.0" X 3.5", Orange, 10/PK	10
ESSDCD	596-00986	Main Battery System Disconnect, 5.5" X 1.75", Vinyl, Red, 50/RL	50
MBSDIS	596-00987	Energy Storage System DC Disconnect 3.75" X 2.12", Vinyl, Red, 50/RL	50
PAINT PEN	596-06321	Paint Pen, Black, 1/EA	1
WDGC17	596-09323	Warning - Disconnection of Grounded Conductors - 2017, 3.75" X 1.0", Vinyl, Orange/White, 50/RL	50
WDGC1710	596-09324	Solar Label, Warning - Disconnection of grounded Label - 2017, 3.75" X 2.0", Vinyl, Orange/White, 10/PK	10