

Specification Sheet

Part Number: 596-00417



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, Rectangular, 3.0" x 4.0", PET, White, 150/roll

Article Number	596-00417
Type	NPL76X101WH
Color	White (WH)
Quantity Per	roll
Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton TagPrint Pro labeling software and can include printed logos, bar codes and text of almost any size and type.

Short Description	Foam Nameplate, Rectangular, 3.0" x 4.0", PET, White, 150/roll
-------------------	--

Global Part Name	NPL76X101WH-518-WH
------------------	--------------------

Width W (Imperial)	3.0
--------------------	-----

Width W (Metric)	76.2
------------------	------

Thickness T (Metric)	64.0
----------------------	------

Height H (Imperial)	4.0
---------------------	-----

Height H (Metric)	101.6
-------------------	-------

Width of Liner (Metric)	81.28
-------------------------	-------

Width of Liner (Imperial)	3.2
---------------------------	-----

Material	Type 518, Polyester Foam (518)
----------	--------------------------------

Material Shortcut	518
-------------------	-----

Adhesive	Acrylate with base of acrylic foam
----------	------------------------------------

Halogen Free	Yes
--------------	-----

UV Resistant (Yes/No)	No
-----------------------	----

Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
--------------------------------	----------------------------------

Operating Temperature	-40°F to +176°F (-40°C to +80°C)
-----------------------	----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	150
-----------------------------	-----

Package Quantity (Metric)	150
---------------------------	-----

Customs Number	3919102055
----------------	------------

Labels per Column	1
-------------------	---

Labels per Row	1
----------------	---

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00504



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, Rectangular, 2.0" x 1.0", PET, White, 500/roll

Article Number	596-00504
Type	NPL51X25WH
Color	White (WH)
Quantity Per	roll
Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton TagPrint Pro labeling software and can include printed logos, bar codes and text of almost any size and type.

Short Description	Foam Nameplate, Rectangular, 2.0" x 1.0", PET, White, 500/roll
-------------------	--

Global Part Name	NPL51X25WH-518-WH
------------------	-------------------

Width W (Imperial)	2.0
--------------------	-----

Width W (Metric)	50.8
------------------	------

Thickness T (Metric)	64.0
----------------------	------

Height H (Imperial)	1.0
---------------------	-----

Height H (Metric)	25.4
-------------------	------

Width of Liner (Metric)	55.88
-------------------------	-------

Width of Liner (Imperial)	2.2
---------------------------	-----

Material	Type 518, Polyester Foam (518)
----------	--------------------------------

Material Shortcut	518
-------------------	-----

Adhesive	Acrylate with base of acrylic foam
----------	------------------------------------

Halogen Free	Yes
--------------	-----

UV Resistant (Yes/No)	No
-----------------------	----

Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
--------------------------------	----------------------------------

Operating Temperature	-40°F to +176°F (-40°C to +80°C)
-----------------------	----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	500
-----------------------------	-----

Package Quantity (Metric)	500
---------------------------	-----

Customs Number	3919102055
----------------	------------

Labels per Column	1
-------------------	---

Labels per Row	1
----------------	---

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00507



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, Rectangular, 2.0" x 1.0", PET, Black, 500/roll

Article Number	596-00507
Type	NPL51X25BK
Color	Black (BK)
Quantity Per	roll
Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton TagPrint Pro labeling software and can include printed logos, bar codes and text of almost any size and type.

Short Description	Foam Nameplate, Rectangular, 2.0" x 1.0", PET, Black, 500/roll
-------------------	--

Global Part Name	NPL51X25BK-518-BK
------------------	-------------------

Width W (Imperial)	2.0
--------------------	-----

Width W (Metric)	50.8
------------------	------

Thickness T (Metric)	64.0
----------------------	------

Height H (Imperial)	1.0
---------------------	-----

Height H (Metric)	25.4
-------------------	------

Width of Liner (Metric)	55.88
-------------------------	-------

Width of Liner (Imperial)	2.2
---------------------------	-----

Material	Type 518, Polyester Foam (518)
----------	--------------------------------

Material Shortcut	518
-------------------	-----

Adhesive	Acrylate with base of acrylic foam
----------	------------------------------------

Halogen Free	Yes
--------------	-----

UV Resistant (Yes/No)	No
-----------------------	----

Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
--------------------------------	----------------------------------

Operating Temperature	-40°F to +176°F (-40°C to +80°C)
-----------------------	----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	500
-----------------------------	-----

Package Quantity (Metric)	500
---------------------------	-----

Customs Number	3919102055
----------------	------------

Labels per Column	1
-------------------	---

Labels per Row	1
----------------	---

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)


[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00402



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, Red, 500/roll

Article Number	596-00402
----------------	-----------

Type	NPLH46X46RD30.5
------	-----------------

Color	Red (RD)
-------	----------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, Red, 500/roll
Global Part Name	NPLH46X46RD30.5-PET-RD
Width W (Imperial)	1.8
Width W (Metric)	45.7
Height H (Imperial)	1.80
Height H (Metric)	45.70
Width of Liner (Metric)	50.8
Width of Liner (Imperial)	2.0
Material	Polyester (PET)
Material Shortcut	PET
Adhesive	Acrylate with base of acrylic foam
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)

Operating Temperature	-40°F to +300°F (-40°C to +149°C)
-----------------------	-----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	500
-----------------------------	-----

Package Quantity (Metric)	500
---------------------------	-----

Customs Number	3919102055
----------------	------------

Labels per Column	1
-------------------	---

Labels per Row	1
----------------	---

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)


[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00403



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, Black, 500/roll

Article Number	596-00403
----------------	-----------

Type	NPLH46X46BK30.5
------	-----------------

Color	Black (BK)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.8" x 1.8" Button Label With 1.8" Hole, PET, Black, 500/roll
Global Part Name	NPLH46X46BK30.5-PET-BK
Width W (Imperial)	1.8
Width W (Metric)	45.7
Height H (Imperial)	1.80
Height H (Metric)	45.70
Width of Liner (Metric)	50.8
Width of Liner (Imperial)	2.0
Material	Polyester (PET)
Material Shortcut	PET
Adhesive	Acrylate with base of acrylic foam
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)

Operating Temperature	-40°F to +300°F (-40°C to +149°C)
-----------------------	-----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	500
-----------------------------	-----

Package Quantity (Metric)	500
---------------------------	-----

Customs Number	3919102055
----------------	------------

Labels per Column	1
-------------------	---

Labels per Row	1
----------------	---

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00414

Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.



Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.75" x 1.75" Button Label With 1.2" Hole, PET, White, 250/roll

Article Number	596-00414
----------------	-----------

Type	NPLH44X44WH30.5
------	-----------------

Color	White (WH)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	--

Short Description	Foam Nameplate, 1.75" x 1.75" Button Label With 1.2" Hole, PET, White, 250/roll
Global Part Name	NPLH44X44WH30.5-518-WH
Width W (Imperial)	1.75
Width W (Metric)	44.4
Thickness T (Metric)	64.0
Height H (Imperial)	1.75
Height H (Metric)	44.4
Width of Liner (Metric)	46.99
Width of Liner (Imperial)	1.85
Mounting Hole Diameter D (Imperial)	1.2
Mounting Hole Diameter D (Metric)	30.48 mm
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam


Halogen Free	Yes
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00415



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.75" x 1.75" Button Label With 1.2" Hole, PET, Black, 250/roll

Article Number	596-00415
----------------	-----------

Type	NPLH44X44BK30.5
------	-----------------

Color	Black (BK)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.75" x 1.75" Button Label With 1.2" Hole, PET, Black, 250/roll
Global Part Name	NPLH44X44BK30.5-518-BK
Width W (Imperial)	1.75
Width W (Metric)	44.4
Thickness T (Metric)	64.0
Height H (Imperial)	1.75
Height H (Metric)	44.4
Width of Liner (Metric)	46.99
Width of Liner (Imperial)	1.85
Mounting Hole Diameter D (Imperial)	1.2
Mounting Hole Diameter D (Metric)	30.48 mm
Mounting Hole Diameter D Max (Metric)	30.48
Material	Type 518, Polyester Foam (518)
Material Shortcut	518

Adhesive	Acrylate with base of acrylic foam
Halogen Free	Yes
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00412

Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.



Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.25" x 1.25" Button Label With .88" Hole, PET, White, 250/roll

Article Number	596-00412
----------------	-----------

Type	NPLH31X31WH22.5
------	-----------------

Color	White (WH)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.25" x 1.25" Button Label With .88" Hole, PET, White, 250/roll
Global Part Name	NPLH31X31WH22.5-518-WH
Width W (Imperial)	1.25
Width W (Metric)	31.7
Thickness T (Metric)	64.0
Height H (Imperial)	1.25
Height H (Metric)	31.7
Width of Liner (Metric)	38.1
Width of Liner (Imperial)	1.5
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518

Adhesive	Acrylate with base of acrylic foam
Halogen Free	Yes
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

[Contact Us](#)


[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00413



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.25" x 1.25" Button Label With .88" Hole, PET, Black, 250/roll

Article Number	596-00413
----------------	-----------

Type	NPLH31X31BK22.5
------	-----------------

Color	Black (BK)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.25" x 1.25" Button Label With .88" Hole, PET, Black, 250/roll
Global Part Name	NPLH31X31BK22.5-518-BK
Width W (Imperial)	1.25
Width W (Metric)	31.7
Thickness T (Metric)	64.0
Height H (Imperial)	1.25
Height H (Metric)	31.7
Width of Liner (Metric)	38.1
Width of Liner (Imperial)	1.5
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518

Adhesive	Acrylate with base of acrylic foam
Halogen Free	Yes
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

[Contact Us](#)


[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Specification Sheet

Part Number: 596-00915



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.20" x 1.90" Button Label With .88" Hole, PET, White, 250/roll

Article Number

596-00915

Type

NPLH31X48WH22.5

Color

White (WH)

Quantity Per

roll

Product Description

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

Short Description	Foam Nameplate, 1.20" x 1.90" Button Label With .88" Hole, PET, White, 250/roll
Global Part Name	NPLH31X48WH22.5-518-WH
Width W (Imperial)	1.20
Width W (Metric)	30.48
Thickness T (Metric)	64.0
Height H (Imperial)	1.90
Height H (Metric)	30.48
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam
Halogen Free	No
UV Resistant (Yes/No)	No


Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00405



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Yellow, 250/roll

Article Number

596-00405

Type

NPLH31X38YE22.5

Color

Yellow (YE)

Quantity Per

roll

Product Description

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

Short Description	Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Yellow, 250/roll
Global Part Name	NPLH31X38YE22.5-518-YE
Width W (Imperial)	1.2
Width W (Metric)	30.5
Height H (Imperial)	1.50
Height H (Metric)	38.10
Width of Liner (Metric)	36.83
Width of Liner (Imperial)	1.45
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam


Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00404



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, White, 250/roll

Article Number	596-00404
----------------	-----------

Type	NPLH31X38WH22.5
------	-----------------

Color	White (WH)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, White, 250/roll
Global Part Name	NPLH31X38WH22.5-518-WH
Width W (Imperial)	1.2
Width W (Metric)	30.5
Height H (Imperial)	1.50
Height H (Metric)	38.10
Width of Liner (Metric)	36.83
Width of Liner (Imperial)	1.45
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam


Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00406



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Red, 250/roll

Article Number

596-00406

Type

NPLH31X38RD22.5

Color

Red (RD)

Quantity Per

roll

Product Description

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

Short Description	Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Red, 250/roll
Global Part Name	NPLH31X38RD22.5-518-RD
Width W (Imperial)	1.2
Width W (Metric)	30.5
Height H (Imperial)	1.50
Height H (Metric)	38.10
Width of Liner (Metric)	36.83
Width of Liner (Imperial)	1.45
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam


Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00323



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Green, 250/roll

Article Number

596-00323

Type

NPLH31X38GN22.5

Color

Green (GN)

Quantity Per

roll

Product Description

Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

Short Description	Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Green, 250/roll
Global Part Name	NPLH31X38GN22.5-518-GN
Width W (Imperial)	1.2
Width W (Metric)	30.5
Height H (Imperial)	1.50
Height H (Metric)	38.10
Width of Liner (Metric)	36.83
Width of Liner (Imperial)	1.45
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam


Halogen Free	Yes
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

Specification Sheet

Part Number: 596-00407



Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.

Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.

Labels are UV and chemical resistant for long life in an industrial environment.

Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Black, 250/roll

Article Number	596-00407
----------------	-----------

Type	NPLH31X38BK22.5
------	-----------------

Color	Black (BK)
-------	------------

Quantity Per	roll
--------------	------

Product Description	Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.
---------------------	---

Short Description	Foam Nameplate, 1.2" x 1.5" Button Label With .88" Hole, PET, Black, 250/roll
Global Part Name	NPLH31X38BK22.5-518-BK
Width W (Imperial)	1.2
Width W (Metric)	30.5
Height H (Imperial)	1.50
Height H (Metric)	38.10
Width of Liner (Metric)	36.83
Width of Liner (Imperial)	1.45
Mounting Hole Diameter D (Imperial)	0.88
Mounting Hole Diameter D (Metric)	22.35 mm
Mounting Hole Diameter D Max (Metric)	22.35
Material	Type 518, Polyester Foam (518)
Material Shortcut	518
Adhesive	Acrylate with base of acrylic foam

Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	250
Package Quantity (Metric)	250
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

