

Specification Sheet

Part Number: RNA4UCN



4U of vertical space can accommodate up to 16 RapidNet cassettes
Port labeling and identification both front and rear

Hinged front and rear doors offer protection for cable to both the front and rear of the panel

Article Number 859-30053

Type RNA6UXX-PD4UCN-XX.XX

Color Black (BK)

Quantity Per pack

Product Description

The HellermannTyton 4U Distribution Chassis is designed for use with the RapidNet pre-terminated solution. The 4U panel accommodates up to 16 RapidNet cassettes covering a range of density requirements from high density 2,304 fibre MTP connections, standard density 384 fibre LC connections or 96 copper ports. The chassis has integrated front and rear cable management for patch cords, trunks and back bone cables with 8 side cable entry points each with a separate anchor point. The chassis is fitted with hinged front and rear doors with dedicated labelling fields for simple port and RapidNet loom identification. The front door can be removed to provide ease of access during initial implementation and installation. Sliding mounting brackets are supplied to allow forward and backward movement to suit the mounting post position within the rack or cabinet.

Short Description

RapidNet Distribution Chassis, 7.0 " Height, 16.0" Deep, 19.0 " Length, Metal, Black, 1/pkg

Global Part Name

RNA6UXX-PD4UCN-XX.XX

Variant

Modular Panels

Width W (Imperial)

19.01

Width W (Metric)

483

Height H (Imperial)

7.0

Height H (Metric)

176

Depth D (Imperial)

16.0

Depth D (Metric)

401

Material Metal (MET)

Material Shortcut MET

UV Resistant (Yes/No) No

Reach Compliant (Article 33) No

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8538907080

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)