





HAMMOND  
MANUFACTURING®

42U  
45U  
48U  
52U

# H1 DATA CENTER CABINET SYSTEM



DATA CENTER CABINET



**The Hammond H1 series is designed as your most complete offering for Server, Network and Data Storage applications.**

**Mounting Heights:**  
42U, 45U, 48U or 52U

**Overall Widths:**  
24", 30" or 31.5"

**Overall Depths:**  
42" or 48"

**Paint Finish:**  
Black or White

Shown with optional alternate rail color.



Doors feature low-profile locking handle with key override.  
Compatible with electronic locks.



Wider cabinet mounting rails include three (3) 1U accessory mounting slots.

## Standard Configuration Includes:

- 14-Gauge welded steel frame with included leveling feet, recessed casters and grounding studs.
- Two (2) pairs of infinitely adjustable 19" EIA compliant square hole punched rails with rack unit markings.
- Front 79% airflow vented front door and split rear (barn) doors.
- Two (2) Inter-changable top panels (1x Solid, 1x Brushed cable entry)

## Optional Components

- Solid Doors and Passive Air Chimney
- Bottom Panel with Brushed Gasket
- Side Panels
- Finger and Ring Cable Managers

For part numbers, web drawings and more details visit: [hammondmfg.com](http://hammondmfg.com)

## Specifications

- UL Listed 2416 - Rated for up to 3,000 lbs (1,360 kg) static load rating.
- Complies with Seismic IBC 2012 Zone-4 standards when used with C4K-Z4 Seismic Bolt Down Kit.
  - Structurally adequate to safely resist 1,000 lbs (454 kg) of equipment and self-weight in seismic zone.
- RoHS Compliant.
- Manufactured in North America.



Ask us about our containment  
and modification options.



**Have Questions? We're Here to Help!**  
**1-877-535-3282 (Canada) | 1-800-526-2266 (USA)**

Connect with us @hammondmfg | [hammondmfg.com](http://hammondmfg.com)