

Specification Sheet

Part Number: 110-95300

Unique levels of repeatability and accuracy.

High application speed and low maintenance.

Improved compressed air supply for faster tensioning piston movement.

Shorter processing time and greater volume of connecting tie application.

Ergonomic design.

Automatic ejection of cut-off cable tie end.

Ideally designed to apply stainless steel MBT-Series up to 16.0 mm width.



Pneumatic Mark 9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Black, 1/pkg

Article Number 110-95300

Type MK9PSST

Color Black (BK)

Quantity Per pack

Product Description MK9PSST

Short Description Pneumatic Mark 9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Black, 1/pkg

Global Part Name	MK9PSST-PL-BK
Length L (Metric)	280
Width W (Metric)	55
Cable Ties	MBT-Series up to 16 mm width
Height H (Metric)	200
Cable Tie Width Max (Imperial)	0.63
Material	Plastic (PL)
Material Shortcut	PL
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
BABA Compliant	YES
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	1

Package Quantity (Metric) 1

Customs Number 8467195090

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)