

Specification Sheet

Part Number: TELS-H



Continuous strap and separate heads allow for any bundle diameter, eliminating waste.

Smooth strap prevents cable damage.

UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.

Extended-Length Tie Heads, POM, Black, 25/pkg

Article Number 111-31000

Type EL-TY (TELSH)

Color Black (BK)

Quantity Per pack

Product Description Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.

Short Description Extended-Length Tie Heads, POM, Black, 25/pkg

| | |
|-------------------------------------|--------------------------|
| Global Part Name | EL-TY (TELSH)-POMUVSS-BK |
| Contents of pkg/kit | 25 Heads |
| Minimum Tensile Strength (Imperial) | 250 |
| Minimum Tensile Strength (Metric) | 1115 |
| Length L (Imperial) | 0.62 |
| Length L (Metric) | 15.75 |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | steel pawl |
| Variant | Endless |
| Width W (Imperial) | 0.8 |
| Width W (Metric) | 20.3 |
| Height H (Imperial) | 0.49 |
| Height H (Metric) | 12.40 |
| Cable Tie Width Max (Imperial) | 0.5 |
| Cable Tie Width Max (Metric) | 12.7 |

| | |
|------------------------------|--|
| Material | Polyacetal, UV stabilized (POMUV) with stainless steel pawl (SS) |
| Material Shortcut | POMUVSS |
| Material Cable Tie | Polyacetal (POM) |
| Material Head | Polyacetal (POM) |
| Flammability | UL 94 HB |
| UV Resistant (Yes/No) | Yes |
| Use Conditions | For Indoor and Outdoor Use |
| Operating Temperature | -40°F to +194°F (-40°C to +90°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 25 |
| Package Quantity (Metric) | 25 |
| Customs Number | 3926909988 |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Privacy Policy](#)

[Cookie Policy](#)

[Terms and Conditions](#)