

Specification Sheet

Part Number: 133-04335

Bundling clip allows for routing of a bundle through high heat areas.

Made from Flexible PPS high heat material for exceptional heat and chemical resistance.

6.5x12.5 portable oval hole allows the routing to be secured away from obstructions and sources of heat and or abrasion

Dog bone ends help keep bundling clip from slipping off routing.



Bundling Clip with Arrowhead, 90 Degree Offset, 12.35mm hole dia., 13.5-15.0mm Thickness, PPS, Silver, 2500/ctn

Article Number	133-04335
Type	BCATC90DEG
Color	Silver (SR)
Quantity Per	pack
Product Description	HellermannTyton's bundling clips allow a harness to be routed around a corner and attached to the panel at this location.
Short Description	Bundling Clip with Arrowhead, 90 Degree Offset, 12.35mm hole dia., 13.5-15.0mm Thickness, PPS, Silver, 2500/ctn
Global Part Name	BCATC90DEG-PPS-SR

Length L (Imperial)	2.0
Length L (Metric)	51.0
Offset Length (Imperial)	1.47
Offset Length (Metric)	37.5
Fixation Method	Arrowhead
Width W (Imperial)	0.62
Width W (Metric)	16.0
Panel Thickness Min (Imperial)	0.53
Panel Thickness Max (Imperial)	0.59
Panel Thickness Min (Metric)	13.5
Panel Thickness Max (Metric)	15.0
Mounting Hole Diameter D (Imperial)	0.46 - 0.51 "
Mounting Hole Diameter D (Metric)	11.7 - 13.0 mm
Mounting Hole Diameter D Min (Imperial)	0.46
Mounting Hole Diameter D Max (Imperial)	0.51
Mounting Hole Diameter D Max (Metric)	13.0

Material Polyphenylene Sulfide (PPS)

Material Shortcut PPS

UV Resistant (Yes/No) No

Use Conditions For Indoor and Outdoor Use

Reach Compliant (Article 33) No

Package Quantity (Imperial) 2500

Package Quantity (Metric) 2500

Customs Number 3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Privacy Policy](#)

[Cookie Policy](#)

[Terms and Conditions](#)