

Specification Sheet

Part Number: 151-00663



The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Bundling Clip with Fir Tree, 1.5" Long, 0.7 - 5.7mm Panel Thickness, PA66HIRHSUV, Black, 10,000/box

Article Number 151-00663

Type TC6FT6

Color Black (BK)

Quantity Per pack

Product Description HellermannTyton Bundling Clips are designed to provide simple and easy methods for securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties.

Short Description Bundling Clip with Fir Tree, 1.5" Long, 0.7 - 5.7mm Panel Thickness, PA66HIRHSUV, Black, 10,000/box

Global Part Name TC6FT6-PA66HIRHSUV-BK

Length L (Imperial)	1.5
Length L (Metric)	38.1
Fixation Method	Fir Tree
Width W (Imperial)	0.5
Width W (Metric)	12.0
Height H (Imperial)	.50
Height H (Metric)	14.0
Panel Thickness Min (Imperial)	0.03
Panel Thickness Max (Imperial)	0.71
Panel Thickness Min (Metric)	0.7
Panel Thickness Max (Metric)	5.75
Mounting Hole Diameter D (Imperial)	0.24 - 0.27 "
Mounting Hole Diameter D (Metric)	6.2 - 6.8 mm
Mounting Hole Diameter D Min (Imperial)	0.24
Mounting Hole Diameter D Max (Imperial)	0.27
Mounting Hole Diameter D Max (Metric)	6.8

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Operating Temperature intermittant, 1000 hours	+320°F (+160°C)
Operating Temperature intermittant, 5000 hours	+257°F (+125°C)
Operating Temperature intermittant, 500 hours	+329°F (+165°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	10000
Package Quantity (Metric)	10000
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)