

Specification Sheet

Part Number: 151-02177

Dog bone end design prevents clip from slipping through bundling tape

Compact I-beam design provides a robust solution for all bundles, small to large

Made from flexible PPS high heat material for exceptional heat and chemical resistance

Long arrowhead to secure bundles in castings such as transmission housings



Bundling Clip with Arrowhead, 12.35mm Hole Dia., 13.5 - 15.0mm Thickness, PPS, Silver, 2000/ctn

Article Number 151-02177

Type BCATC4

Color Silver (SR)

Quantity Per pack

Product Description HellermannTyton's bundling clips allow a harness to be routed around a corner and attached to the panel at this location.

Short Description Bundling Clip with Arrowhead, 12.35mm Hole Dia., 13.5 - 15.0mm Thickness, PPS, Silver, 2000/ctn

Global Part Name BCATC4-PPS-SR

Length L (Imperial)	2.95
Length L (Metric)	75.0
Fixation Method	Arrowhead
Width W (Imperial)	0.45
Width W (Metric)	11.43
Height H (Imperial)	1.22
Height H (Metric)	30.94
Panel Thickness Min (Imperial)	0.53
Panel Thickness Max (Imperial)	0.59
Panel Thickness Min (Metric)	13.5
Panel Thickness Max (Metric)	15.0
Mounting Hole Diameter D (Imperial)	0.46 - 0.51 "
Mounting Hole Diameter D (Metric)	11.7 - 13.0 mm
Mounting Hole Diameter D Max (Imperial)	0.51
Mounting Hole Diameter D Max (Metric)	13.0

Material	Polyphenylene Sulfide (PPS)
Material Shortcut	PPS
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)