

Specification Sheet

Part Number: 151-02551

Connector Clip with tape bar secures connectors with USCAR 11 mm slot and provides strain relief for the connector and wiring assembly.

Compact I-beam design provides a robust solution for all bundles, small to large.

Dog bone ends help secure tape or tie, preventing bundling clip from slipping off bundle.

Connector clip design meets USCAR EWCAP-005-11 clip slot specifications, assuring compliance.

Meets installation and extraction requirements of SAE/USCAR-2, for easy insertion and reliable performance.



USCAR Connector Clip with I-beam Bundling Clip, 11mm, POM, Black, 5000/ctn

Article Number	151-02551
Type	SOC25SO9CC11
Color	Black (BK)
Quantity Per	pack

Product Description	Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.
Short Description	USCAR Connector Clip with I-beam Bundling Clip, 11mm, POM, Black, 5000/ctn
Global Part Name	SOC25SO9CC11-POM-BK
Length L (Imperial)	1.96
Length L (Metric)	50.0
Width W (Imperial)	0.427
Width W (Metric)	10.85
Height H (Imperial)	0.539
Height H (Metric)	13.7
Material	Polyacetal (POM)
Material Shortcut	POM
UV Resistant (Yes/No)	No
Use Conditions	For Indoor and Outdoor Use

Operating Temperature -40°F to +194°F (-40°C to +90°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 5000

Package Quantity (Metric) 5000

Customs Number 3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)