

Specification Sheet

Part Number: PC15FT7

Product Image

Clip is designed for fixation and bundling of tubes and pipes.

Fir Tree Mount Tube Clip, Mounting Hole Dia .25", Panel Thickness .12", PA66HIRHSUV, Black 1000/box

Article Number 151-14303

Type PC15FT7

Color Black (BK)

Quantity Per pack

Product Description Designed to offer a durable single-hole mounting, this tube clip allows the installer to insert the fir tree with minimal force while providing a secure hold.

Short Description Fir Tree Mount Tube Clip, Mounting Hole Dia .25", Panel Thickness .12", PA66HIRHSUV, Black 1000/box

Global Part Name PC15FT7-PA66HIRHSUV-BK

Length L (Imperial) 0.62

Length L (Metric) 15.75

Fixation Method Fir Tree

Width W (Imperial)	0.85
Width W (Metric)	21.6
Bundle Diameter Max (Imperial)	0.62
Bundle Diameter Max (Metric)	15.7
Height H (Imperial)	1.5
Height H (Metric)	38.1
Panel Thickness Min (Imperial)	0.04
Panel Thickness Max (Imperial)	0.31
Panel Thickness Min (Metric)	1.0
Panel Thickness Max (Metric)	6.0
Mounting Hole Diameter D (Imperial)	0.25 - 0.27 "
Mounting Hole Diameter D (Metric)	6.4 - 6.8 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.27
Mounting Hole Diameter D Max (Metric)	6.8
Disc Diameter (Metric)	21.6
Disc Diameter (Imperial)	0.9

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Privacy Policy](#)

[Cookie Policy](#)

[Terms and Conditions](#)