

Specification Sheet

Part Number: MB3A10A2H4


For use with HellermannTyton T18 - T30 cable ties to provide stability when securing bundles.

4-way opening allows cable ties to be installed parallel or perpendicular to bundles.

The acrylic-based adhesive is an economical choice ideal for indoor applications, with a static load weight of 0.6 lb.

Two predrilled holes extend mounting options and solutions.

Extended adhesive liner is easy to remove quickly.



Article Number 151-28717

Type MB3A

Color White (WH)

Quantity Per pack

Product Description MB3A adhesive mounts are for use with HellermannTyton T18 - T30 Series cable ties to provide stability when securing bundles. The acrylic adhesive-backed mounts can be used to secure a bundle and have two predrilled holes to extend mounting options.

| | |
|-------------------------------------|--|
| Short Description | Acrylic Adhesive Cable Tie Mount, 0.75 x 0.75", Use With T18-T30 Cable Tie, PA66, White, 500/pkg |
| Global Part Name | MB3A-PA66-WH |
| Length L (Imperial) | 0.75 |
| Length L (Metric) | 19.0 |
| Fixation Method | Adhesive |
| Width W (Imperial) | 0.75 |
| Width W (Metric) | 19.0 |
| Cable Ties | T18 - T30 |
| Height H (Imperial) | .19 |
| Height H (Metric) | 4.8 |
| Cable Tie Width Max (Imperial) | 0.14 |
| Cable Tie Width Max (Metric) | 3.6 |
| Mounting Hole Diameter D (Imperial) | 0.12 " |
| Mounting Hole Diameter D (Metric) | 3.0 mm |
| Mounting Hole Centers (Imperial) | 0.52 |

| | |
|--------------------------------|---|
| Material | Polyamide 6.6 (PA66) |
| Material Shortcut | PA66 |
| Adhesive | Acrylate with base of polyethylene foam |
| Flammability | UL 94 V-2 (excluding adhesive) |
| UV Resistant (Yes/No) | No |
| Adhesive Operating Temperature | -31°F to +158°F (-35 °C to +70 °C) |
| Operating Temperature | -40°F to +185°F (-40°C to +85°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 500 |
| Package Quantity (Metric) | 500 |
| Customs Number | 3926909988 |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)