


Specification Sheet

Part Number: 156-01652



Oval style stud mount accommodates 5 mm and 6 mm bolts, offering tolerance compensation on bolt location.

Stud mount design requires low installation force while providing exceptional stud retention to go on easy and keep bundles secure.

2-Piece Cable Tie with Stud Mount, 8.0"L, 5mm/6mm Stud Mount, 50lb Tensile Strength, PA66HS/PA66HIRHSUV, Black, 2000/ctn

Article Number 156-01652

Type T50RM5-6SLOTSMSET

Color Black (BK)

Quantity Per pack

Product Description These two-piece fasteners are pre-assembled and offer a simple and versatile method of bundling and mounting cables. Sold as an unassembled set, this oval fir tree and tie combination allows the user to install the tie in two different directions, securing the bundle perpendicular or inline to the oval mounting hole.

Short Description 2-Piece Cable Tie with Stud Mount, 8.0"L, 5mm/6mm Stud Mount, 50lb Tensile Strength, PA66HS/PA66HIRHSUV, Black, 2000/ctn

Global Part Name T50RM5-6SLOTSMSET-PA66HS/PA66HIRHS-BK

Minimum Tensile Strength (Imperial) 50

Minimum Tensile Strength (Metric) 225

Length L (Imperial) 8

Length L (Metric) 203.2

Fixation Method Weld Stud Fixing

Identification Plate Position none

Releasable Closure No

Tie Closure plastic pawl

Width W (Imperial) 0.18

Width W (Metric) 4.6

Thickness T (Imperial) 0.05

Thickness T (Metric) 1.2

Cable Tie Head Width (Imperial) 0.30

Height H (Imperial) 0.69

Height H (Metric) 17.65

Stud Diameter (Metric)	T5 M5 M6
Material	Polyamide 6.6 heat stabilized (PA66HS) Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Foot Part Material	PA66HIRHS
Material Shortcut	PA66HIRHS PA66HS
UV Resistant (Yes/No)	No
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Operating Temperature intermittent, 1000 hours	+320°F (+160°C)
Operating Temperature intermittent, 5000 hours	+257°F (+125°C)
Operating Temperature intermittent, 500 hours	+329°F (+165°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000

Customs Number

3926909988

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)