


## Specification Sheet

Part Number: 170-20400



Nylon monofilament construction weave offers a tight braid that provides full coverage but will not rot or retain moisture.

Material performs well in wet applications and where abiding substrate has a smooth surface.

Helagaine Braided Sleeving, 4 mm Dia, PA66, GY, 656.0 ft/Reel

Article Number 170-20400

Type HEGPA6604

Color Gray (GY)

Quantity Per pack

Product Description Helagaine Nylon Polyamide Expandable Braided Sleeving is a pliable yet durable sleeve that protects against cuts, abrasion and excessive wear caused by repetitive motion.

Short Description Helagaine Braided Sleeving, 4 mm Dia, PA66, GY, 656.0 ft/Reel

Global Part Name HEGPA6604-PA66-GY

|                                |                      |
|--------------------------------|----------------------|
| Length L (Imperial)            | 656.0                |
| Length L (Metric)              | 200.0                |
| Bundle Diameter Min (Imperial) | 0.12                 |
| Bundle Diameter Min (Metric)   | 3                    |
| Bundle Diameter Max (Imperial) | 0.24                 |
| Bundle Diameter Max (Metric)   | 6                    |
| Diameter D (Imperial)          | 0.16                 |
| Diameter D (Metric)            | 4.1                  |
| Nominal Diameter (Imperial)    | 0.16                 |
| Nominal Diameter (Metric)      | 4                    |
| Material                       | Polyamide 6.6 (PA66) |
| Material Shortcut              | PA66                 |
| Flammability                   | FMVSS 302 UL 94 V-2  |
| Halogen Free                   | Yes                  |
| UV Resistant (Yes/No)          | No                   |

|                              |                                   |
|------------------------------|-----------------------------------|
| Use Conditions               | For Indoor Use Only               |
| Operating Temperature        | -76°F to +302°F (-60°C to +150°C) |
| Reach Compliant (Article 33) | Yes                               |
| ROHS Compliant               | Yes                               |
| Package Quantity (Imperial)  | 656                               |
| Package Quantity (Metric)    | 200                               |
| Customs Number               | 5808100000                        |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: [corp@htamericas.com](mailto:corp@htamericas.com)

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)