

Specification Sheet


Part Number: TT822OUT6

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons are available in colors for maximizing design printing capabilities.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Blue, 1/pkg

Article Number 556-00159

Type TT822OUT6

Color Blue (BU)

Quantity Per pack

Product Description HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

Short Description Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, Blue, 1/pkg

| | |
|------------------------------|---------------------------------|
| Global Part Name | TT822OUT6-PET-BU |
| Length L (Imperial) | 984.0 |
| Length L (Metric) | 300 |
| Variant | Colored ribbon |
| Width W (Imperial) | 4.33 |
| Width W (Metric) | 110.0 |
| Material | Polyester Film (PET) |
| Material Shortcut | PET |
| Halogen Free | No |
| UV Resistant (Yes/No) | Yes |
| Use Conditions | For Indoor and Outdoor Use |
| Operating Temperature | +40°F to +300°F (+4°C to +82°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |

| | |
|-----------------------------|------------|
| Package Quantity (Imperial) | 1 |
| Package Quantity (Metric) | 1 |
| Customs Number | 3702440160 |

7930 N. Faulkner Road, Milwaukee, WI 53224
Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)