

Specification Sheet

Part Number: 556-26009

Halogen Free for low smoke and low fire hazard applications.

White front and yellow back for versatility.

Superior strength and tear resistance for long lasting identification.

Pre-cut slots to secure the TipTags using HellermannTyton cable ties.



TipTag, 3.54 x .68", PO/Polyester, White/Yellow, 500/roll

Article Number 556-26009

Type TIPTAGVA15X90YEWB

Color White (WH) Yellow (YE)

Quantity Per pack

Product Description TIPTAGs are halogen free, tear resistant, and lightweight cross laminated polyolefin tags ideal for use where weight is a critical factor. Each side is a different color. One side is yellow and the other side is White so that a high contrast black on yellow or black on white mark can be printed.

Short Description TipTag, 3.54 x .68", PO/Polyester, White/Yellow, 500/roll

Global Part Name TIPTAGVA15X90YEWB-PO-WH/YE

| | |
|--------------------------------|---|
| Length L (Imperial) | 0.68 |
| Length L (Metric) | 17.4 |
| Fixation Method | Others |
| Variant | Other |
| Width W (Imperial) | 3.54 |
| Width W (Metric) | 90.0 |
| Height H (Imperial) | 0.68 |
| Height H (Metric) | 17.4 |
| Cable Tie Width Max (Imperial) | 0.25 |
| Cable Tie Width Max (Metric) | 6.35 |
| Material | Polyolefin (PO) |
| Material Shortcut | PO |
| US MIL SPEC | SAE-AS81531 MIL-STD-202G Method 215K |
| Halogen Free | Yes |

| | |
|------------------------------|--|
| UV Resistant (Yes/No) | Yes |
| Use Conditions | For Indoor and Outdoor Use |
| Operating Temperature | -58°F to +221°F (-50°C to +105°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Certification/Specification | SAE - AS81531 BS-4G-198-3, Type 11a MIL-STD-202G Method 215K |
| Package Quantity (Imperial) | 500 |
| Package Quantity (Metric) | 500 |
| Customs Number | 3920990000 |

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)