

Specification Sheet

Part Number: 596-00634

Preprinted Solar Labels are made with UV-stable inks and materials for durability, weather resistance and long-term outdoor use.

Polyester is resistant to chemicals and solvents and will remain legible in dirty environments.

High abrasion and scuff resistance for high performance labeling.

Meets NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.



Pre-Printed Header Label, WARNING, 3.0 x 2.0", UV Stable PET, Orange, 250/roll

|                     |                                                                                                                                                                                                                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 596-00634                                                                                                                                                                                                                                                                                                        |
| Type                | 3X2WARNINGUV                                                                                                                                                                                                                                                                                                     |
| Color               | Orange (OG)                                                                                                                                                                                                                                                                                                      |
| Quantity Per        | pack                                                                                                                                                                                                                                                                                                             |
| Product Description | These labels come with preprinted color headers so only one color of ribbon is needed to complete the message panel. Labels can be used with TagPrint® Pro label software and HellermannTyton thermal transfer printers to reduce labor, eliminate minimum orders and allow the user to create labels on demand. |

|                           |                                                                                |
|---------------------------|--------------------------------------------------------------------------------|
| Short Description         | Pre-Printed Header Label, WARNING, 3.0 x 2.0", UV Stable PET, Orange, 250/roll |
| Global Part Name          | 3X2WARNINGUV-336/926-OG                                                        |
| Width W (Imperial)        | 3.0                                                                            |
| Width W (Metric)          | 76.20                                                                          |
| Thickness T (Metric)      | 64.0                                                                           |
| Height H (Imperial)       | 2.0                                                                            |
| Height H (Metric)         | 50.80                                                                          |
| Width of Liner (Metric)   | 81.2                                                                           |
| Width of Liner (Imperial) | 3.2                                                                            |
| Material                  | Type 336/926, Polyester, UV stabilized, clear polyester laminate (336/926)     |
| Material Shortcut         | 336/926                                                                        |
| Adhesive                  | Acrylic                                                                        |
| Halogen Free              | Yes                                                                            |
| UV Resistant (Yes/No)     | Yes                                                                            |

|                                |                                                                                   |
|--------------------------------|-----------------------------------------------------------------------------------|
| Use Conditions                 | For Indoor and Outdoor Use                                                        |
| Adhesive Operating Temperature | -40°F to +302°F (-40°C to +150°C)                                                 |
| Operating Temperature          | -40°F to +302°F (-40°C to +150°C)                                                 |
| Reach Compliant (Article 33)   | Yes                                                                               |
| ROHS Compliant                 | Yes                                                                               |
| Certification/Specification    | ANSI Standard Z535.4 NEC2014 UL 969 IFC 2012 NEC2020 NEC2011<br>NEC2017 CSA 66956 |
| UL Recognized (US)             | Yes                                                                               |
| Package Quantity (Imperial)    | 250                                                                               |
| Package Quantity (Metric)      | 250                                                                               |
| Customs Number                 | 3919102055                                                                        |
| Labels per Column              | 1                                                                                 |
| Labels per Row                 | 1                                                                                 |

7930 N. Faulkner Road, Milwaukee, WI 53224  
 Phone: (800) 537-1512 | Email: corp@htamericas.com