

Specification Sheet

Part Number: 596-21251

Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces.

The adhesive sticks to itself and can be used for flag wrap applications.

The smooth, printable surface allows for high-quality imaging for text and graphics.



Thermal Transfer Labels, 0.5" x .75", 6 Across, Polyethylene, White, 10,000/roll

Article Number 596-21251

Type TAG21T6

Color White (WH)

Quantity Per pack

Product Description HellermannTyton's polyethylene labels are smooth and conformable to most surfaces. The material's ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.

Short Description Thermal Transfer Labels, 0.5" x .75", 6 Across, Polyethylene, White, 10,000/roll

Global Part Name	TAG21T6-PE-WH
Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Metric)	64.0
Height H (Imperial)	0.75
Height H (Metric)	19.05
Width of Liner (Metric)	82.55
Width of Liner (Imperial)	3.25
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Use Conditions	For Indoor Use Only
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)

Operating Temperature -40°F to +176°F (-40°C to +80°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 10000

Package Quantity (Metric) 10000

Customs Number 3919102055

Labels per Column 1

Labels per Row 6

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)