

Specification Sheet

Part Number: GWT003X2



Mounting hole for easy attachment using standard cable ties.

Article Number 597-00037

Type GW

Color Orange (OG)

Quantity Per pack

Product Description HellermannTyton ground wire tags are fabricated using .035" thick polyethylene. Vinyl is rated for outdoor use, 5-7 years. Vinyl treated with titanium dioxide ultraviolet inhibitors.

Short Description Ground Wire Tag, Telephone Warning, Polyethylene, Orange, 25/pkg

Global Part Name GW-PE-OG

Width W (Imperial)	3.0
Width W (Metric)	76.20
Height H (Imperial)	1.5
Height H (Metric)	38.10
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	Yes
Adhesive Operating Temperature	-40°F to +300°F (-40°C to +149°C)
Operating Temperature	-150°F to +149°F (-101°C to +65°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	25
Package Quantity (Metric)	25

Customs Number 3926909988

Labels per Column 1

Labels per Row 1

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

© 2026 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Privacy Policy](#) [Cookie Policy](#) [Terms and Conditions](#)