# INF75ML01

Start meetings quickly with the tools you choose

Part #: INF75ML01

**InFocus** 

Mondopad Launch is the fastest path to more productive meetings. Fully configurable and video conferencing-ready, Mondopad Launch offers a touchscreen display, a built-in whiteboard, multi-user casting, and a custom meeting launch interface — so that you can quickly access your favorite apps or tools in any group workspace.

## **Key Features**

- 75-inch 4K anti-glare display
- Fully configurable add your favorite software & apps, such as Skype or Zoom
- Interactive digital whiteboard and document annotation
- Multi-user casting from any device
- Video collaboration ready comes with 4K camera and microphone
- Customizable meeting launch interface
- Screen capture and annotation for all video sources
- Built on a 7th generation Intel i5-based Windows 10 Pro
   PC
- Total Touch Control™ to change source and setting on screen - no need for a remote
- Includes wireless keyboard with integrated touchpad





# Designed for the Group Workspace

Mondopad Launch is the configurable solution for organizations that need easy access to key software and tools - such as video conferencing services, presentation tools, project management software, and more - in a shared group workspace. Easily access your key software and apps, as well as preloaded collaboration tools, from a customizable meeting interface with large, convenient buttons, to start meetings quickly and then easily reset the touchscreen for the next meeting.



## Powerful, Multi-User Casting

Montage, from DisplayNote, offers simple but powerful casting so that you can easily share content wirelessly from your laptop or mobile device. Montage allows up to six people to cast content simultaneously. The main user at the screen can choose which user to show as the active screen, and other users can then annotate from their personal device on to the casted image for all to see.

## **Bring Your Own Device**

Connect and share content securely from PCs, Macs, tablets or smartphones to make meetings more collaborative and productive. With internet-based connections for guest support, Mondopad Launch makes it easy for anyone to connect and share content from any computer or mobile device.

# **Customize Your Meeting Interface**

QuickLaunch allows you to add links to your favorite collaboration software, apps, and services directly to the home screen, enabling you to easily access key tools and start meetings quickly. QuickLaunch provides a wide range of configuration options, allowing you to customize the look and feel of your Mondopad Launch home screen to meet the unique needs of your organization.

Mondopad Launch includes the Standard Edition of QuickLaunch. Upgrade to the Professional Edition to add a meeting room calendar to the home screen of your Mondopad Launch. Scheduled video calls are then easily accessible via a large button within the calendar appointment so that you can instantly join your video call.

## Capture Ideas on an Interactive Whiteboard

Brainstorm, capture, save, and share your ideas on an interactive whiteboard without borders or barriers. Use a complete collection of digital pens, shapes, lines, and colors to create and draw on a giant multi-screen canvas. Paste backgrounds and images onto a whiteboard, annotate on top, save, and email directly from the Mondopad.

### View, Annotate, and Share

Never lose an idea - quickly and easily take notes on anything you're presenting and then save the changes. Mark-up documents, images, web pages, or videos - save your notes as an image - and email it directly from the Mondopad. Easily manage common or secure files through email, office network, USB drives, and cloud-based services like Dropbox.



### Specifications\*

Display	INF75ML01
Diagonal Size	75"
Resolution – Native	4K UHD (3840 x 2160)
Display Technology	Direct-LED backlight
Touch Screen Features	Multi-touch, 10-point gestures, Anti-glare, Anti-Fingerprint
Glass Strength	4mm thick, heat treated
Scratch Resistance	7 Mohs
Contrast Ratio	1,200:1
Display Brightness	450 cd/m2
Refresh Rate	60 Hz
Response Time	8.0 ms

RS232, Component video, Composite video, HDMI x 5, RJ-45 (Ethernet), VGA, USB 3.0 x2, Media USB (Android), PC Audio In (steree), VGA Audio source), 1/8" Microphone (Mono linked to OPS), USB 2.0 x2, OPS PC USB x2, RCA UR audio Display Connectors – Outputs RS232, 3,5mm PC audio, HDMI, SPDIF, 3,5mm Headphone, RCA L/R audio, USB-B x5 for Touchscreen Control Power Standard AC 100 to 240V, 50/60 Panel Life S0,000 hours (minimum)  PC Storage 256 GB SSD Memory 16 GB RAM Operating System Windows 10 Pro (64-bit) / Android 5.0 Processor i5-7200U Intel HD Graphics 620 Included Software Outputs Connectors – Outputs HDMI Network Hardware Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 BaseT with Wake on LAN ×2  System Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise VESA 400×600mm with M8 screws Product Warranty Poduct Warranty Product Warranty Product Weight Shiping Dimensions Shiping Dimensions RS232, 3,5mm PC audio, RDMI, SPDIF, 3,5mm Headphone, RCA L/R audio, USB Bx 5 for Touchscreen Control RS23, 3,5mm PC audio, RDMI, SPDIF, 3,5mm Headphone, RCA L/R audio, USB Bx 5 for Touchscreen Control RS23, 3,5mm PC audio, RDMI, SPDIF, 3,5mm Headphone, RCA L/R audio, USB Bx 5 for Touchscreen Control RS23, 3,5mm PC audio, RDMI, SPDIF, 3,5mm Headphone, RCA L/R audio, USB Bx 5 for Touchscreen Control RS24, 2,5mm Headphone, RCA L/R audio, USB Bx 5 for Touchscreen Control Read Bx 7 For Louch Explored Split Radio Split Rad	Display	INF75ML01
Speakers         Stereo 10W x 2           Speakers         Stereo 10W x 2           Bysplay Connectors – Inputs         RS232, Component video, Composite video, HDMI x 5, RJ-45 (Ethernet), VGA, USB 3.0 x 2, Media USB (Android), PC Audio In (Stereo, VGA Audio source), IV8* Microphone (Mono linked to OPS), USB 2.0 x 2, OPS PC USB x 2, RCA L/R audio           Display Connectors – Outputs         RS232, 35mm PC audio, HDMI, SPDIF, 3.5mm Headphone, RCA L/R audio, USB-B x 5 for Touchscreen Control           Power Standard         AC 100 to 240V, 50/60           Panel Life         50,000 hours (minimum)           Power Storage         50,000 hours (minimum)           FOR Storage           Wemory         16 GB RAM           Operating System         Windows 10 Pro (64-bit) / Android 5,0           Processor         15-7200U Intel HD Graphics 620           Included Software         Quick Launch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer           Connectors – Inputs         3.5mm stereo audio, RJ45 (Ethernet) *2, USB 3.0 Type-A x2           Connectors – Outputs         HDMI           Network Hardware         Bus Band 802.11 a/b/g/n MIMD PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000           Base-T with Wake on LAN *2         Power Cond, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WIF! Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)	Pixel Pitch	0.429 mm
R\$232. Component video, Composite video, HDMI x 5, R)-45 (Ethernet), VGA, USB 3.0 x2, Media USB (Android), PC Audio In (stereo, VGA Audio source), 1/8" Microphone (Mono linked to OPS), USB 2.0 x2, OPS PC USB x2, RCA L/R audio Display Connectors — Outputs R\$232, 3.5mm PC audio, HDMI, SPDIF, 3.5mm Headphone, RCA L/R audio, USB-B x5 for Touchscreen Control Power Standard AC 100 to 240V, 50/50 Panel Life 50,000 hours (minimum)  PC  Storage 256 GB SSD Memory 16 GB RAM Operating System Windows 10 Pro (64-bit) / Android 5.0 Processor 15-7200U Intel HD Graphics 620 Included Software Outputs HDMI Network Hardware Dual band 802.11 a/b/g/n MIMO PCle half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise Querating Conditions Power Consumption Audible Noise 41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m Mounting Pattern VESA 400×600mm with M8 screws Product Warranty Product Weight Shipping Dimensions Shipping Dimensions R\$232, Component video, Component video, Cappa Home R\$270 x 1 x 111.8 mm Product Weight Shipping Dimensions	Viewing Angle	178°
Display Connectors – Inputs       PC Audio In (stereo, VGA Audio source), 1/8" Microphone (Mono linked to OPS), USB 2.0 x2, OPS PC USB x2, RCA L/R audio         Display Connectors – Outputs       R5232, 3.5mm PC audio, HDMI, SPDIF, 3.5mm Headphone, RCA L/R audio, USB-B x5 for Touchscreen Control         Power Standard       AC 100 to 240V, 50/60         Panel Life       50,000 hours (minimum)         FOR         Storage       256 GB SSD         Memory       16 GB RAM         Operating System       Windows 10 Pro (64-bit) / Android 5.0         Processor       15-7200U Intel HD Graphics 620         Included Software       QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer         Connectors – Inputs       3.5mm stereo audio, RJ45 (Ethernet) × 2, USB 3.0 Type-A x2         Connectors – Outputs       HDMI         Network Hardware       Base Twith Wake on LAN × 2         System         Included Accessories       Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)         Audible Noise       40 dBA at 77" / 25"C         Operating Conditions       51 o 35"C at 0 to 3048 m         Power Consumption       400.00 W max         Mounting Pattern       VESA 400×600mm with MB screws	Speakers	Stereo 10W x 2
Power Standard         AC 100 to 240V, 50/60           Panel Life         50,000 hours (minimum)           Poet           Storage         256 GB SSD           Memory         16 GB RAM           Operating System         Windows 10 Pro (64-bit) / Android 5.0           Processor         i5-7200U Intel HD Graphics 620           Included Software         QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer           Connectors – Inputs         3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2           Connectors – Outputs         HDMI           Network Hardware         Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2           System         Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)           Audible Noise         < 40 dBA at 77F / 25°C	Display Connectors – Inputs	PC Audio In (stereo, VGA Audio source), 1/8" Microphone (Mono linked to OPS), USB 2.0 x2, OPS PC USB x2,
Panel Life         50,000 hours (minimum)           PC           Storage         256 GB SSD           Memory         16 GB RAM           Operating System         Windows 10 Pro (64-bit) / Android 5.0           Processor         15-7200U Intel HD Graphics 620           Included Software         Quick Launch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer           Connectors – Inputs         3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2           Connectors – Outputs         HDMI           Network Hardware         Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2           System         Total Cuded Accessories           Included Accessories         Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)           Audible Noise         40 dBA at 77F / 25°C           Operating Conditions         41 to 95°F at 0 to 10000 ft / 5 to 35°C at 10 to 3048 m           Power Consumption         400.0W max           Mounting Pattern         VESA 400x600mm with M8 screws           Product Warranty         1 yea           Product Weight         199 lbs / 63 kg           At 1,5 x 7.7 x x 11 ii. / 1160.8 x 1879.6 x 279.4 mm	Display Connectors – Outputs	RS232, 3.5mm PC audio, HDMI, SPDIF, 3.5mm Headphone, RCA L/R audio, USB-B x5 for Touchscreen Control
Storage 256 GB SSD  Memory 16 GB RAM Operating System Windows 10 Pro (64-bit) / Android 5.0 Processor i5-7200U Intel HD Graphics 620 Included Software QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer Connectors – Inputs 3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2 Connectors – Outputs HDMI Network Hardware Base-T with Wake on LAN ×2 System  Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise 40 dBA at 77°F / 25°C Operating Conditions 14 to 95°F at 0 to 100000 ft / 5 to 35°C at 0 to 3048 m Power Consumption 400.0W max Mounting Pattern VESA 400×600mm with M8 screws Product Warranty 1 year Product Dimensions 140 s 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm Product Weight 139 lbs / 63 kg 457 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Power Standard	AC 100 to 240V, 50/60
Storage 256 GB SSD  Memory 16 GB RAM  Operating System Windows 10 Pro (64-bit) / Android 5.0  Processor 15-7200U Intel HD Graphics 620 Included Software QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer  Connectors – Inputs 3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A ×2  Connectors – Outputs HDMI  Network Hardware Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System  Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise < 40 dBA at 77"F / 25"C  Operating Conditions 11 to 95"F at 0 to 10000 ft / 5 to 35"C at 0 to 3048 m  Power Consumption 400.0W max  Mounting Pattern VESA 400×600mm with M8 screws  Product Warranty 1 year  Product Usight 39 lbs / 63 kg  45.7 × 74 × 111 in / 1160.8 × 1879.6 × 279.4 mm  Shipping Dimensions 140.0 × 279.4 mm	Panel Life	50,000 hours (minimum)
Memory16 GB RAMOperating SystemWindows 10 Pro (64-bit) / Android 5.0Processori5-7200U Intel HD Graphics 620Included SoftwareQuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video DialerConnectors – Inputs3.5mm stereo audio, RJ45 (Ethernet) × 2, USB 3.0 Type-A x2Connectors – OutputsHDMINetwork HardwareDual band 802.11 a/b/g/n MIMO PCle half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2SystemIncluded AccessoriesPower cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)Audible Noise< 40 dBA at 77°F / 25°C	PC	
Operating System Windows 10 Pro (64-bit) / Android 5.0 Processor i5-7200U Intel HD Graphics 620 Included Software QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer Connectors – Inputs 3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2 Connectors – Outputs HDMI Network Hardware Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise 40 dBA at 77°F / 25°C Operating Conditions 41 to 95°F at 0 to 100000 ft / 5 to 35°C at 0 to 3048 m Power Consumption 400.0W max Mounting Pattern VESA 400×600mm with M8 screws Product Warranty 1 year Product Dimensions 41.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm Product Weight 39 lbs / 63 kg Shipping Dimensions 45.7 x 74 x 111 in / 1160.8 x 1879.6 x 279.4 mm	Storage	256 GB SSD
Processor  i5-7200U Intel HD Graphics 620 Included Software  QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer  Connectors – Inputs  3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2  Connectors – Outputs  HDMI  Network Hardware  Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System  Included Accessories  Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise  40 dBA at 77 f / 25 °C  Operating Conditions  41 to 95 °F at 0 to 10000 ft / 5 to 35 °C at 0 to 3048 m  Power Consumption  400.0W max  Mounting Pattern  VESA 400×600mm with M8 screws  Product Warranty  1 year  Product Dimensions  416 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm  Product Weight  Shipping Dimensions  457 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Memory	16 GB RAM
Included Software QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer Connectors – Inputs 3.5mm stereo audio, RJ45 (Ethernet) × 2, USB 3.0 Type-A × 2 Connectors – Outputs HDMI Network Hardware Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN × 2  System Included Accessories Neitone Array, Wireless Keyboard with Integrated Touchpad (where allowed) Audible Noise 40 dBA at 77°F / 25°C Operating Conditions 41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m Power Consumption 400.0W max Mounting Pattern VESA 400×600mm with M8 screws Product Warranty 1 year Product Dimensions 41.6 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm Product Weight Shipping Dimensions 45.7 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Operating System	Windows 10 Pro (64-bit) / Android 5.0
Connectors – Inputs 3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A ×2 Connectors – Outputs HDMI  Network Hardware Dual band 802.11 a/b/g/n MIMO PCle half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System  Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise 40 dBA at 77°F / 25°C Operating Conditions 41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m  Power Consumption 400.0W max Mounting Pattern VESA 400×600mm with M8 screws Product Warranty 1 year  Product Dimensions 41.6 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm  Product Weight Shipping Dimensions 45.7 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Processor	i5-7200U Intel HD Graphics 620
Connectors — Outputs HDMI  Network Hardware Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2  System  Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise < 40 dBA at 77°F / 25°C  Operating Conditions \$1 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m  Power Consumption 400.0W max  Mounting Pattern VESA 400×600mm with M8 screws  Product Warranty 1 year  Product Dimensions \$1.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm  Product Weight 139 lbs / 63 kg  Shipping Dimensions 45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Included Software	QuickLaunch SE, Montage (from DisplayNote), InFocus BigNote, InFocus 121 Video Dialer
Network Hardware       Dual band 802.11 a/b/g/n MIMO PCIe half mini card, 2.4 GHz with Intel, AMT support, 802.3 10/100/1000 Base-T with Wake on LAN ×2         System       Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)         Audible Noise       < 40 dBA at 77°F / 25°C         Operating Conditions       41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m         Power Consumption       400.0W max         Mounting Pattern       VESA 400×600mm with M8 screws         Product Warranty       1 year         Product Dimensions       41.6 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm         Product Weight       139 lbs / 63 kg         Shipping Dimensions       45.7 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Connectors - Inputs	3.5mm stereo audio, RJ45 (Ethernet) ×2, USB 3.0 Type-A x2
System  Included Accessories Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise  40 dBA at 77°F / 25°C  Operating Conditions 41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m  Power Consumption 400.0W max  Mounting Pattern VESA 400×600mm with M8 screws  Product Warranty 1 year  Product Dimensions 41.6 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm  Product Weight Shipping Dimensions 45.7 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Connectors — Outputs	HDMI
Included Accessories  Power cord, Remote, Stylus, HDMI Cable, USB cable, Quick Start Guide, USB WiFi Adapter, 4K Camera and Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise <ul> <li>40 dBA at 77°F / 25°C</li> </ul> 20 operating Conditions  Alt to 95°F at 0 to 100000 ft / 5 to 35°C at 0 to 3048 m  Audible Noise  Audible Noise  41 to 95°F at 0 to 100000 ft / 5 to 3048 m  Audible Noise  Audible Noise  41 to 95°F at 0 to 100000 ft / 5 to 3048 m  Audible Noise  Audible No	Network Hardware	
Microphone Array, Wireless Keyboard with Integrated Touchpad (where allowed)  Audible Noise < 40 dBA at 77°F / 25°C  Operating Conditions	System	
Operating Conditions         41 to 95°F at 0 to 10000 ft / 5 to 35°C at 0 to 3048 m           Power Consumption         400.0W max           Mounting Pattern         VESA 400×600mm with M8 screws           Product Warranty         1 year           Product Dimensions         41.6 × 68.4 × 4.4 in / 1056.6 × 1737.4 × 111.8 mm           Product Weight         139 lbs / 63 kg           Shipping Dimensions         45.7 × 74 × 11 in / 1160.8 × 1879.6 × 279.4 mm	Included Accessories	
Operating Conditions         5 to 35°C at 0 to 3048 m           Power Consumption         400.0W max           Mounting Pattern         VESA 400×600mm with M8 screws           Product Warranty         1 year           Product Dimensions         41.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm           Product Weight         139 lbs / 63 kg           Shipping Dimensions         45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Audible Noise	< 40 dBA at 77°F / 25°C
Mounting PatternVESA 400×600mm with M8 screwsProduct Warranty1 yearProduct Dimensions41.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mmProduct Weight139 lbs / 63 kgShipping Dimensions45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Operating Conditions	
Product Warranty         1 year           Product Dimensions         41.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm           Product Weight         139 lbs / 63 kg           Shipping Dimensions         45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Power Consumption	400.0W max
Product Dimensions       41.6 x 68.4 x 4.4 in / 1056.6 x 1737.4 x 111.8 mm         Product Weight       139 lbs / 63 kg         Shipping Dimensions       45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Mounting Pattern	VESA 400×600mm with M8 screws
Product Dimensions         1056.6 x 1737.4 x 111.8 mm           Product Weight         139 lbs / 63 kg           Shipping Dimensions         45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Product Warranty	1 year
Shipping Dimensions 45.7 x 74 x 11 in / 1160.8 x 1879.6 x 279.4 mm	Product Dimensions	
Shipping Dimensions 1160.8 x 1879.6 x 279.4 mm	Product Weight	139 lbs / 63 kg
Shipping Weight 182 lbs / 82.6 kg	Shipping Dimensions	
	Shipping Weight	182 lbs / 82.6 kg

<sup>\*</sup> Product specifications, terms, and offerings are subject to change at any time without notice.

#### Accessories

SimpleShare Presentation System (INA-SIMPS1)

Mobile Cart Pro for up to 75-inch Displays (Black) (INF-MOBCARTPRO-B)

Wall Mount for up to 75-inch Display (INF-WALLMNT2)

SimpleShare (INA-SIMS1)

 $Simple Share\ Touch\ Presentation\ System\ (INA-SIMINT1)$ 

Floor Stand for up to 75-inch Displays (INF-FLRSTND)

 $Mobile\ Cart\ for\ up\ to\ 75\mbox{-inch\ Displays}\ (INF-MOBCART)$ 

Extra Large Mobile Cart for up to 86-inch Display (INF-MCART-PL)

Deluxe Mobile Cart for up to 100-inch Display (INA-MCARTDX)

Mobile Cart for Vertical Lift Mount (INA-CARTBB)

Vertical Lift Display Wall Mount (INA-MNTBB95)

Floor Support for Lift Wall Mount (INA-SUPPORTBB)

VESA Interface Bracket for Vertical Lift Mounts (INA-VESABB)

Extra Large Wall Mount for up to 86-inch Display (INF-WALLMNT3)

Lift Case for 70-inch or 75-inch Display (CA-ATALIFT70)

Accessory Shelf for Mobile Cart or Floor Stand (INF-ACCYSHELF)

Accessory Shelf for Pro Mobile Cart (Black) (INF-ACCYSHELFPRO-B)

Webcam Shelf for Mobile Cart or Floor Stand (INF-VIDSHELF)

Webcam Shelf for Pro Mobile Cart or Wall Mount (INF-VIDSHELF2)

BigNote, 10 Seat (INS-BNOTE10)

Virtual Training Services, 1 Hour (INS-VTRAINING1)

Virtual Training Services, 2 Hours (INS-VTRAINING2) Virtual Training Services, 4 Hours (INS-VTRAINING4)

1 Year Extended Warranty for Select 75-inch Touchscreens (EPW-75BT1)

2 Year Extended Warranty for Select 75-inch Touchscreens (EPW-75BT2)