

JTouch Interactive Displays

Touchscreens that enhance collaboration
& captivate audiences



JTouch Interactive Displays

Whether you're in a classroom or huddle space, a conference room or auditorium, there's a JTouch interactive display solution to fit your needs and engage your audience.



Key Features

- Giant, high resolution touch displays for a great price
- Incredibly sharp 4K resolution
- Run all your apps, even the older ones, with touch
- Accurate and responsive touch overlay with multi-touch capability

Cast Content Wirelessly

Easily connect and share content from nearly any computer or mobile device to your JTouch. You'll make meetings, lessons and teamwork more efficient, engaging and easy. InFocus casting technology works seamlessly with any device and supports all operating systems, including Chrome OS.

Browse the Web

Access your favorite online content without a connected computer.

View Documents

View and present Office files, as well as most photo and video file formats, directly from the JTouch.

Create on an Interactive Whiteboard

Write, draw, and capture ideas on a giant, multi-screen canvas.

"I use my iPad to cast live camera feed of what students have created to the JTouch."

—Mrs. Joy, 5th Grade School Teacher

Full Touch Control

Display your PC, Mac, or Chromebook via HDMI or VGA & control it from the display via touch using a USB cable.

- Extend the reach of your computer's USB ports with easily-accessible USB ports on the display
- No calibration or special stylus means it's quick and easy to use with just your fingertips

High Brightness and 4K Clarity

JTouch helps you get your message across and connect with your audience with incredible brightness, color and clarity. With 4K resolution, your images, text and video will be seen and enjoyed even in large spaces with high ambient light.

The Most Education-Friendly JTouch Ever

Ideal for education, the JTouch line is now fully customizable, featuring Total Touch Control™, the ability to annotate on any input, and an open Android platform so you can natively run all of your key educational applications.

Powerful Teaching & Collaboration Solution

- Easy-for-anyone interface with Total Touch Control—no need for a remote
- Annotate over any application or video input
- Comment and draw over websites, documents, and more
- Open Android platform—easily add your favorite Android apps
- Customize your whiteboard background
- Erase with three-finger touch
- Anti-fingerprint, anti-glare screen



Interactive Whiteboard & Annotation

- Create a whiteboard on a multi-screen canvas, with room for free-form drawings, diagrams, images, and notes
- Write or draw with complete collection of digital pens, highlighters, shapes, lines and colors
- Use with fingers or a stylus
- View and annotate over PowerPoint, images, Word and more
- Save and share your notes electronically



Qwizdom Software Bundle Now Included!

Qwizdom Oktopus Blend Software with a 3-year Qwizdom Blend license now comes standard with all JTouch for Education models. Create LAN-based curriculum, use educational tools designed for traditional and cloud-based environments, share live lessons, and annotate over any content.



Accessories for JTouch Displays

LiteShow 4 DB+

Add the InFocus LiteShow 4 DB+ wireless presentation adapter to any base model display with a VGA or HDMI input to quickly and easily share data, audio, and HD video over a secure wireless connection.

- Connect LiteShow 4 DB+ to your network to create a new, secure wireless access point
- 2.4GHz / 5GHz Dual Band wireless technology for ultra-fast transmission
- On-board video decoding for fast, smooth playback
- Guests quickly connect with LiteShow USB drive
- Compatible with Windows 7, 8 & 10, Mac & iOS and Android mobile devices
- Connect and display multiple computers at the same time



SimpleShare

A true cable replacement, SimpleShare is the easiest, most direct way to share videos, presentations, documents, data, and more—with no software to install and nothing to manage on the network.

- Plug & play—no software installation
- Easily switch presenters with the click of a button
- Transmit high quality HD video and sound in real time
- Works with any HDMI input, PC, Mac, DVD player, or other devices
- Available with touch adapter to wirelessly control your PC from the display



Mobile Carts

Easily roll your JTouch around the room or around the building.

- Integrated cable management with flexible covers to hide cables for a clean installation
- Smooth rolling casters for effortless positioning (2 locking casters)
- Height adjustment 4-6' (1.2-1.8 m)



Lift Case

Easily store, transport, and use a 65" interactive display. Set up displays with only one or two people and be ready for use in less than 5 minutes.

- Full range of viewing heights
- Mounted multi-outlet surge protected power strip
- Shock-mounted lift mechanism
- Integrated cable management system
- 2-piece clamshell locking lid
- Stable, yet portable with four heavy duty casters



“Overall the JTouch is a jack of all interactive trades – it has the ability to draw in a rainbow of colors, display smooth video and let you connect without needing a new app.”

—Brian Nadel, Computerworld

Display	INF5533e	INF6533e	INF7533e	INF8633e
Size	55" Diagonal	65" Diagonal	75" Diagonal	86" Diagonal
Resolution	4K 3840 × 2160			
Anti-Glare	Yes, plus anti-fingerprint coating			
Wireless Collaboration	Casting embedded			
Mounting Orientation	Landscape			
Technology	Direct LED Backlight			
Pixel Pitch	0.315 mm	0.429 mm		0.494 mm
Response Time	9 ms		8 ms	
Contrast Ratio	1,200:1			
Brightness	350cd/m ²	450cd/m ²		400cd/m ²
Scratch Resistance	7 Mohs			
Glass Strength	4mm thick, heat treated			
Input Connections	HDMI x 4, VGA, RJ45, PC Audio In (stereo, VGA Audio source), component video, composite video, 1/8" Microphone (Mono linked to OPS), RS232, USB 2.0 x 2, USB 3.0 x 2, OPS PC USB x 2, RCA Audio (L/R, link to Component and Composite Video), Media USB (Android)	HDMI x 5, VGA, RJ45, PC Audio In (stereo, VGA Audio source), component video, composite video, 1/8" Microphone (Mono linked to OPS), RS232, USB 2.0 x 2, USB 3.0 x 2, OPS PC USB x 2, RCA Audio (L/R, link to Component and Composite Video), Media USB (Android)		
Output Connections	HDMI Out, USB-B x 2 for Touchscreen Control, 3.5mm PC Audio, 3.5mm Headphone, SPDIF, RCA Audio (L/R), RS232	HDMI Out, USB-B x 5 for Touchscreen Control, 3.5mm PC Audio, 3.5mm Headphone, SPDIF, RCA Audio (L/R), RS232		
Internal Storage	16 GB			
Touch Technology	IR			
Touch Points	10			
Speakers	10W x 2			
Mount	VESA 300 × 300 mm, M6 screws	VESA 400 × 400 mm, M8 screws	VESA 400 × 600 mm, M8 screws	VESA 400 × 700 mm, M8 screws
Accessories Included	HDMI cable, USB cable, USB Wi-Fi Adapter, Power cord, Stylus, Remote, Quick Start Guide			
Product Weight	84 lbs / 38 kg	117 lbs / 53 kg	139lbs / 63kg	184.5lbs / 83.75kg
Product Dimensions (H × W × D)	31.6 x 50.8 x 4.2 in 803 x 1291 x 107 mm	36.5 x 59.5 x 4.8 in 928 x 1511 x 122 mm	41.6 x 68.4 x 4.4 in 1057 x 1737 x 112 mm	47.3 x 78.3 x 4.6in 1201 x 1990 x 117 mm
Shipping Weight	104 lbs / 47 kg	147lbs / 66.5kg	177lbs / 80kg	242.5lbs / 110kg
Shipping Dimensions (H × W × D)	38 x 59.8 x 9.6 in 965 x 1520 x 245 mm	45.9 x 69.5 x 12.6 in 1165 x 1765 x 320 mm	45.7 x 74 x 11 in 1160 x 1880 x 280 mm	58.7 x 86.6 x 14.2in 1490 x 2200 x 360 mm
Warranty	3 Years			

*Product specifications, terms, and offerings are subject to change at any time without notice.

Additional Display Specifications

Refresh Rate: 60 Hz
 Viewing Angle: 178°
 Computer Touch Compatibility (via USB): PC, Mac, Chromebook
 Power: AC 100 to 240V, 50/60 Hz
 Operating Conditions: 32° to 104° F at 0 to 10K feet / 0° to 40° at 0 to 3,048 m
 Noise: <40dBA at 77 F / 25 C

Accessories

Wall Mount for 55-75 Inch Display (INF-WALLMNT2)
 Mobile Carts for 55-75 Inch Display (INF-MOBCART, INF-MOBCARTPRO-B, INF-MOBCARTPRO-S)
 Wall Mount for 86-Inch Display (INF-WALLMNT3)
 Mobile Cart for 86-Inch Display (INF-MCART-PL)
 Deluxe Mobile Cart with PTZ Mount and Accessory Shelf (INA-MCARTDX)

Lift Assist Mount for 55-75 Inch Display (INA-MNTBB70)
 Floor Support for Lift Assist Wall Mount (INA-SUPPORTBB)
 Mobile Cart for List Assist Mount (INA-CARTBB)
 VESA Interface Bracket for Lift Assist Mount (INA-VESABB)
 LiteShow 4 DB+ (INLITESHOW4DB+)
 SimpleShare (INA-SIMS1)
 SimpleShare Presentation System (INA-SIMPS1)
 SimpleShare Touch Presentation System (INA-SIMINT1)
 Touchscreen Stylus (INA-STYLUS)
 BigNote Whiteboard Software (INS-BIGNOTE)
 Qwizdom Software Bundle (INS-QBUNDLE)
 Ximbus Software (INS-QXIM1T40-1Y)

Extended Warranties: 55-Inch (EPW-55JT1, EPW-55JT2, EPW-55JT3) / 65-Inch (EPW-65JT1, EPW-65JT2, EPW-65JT3, EPW-65SV1, EPW-65SV2, EPW-65SV3) / 75-inch (EPW-75JT1, EPW-75JT2, EPW-75JT3) / 86-inch (EPW-86JT1, EPW-86JT2, EPW-86JT3)

