

# **JBC**

[www.jbctools.com](http://www.jbctools.com)

## **INSTRUCTION MANUAL**



### **TE Nozzles**

For TET Heater

This manual corresponds to the following references:

Straight:

TN9209

TN9208

TN9080

Bent:

TN9787

TN9785

TN9782

TN8851

TN8905

TN9561

The following items are included:

## Packing List




**Nozzle for TET Heater** ..... 1 unit  
*(according to purchased reference)*



**Manual** ..... 1 unit  
Ref. 0029012

## Nozzle Models



Ref.	Shape	Size
TN9209	Straight	$\varnothing$ 3mm
TN9208	Straight	$\varnothing$ 4mm
TN9080	Straight	$\varnothing$ 5mm
TN9787	Bent	$\varnothing$ 3mm 18°
TN9785	Bent	$\varnothing$ 4mm 18°

Ref.	Shape	Size
TN9782	Bent	$\varnothing$ 5mm 18°
TN8851	Bent	$\varnothing$ 3mm 45°
TN8905	Bent	$\varnothing$ 4mm 45°
TN9561	Bent	$\varnothing$ 5mm 45°

# Specifications

## TE Nozzles For TET Heater

	Net Weight:	Package Weight:
Ref.: <b>TN9209</b>	0.8 g / 0.002 lb	6.1 g / 0.013 lb
Ref.: <b>TN9208</b>	1 g / 0.002 lb	6.3 g / 0.014 lb
Ref.: <b>TN9080</b>	1 g / 0.002 lb	6.3 g / 0.014 lb
Ref.: <b>TN9787</b>	1.4 g / 0.003 lb	7.1 g / 0.016 lb
Ref.: <b>TN9785</b>	1.3 g / 0.003 lb	7.0 g / 0.015 lb
Ref.: <b>TN9782</b>	1.5 g / 0.003 lb	7.2 g / 0.016 lb
Ref.: <b>TN8851</b>	1.4 g / 0.003 lb	7.1 g / 0.016 lb
Ref.: <b>TN8905</b>	1.4 g / 0.003 lb	7.1 g / 0.016 lb
Ref.: <b>TN9561</b>	1.4 g / 0.003 lb	7.1 g / 0.016 lb

- Package Dimensions: 80 x 40 x 35 mm  
(L x W x H)                      3.15 x 1.57 x 1.38 in

# JBC

## Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour.

Warranty does not cover product wear or misuse.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.



[www.jbctools.com](http://www.jbctools.com)