


This extraction tool is perfect for removing front release contacts made by most manufacturers. This extraction tool features the following:

- Removes front release contacts made by: Amp, Amphenol, Bendix, Burndy, Cannon, Cinch, Continental, Elco, Flight, Pyle National, and Deutsch
- Durable aluminum housing and stainless steel probe last a lifetime

SPECIFICATIONS	
<b>FUNCTION</b>	Extraction
<b>CONTACT SIZE</b>	12 (0.093")
<b>PROBE DIAMETER</b>	0.195" (4.95 mm)
<b>PROBE WALL THICKNESS</b>	0.027" (0.69 mm)
<b>WEIGHT</b>	0.167 lb (75.75 g)
<b>UPC #</b>	811490014596






This extraction tool is perfect for removing front release contacts made by most manufacturers. This extraction tool features the following:

- Removes front release contacts made by: Amp, Amphenol, Bendix, Burndy, Cannon, Cinch, Continental, Elco, Flight, Pyle National, and Deutsch
- Durable aluminum housing and stainless steel probe last a lifetime

SPECIFICATIONS	
<b>FUNCTION</b>	Extraction
<b>CONTACT SIZE</b>	16 (0.063")
<b>PROBE DIAMETER</b>	0.165" (4.19 mm)
<b>PROBE WALL THICKNESS</b>	0.028" (0.71 mm)
<b>WEIGHT</b>	0.162 lb (73.48 g)
<b>UPC #</b>	811490014589





This extraction tool is perfect for removing front release contacts made by most manufacturers. This extraction tool features the following:

- Removes front release contacts made by: Amp, Amphenol, Bendix, Burndy, Cannon, Cinch, Continental, Elco, Flight, Pyle National, and Deutsch
- Durable aluminum housing and stainless steel probe last a lifetime

SPECIFICATIONS	
<b>FUNCTION</b>	Extraction
<b>CONTACT SIZE</b>	20 (0.040")
<b>PROBE DIAMETER</b>	0.135" (3.43 mm)
<b>PROBE WALL THICKNESS</b>	0.021" (0.53 mm)
<b>WEIGHT</b>	0.157 lb (71.21 g)
<b>UPC #</b>	811490014572

